



**price list marine  
july 2024**

**UFLEX**

UFLEX® - A WORLD OF MARINE EQUIPMENT

**PRICE LIST****JULY, 2024****INDEX**

<i>Brand</i>	<i>Catalogue 24 Section</i>	<i>Catalogue 24 pages</i>	<i>Price List pages</i>
UCS®	Hatch lifters	7-10	3
UFLEX®	Gas springs	11-16	4-5
UFLEX®	Electro-mechanical Trim Tabs	17-28	6
AQUATIC AV®	Waterproof marine A/V systems	29-42	7
RITCHIE®	Magnetic compasses	43-56	8-9
VERATRON®	ViewLine & sensors	57-73	10-17
VERATRON®	Digital Devises, sensors & accessories	75-114	18-22
UFLEX®	Marine instruments	115-124	23-26
PENTAIR®	Fresh water & bilge pumps, filters and blowers	125-136	27-28
UFLEX®	Electric pumps & blowers	137-156	29-31
MARINCO®	Shore power systems, spotlights, horns & wipers	157-174	32-35
BEP®	Battery management, power distribution panels, connect	175-210	36-40
SAFE-T-ALERT™	Smoke & CO alarms	211-214	41
VICTRON ENERGY®	Marine energy management	215-245	42-48
WAKESPEED®	Charge regulators	247-248	49
FAAM®	Batteries	249-250	50
	Renewable energy	251-264	51-52
ENEON®	Marine generators	265-276	53
WESTERBEKE®	Gasoline generators	277-278	54
BALMAR®	DC Charging solutions	279-286	55-56
HALYARD®	Silencers & exhaust systems	287-310	57-60
VELAIR®	Marine air conditioning systems #N/D	311-326	61-64
WALLAS®	Diesel heaters	327-329	65
SHOCKWAVE®	Marine suspension seating	.	66
	SALE CONDITIONS		67

**UFLEX**

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - JULY, 2024  
Unit Price (Euro) (VAT excl.)

p/n	Brand	pg cat24	Model	Description	
<b>UCS® Hatch lifters</b>					
<b>AV SERIES</b>					
40582D	UCS®	8	AV 4512	Actuator complete with bracket - stroke 450 mm (18") - 12V	<b>726,00</b>
40583F	UCS®	8	AV 4524	Actuator complete with bracket - stroke 450 mm (18") - 24V	<b>726,00</b>
40584H	UCS®	8	AV 6012	Actuator complete with bracket- stroke 600 mm (24") - 12V	<b>750,00</b>
40585K	UCS®	8	AV 6024	Actuator complete with bracket - stroke 600 mm (24") - 24V	<b>750,00</b>
40671C	UCS®	8	AV 3012	Actuator complete with bracket - stroke 300 mm (12") - 12V	<b>703,00</b>
40672E	UCS®	8	AV 3024	Actuator complete with bracket - stroke 300 mm (12") - 24V	<b>703,00</b>
<b>MOUNTING BRACKET</b>					
80382I	UCS®	8	BR/AV	Spare mounting bracket for AV Series actuators	<b>77,40</b>
<b>RELAY BOX</b>					
40738Y	UCS®	8	RB 12	Relay box 12V for AV Series actuators	<b>181,00</b>
40742C	UCS®	8	RB 24	Relay box 24V for AV Series actuators	<b>181,00</b>
<b>SWITCH</b>					
69116J	UFLEX®	8	SW20	Single pole momentary switch	<b>44,10</b>
<b>MOUNTING BRACKET</b>					
35697P	UCS®	9	BR/UL	Spare mounting bracket for ULYSSES Series actuators	<b>38,70</b>
<b>ULYSSES SERIES</b>					
40924Q	UCS®	9	ULYSSES 1812	Actuator complete with bracket - stroke 180 mm (7") - 12V	<b>397,00</b>
40925R	UCS®	9	ULYSSES 3012	Actuator complete with bracket - stroke 300 mm (12") - 12V	<b>408,00</b>
40926S	UCS®	9	ULYSSES 1824	Actuator complete with bracket - stroke 180 mm (7") - 24V	<b>397,00</b>
40927T	UCS®	9	ULYSSES 3024	Actuator complete with bracket - stroke 300 mm (12") - 24V	<b>408,00</b>



**UFLEX**  
UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - JULY, 2024

Unit Price (Euro) (VAT excl.)

p/n	Brand	pg cat24	Model	Description	
<b>UFLEX® Gas springs</b>					
90565L	UFLEX®	13	PVC 380-600	Accessory/Spare PVC bag package for 380-600 mm gas springs length	2,30
90574M	UFLEX®	13	PVC 380	PVC bag package for gas springs up to 380mm length	2,20
U SERIES					
64312G	UFLEX®	13	U95-5	Total length 257 mm, stroke 95 mm, output force 5 kg	19,30
64313J	UFLEX®	13	U95-10	Total length 257 mm, stroke 95 mm, output force 10 kg	19,30
64314L	UFLEX®	13	U95-20	Total length 257 mm, stroke 95 mm, output force 20 kg	19,30
64315N	UFLEX®	13	U140-10	Total length 365 mm, stroke 142 mm, output force 10 kg	21,60
64316R	UFLEX®	13	U140-20	Total length 365 mm, stroke 142 mm, output force 20 kg	21,60
64317T	UFLEX®	13	U140-30	Total length 365 mm, stroke 142 mm, output force 30 kg	21,60
64318V	UFLEX®	13	U235-10	Total length 550 mm, stroke 234 mm, output force 10 kg	26,70
64319X	UFLEX®	13	U235-20	Total length 550 mm, stroke 234 mm, output force 20 kg	26,70
64320F	UFLEX®	13	U235-30	Total length 550 mm, stroke 234 mm, output force 30 kg	26,70
64321H	UFLEX®	13	U235-40	Total length 550 mm, stroke 234 mm, output force 40 kg	26,70
64322K	UFLEX®	13	U260-20	Total length 600 mm, stroke 262 mm, output force 20 kg	28,70
64323M	UFLEX®	13	U260-30	Total length 600 mm, stroke 262 mm, output force 30 kg	28,70
64324P	UFLEX®	13	U260-40	Total length 600 mm, stroke 262 mm, output force 40 kg	28,70
65297V	UFLEX®	13	U300-30	Total length 683 mm, stroke 300 mm, output force 30 kg	36,90
65298X	UFLEX®	13	U300-40	Total length 683 mm, stroke 300 mm, output force 40 kg	36,90
65299Z	UFLEX®	13	U300-50	Total length 683 mm, stroke 300 mm, output force 50 kg	36,90
66427LA	UFLEX®	13	U150-20	Total length 375 mm, stroke 150 mm, output force 20 kg	19,50
A/M PACKAGE					
64412L	UFLEX®	13	U95-5-b	Total length 257 mm, stroke 95 mm, output force 5 kg	21,90
64413N	UFLEX®	13	U95-10-b	Total length 257 mm, stroke 95 mm, output force 10 kg	21,90
64414R	UFLEX®	13	U95-20-b	Total length 257 mm, stroke 95 mm, output force 20 kg	21,90
64415T	UFLEX®	13	U140-10-b	Total length 365 mm, stroke 142 mm, output force 10 kg	24,20
64416V	UFLEX®	13	U140-20-b	Total length 365 mm, stroke 142 mm, output force 20 kg	24,20
64417X	UFLEX®	13	U140-30-b	Total length 365 mm, stroke 142 mm, output force 30 kg	24,20
64418Z	UFLEX®	13	U235-10-b	Total length 550 mm, stroke 234 mm, output force 10 kg	29,30
64419B	UFLEX®	13	U235-20-b	Total length 550 mm, stroke 234 mm, output force 20 kg	29,30
64420K	UFLEX®	13	U235-30-b	Total length 550 mm, stroke 234 mm, output force 30 kg	29,30
64421M	UFLEX®	13	U235-40-b	Total length 550 mm, stroke 234 mm, output force 40 kg	29,30
64422P	UFLEX®	13	U260-20-b	Total length 600 mm, stroke 262 mm, output force 20 kg	31,40
64423S	UFLEX®	13	U260-30-b	Total length 600 mm, stroke 262 mm, output force 30 kg	31,40
64424U	UFLEX®	13	U260-40-b	Total length 600 mm, stroke 262 mm, output force 40 kg	31,40
65300E	UFLEX®	13	U300-30-b	Total length 683 mm, stroke 300 mm, output force 30 kg	40,00
65301G	UFLEX®	13	U300-40-b	Total length 683 mm, stroke 300 mm, output force 40 kg	40,00
65302J	UFLEX®	13	U300-50-b	Total length 683 mm, stroke 300 mm, output force 50 kg	40,00
END FITTING					
66510X	UFLEX®	14	KB01	2 ball joint fitting kit for UB Series gas springs	4,10
UB SERIES					
66423C	UFLEX®	.	UB120-10	Total length 315 mm, stroke 120 mm, output force 10 kg	17,70
66425GA	UFLEX®	14	UB120-30	Total length 315 mm, stroke 120 mm, output force 30 kg	19,50
66426J	UFLEX®	.	UB150-10	Total length 375 mm, stroke 150 mm, output force 10 kg	17,70
66428NA	UFLEX®	14	UB150-30	Total length 375 mm, stroke 150 mm, output force 30 kg	19,50
66431BA	UFLEX®	14	UB180-30	Total length 445 mm, stroke 180 mm, output force 30 kg	19,90
66432D	UFLEX®	.	UB220-10	Total length 295 mm, stroke 220 mm, output force 10 kg	20,80
66433F	UFLEX®	.	UB220-20	Total length 295 mm, stroke 220 mm, output force 20 kg	20,80
A/M PACKAGE					
66448VA	UFLEX®	14	UB120-30-b	Total length 315 mm, stroke 120 mm, output force 30 kg	22,10
66450FA	UFLEX®	14	UB150-20-b	Total length 375 mm, stroke 150 mm, output force 20 kg	22,10
66451H	UFLEX®	14	UB150-30-b	Total length 375 mm, stroke 150 mm, output force 30 kg	22,10
66454PA	UFLEX®	14	UB180-30-b	Total length 445 mm, stroke 180 mm, output force 30 kg	22,60
END FITTING					
66514F	UFLEX®	15	KSS01	2 stainless steel ball bearing fitting kit for USS Series gas springs	28,80
69530V	UFLEX®	15	KSS02	twin stainless steel eyelet fitting kit for USS Series gas springs	12,80
USS SERIES					
22122PA	UFLEX®	15	USS220-5	Total length 525 mm, stroke 220 mm, output force 5 kg	58,20
22517PA	UFLEX®	15	USS300-60	Total length 700 mm, stroke 300 mm, output force 60 kg	77,90
66465VA	UFLEX®	15	USS100-5	Total length 275 mm, stroke 100 mm, output force 5 kg	39,30
66466XA	UFLEX®	15	USS100-10	Total length 275 mm, stroke 100 mm, output force 10 kg	39,30
66467ZA	UFLEX®	15	USS100-20	Total length 275 mm, stroke 100 mm, output force 20 kg	39,30
66468BA	UFLEX®	15	USS120-10	Total length 315 mm, stroke 120 mm, output force 10 kg	40,70
66469DA	UFLEX®	15	USS120-20	Total length 315 mm, stroke 120 mm, output force 20 kg	40,70
66470MA	UFLEX®	15	USS120-30	Total length 315 mm, stroke 120 mm, output force 30 kg	40,70
66471PA	UFLEX®	15	USS150-10	Total length 375 mm, stroke 150 mm, output force 10 kg	41,60
66472SA	UFLEX®	15	USS150-20	Total length 375 mm, stroke 150 mm, output force 20 kg	41,60
66473UA	UFLEX®	15	USS150-30	Total length 375 mm, stroke 150 mm, output force 30 kg	41,60
66474WA	UFLEX®	15	USS180-10	Total length 445 mm, stroke 180 mm, output force 10 kg	55,40
66475YA	UFLEX®	15	USS180-20	Total length 445 mm, stroke 180 mm, output force 20 kg	55,40
66476AA	UFLEX®	15	USS180-30	Total length 445 mm, stroke 180 mm, output force 30 kg	55,40
66477CA	UFLEX®	15	USS220-10	Total length 525 mm, stroke 220 mm, output force 10 kg	58,20

**UFLEX**

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - JULY, 2024

Unit Price (Euro) (VAT excl.)

p/n	Brand	pg cat24	Model	Description	
66478EA	UFLEX®	15	USS220-20	Total length 525 mm, stroke 220 mm, output force 20 kg	58,20
66479GA	UFLEX®	15	USS220-30	Total length 525 mm, stroke 220 mm, output force 30 kg	58,20
66480RA	UFLEX®	15	USS220-40	Total length 525 mm, stroke 220 mm, output force 40 kg	58,20
66481TA	UFLEX®	15	USS250-20	Total length 585 mm, stroke 250 mm, output force 20 kg	60,90
66482VA	UFLEX®	15	USS250-30	Total length 585 mm, stroke 250 mm, output force 30 kg	60,90
66483XA	UFLEX®	15	USS250-40	Total length 585 mm, stroke 250 mm, output force 40 kg	60,90
66484ZA	UFLEX®	15	USS300-30	Total length 700 mm, stroke 300 mm, output force 30 kg	77,90
66485BA	UFLEX®	15	USS300-40	Total length 700 mm, stroke 300 mm, output force 40 kg	77,90
66486DA	UFLEX®	15	USS300-50	Total length 700 mm, stroke 300 mm, output force 50 kg	77,90
68061EA	UFLEX®	15	USS300-20	Total length 700 mm, stroke 300 mm, output force 20 kg	77,90
A/M PACKAGE					
22529XA	UFLEX®	15	USS300-20-b	Total length 700 mm, stroke 300 mm, output force 20 kg	81,30
22530TA	UFLEX®	15	USS300-60-b	Total length 700 mm, stroke 300 mm, output force 60 kg	81,30
22589SA	UFLEX®	15	USS220-5-b	Total length 525 mm, stroke 220 mm, output force 5 kg	61,20
66487FA	UFLEX®	15	USS100-5-b	Total length 275 mm, stroke 100 mm, output force 5 kg	42,20
66488HA	UFLEX®	15	USS100-10-b	Total length 275 mm, stroke 100 mm, output force 10 kg	42,20
66489KA	UFLEX®	15	USS100-20-b	Total length 275 mm, stroke 100 mm, output force 20 kg	42,20
66490UA	UFLEX®	15	USS120-10-b	Total length 315 mm, stroke 120 mm, output force 10 kg	43,60
66491WA	UFLEX®	15	USS120-20-b	Total length 315 mm, stroke 120 mm, output force 20 kg	43,60
66492YA	UFLEX®	15	USS120-30-b	Total length 315 mm, stroke 120 mm, output force 30 kg	43,60
66493AA	UFLEX®	15	USS150-10-b	Total length 375 mm, stroke 150 mm, output force 10 kg	44,50
66494CA	UFLEX®	15	USS150-20-b	Total length 375 mm, stroke 150 mm, output force 20 kg	44,50
66495EA	UFLEX®	15	USS150-30-b	Total length 375 mm, stroke 150 mm, output force 30 kg	44,50
66496GA	UFLEX®	15	USS180-10-b	Total length 445 mm, stroke 180 mm, output force 10 kg	58,40
66497JA	UFLEX®	15	USS180-20-b	Total length 445 mm, stroke 180 mm, output force 20 kg	58,40
66498LA	UFLEX®	15	USS180-30-b	Total length 445 mm, stroke 180 mm, output force 30 kg	58,40
66499NA	UFLEX®	15	USS220-10-b	Total length 525 mm, stroke 220 mm, output force 10 kg	61,20
66500UA	UFLEX®	15	USS220-20-b	Total length 525 mm, stroke 220 mm, output force 20 kg	61,20
66501WA	UFLEX®	15	USS220-30-b	Total length 525 mm, stroke 220 mm, output force 30 kg	61,20
66502YA	UFLEX®	15	USS220-40-b	Total length 525 mm, stroke 220 mm, output force 40 kg	61,20
66503AA	UFLEX®	15	USS250-20-b	Total length 585 mm, stroke 250 mm, output force 20 kg	63,90
66504CA	UFLEX®	15	USS250-30-b	Total length 585 mm, stroke 250 mm, output force 30 kg	63,90
66505EA	UFLEX®	15	USS250-40-b	Total length 585 mm, stroke 250 mm, output force 40 kg	63,90
66506GA	UFLEX®	15	USS300-30-b	Total length 700 mm, stroke 300 mm, output force 30 kg	81,30
66507JA	UFLEX®	15	USS300-40-b	Total length 700 mm, stroke 300 mm, output force 40 kg	81,30
66508LA	UFLEX®	15	USS300-50-b	Total length 700 mm, stroke 300 mm, output force 50 kg	81,30
MOUNTING BRACKET					
64325S	UFLEX®	16	SP 10	Black thermoplastic brackets with zinc plated steel stud	7,70
64326U	UFLEX®	16	SP 11	Black thermoplastic brackets with zinc plated steel stud	7,70
64327W	UFLEX®	16	SI 20	Stainless steel bracket and stud - flat bracket	7,40
64328Y	UFLEX®	16	SI 21	Stainless steel bracket and stud - square bent bracket	8,70
64329A	UFLEX®	16	SI 22	Stainless steel bracket and stud - square bent bracket	8,70
65289W	UFLEX®	16	SSN 20	Stainless steel bracket and stud with self-locking nut - flat bracket	7,80
65290E	UFLEX®	16	SSN 21	Stainless steel bracket and stud with self-locking nut - bent bracket	9,10
65291G	UFLEX®	16	SSN 22	Stainless steel bracket and stud with self-locking nut - bent bracket	8,70
66540G	UFLEX®	16	SB 10	Stainless steel bracket and stud - flat bracket	5,70
66541J	UFLEX®	16	SB 11	Stainless steel bracket and stud - square bent bracket	7,60
66542L	UFLEX®	16	SB 12	Stainless steel bracket and stud - square bent bracket	7,60



**UFLEX**  
UFLEX® - A WORLD OF MARINE EQUIPMENT

**PRICE LIST - JULY, 2024**  
**Unit Price (Euro) (VAT excl.)**

p/n	Brand	pg cat24	Model	Description	
<b>UFLEX® Electro-mechanical Trim Tabs</b>					
				<b>ACTUATOR</b>	
43001V	UFLEX®	24	AC12	Compact AC Actuator and Brackets - 273 mm (full closed), 12VDC	509,00
43160S	UFLEX®	24	AT12	AT Actuator and Brackets - 301 mm (full closed), 12VDC	509,00
				<b>JOYSTICK</b>	
41849Z	UFLEX®	25	J/CH	Joystick for master station - chrome	288,00
42306N	UFLEX®	25	J/CH-2	Joystick for fly bridge station - chrome	205,00
42855Z	UFLEX®	25	J/B	Joystick for master station - black	309,00
42856B	UFLEX®	25	J/B-2	Joystick for fly bridge station - black	226,00
43004B	UFLEX®	25	JLP/CH	Joystick for master station - low profile, chrome	288,00
43005D	UFLEX®	25	JLP/B	Joystick for master station - low profile, black	309,00
43080U	UFLEX®	25	JLP/CH-2	Joystick for fly bridge station - low profile, chrome	205,00
43081W	UFLEX®	25	JLP/B-2	Joystick for fly bridge station - low profile, black	226,00
43416B	UFLEX®	25	J/B-LED	Joystick for master station - black, with LED indicators	755,00
				<b>TABS</b>	
42650E	UFLEX®	26	NP99	9"x 9" Stainless steel tabs - 1 pair	146,00
42651G	UFLEX®	26	NP1212	12"x 12" Stainless steel tabs - 1 pair	215,00
42652J	UFLEX®	26	NP1218	12"x 18" Stainless steel tabs - 1 pair	314,00
42653L	UFLEX®	26	NP129	12"x 9" Stainless steel tabs - 1 pair	152,00
43630D	UFLEX®	26	NPE912	9"x 12" Stainless steel "Edge Mount" tabs - 1 pair	200,00
43631F	UFLEX®	26	NPE129	12"x 9" Stainless steel "Edge Mount" tabs - 1 pair	225,00
43632H	UFLEX®	26	NPE1212	12"x 12" Stainless steel "Edge Mount" tabs - 1 pair	287,00
43633K	UFLEX®	26	NPE1218	12"x 18" Stainless steel "Edge Mount" tabs - 1 pair	391,00
				<b>ANODE KIT</b>	
42441V	UFLEX®	27	KA70	Anode kit $\Phi$ 70 mm	20,10
42442X	UFLEX®	27	KA90	Anode kit $\Phi$ 90 mm	31,80
				<b>CABLE EXTENSION</b>	
41853P	UFLEX®	27	KEJ2-20	6 m ( 19.7') Extension kit for second station. Deutsch plugs included	112,30
42375J	UFLEX®	27	KEJ2-30	9 m ( 29.5') Extension kit for second station. Deutsch plugs included	117,10
42376L	UFLEX®	27	KEK-7	2 m ( 6.5') Ext. auto line-up to ignition key. Deutsch plugs included	102,70
42377N	UFLEX®	27	KENS-7	2 m ( 6.5') Ext. auto line-up to neutral safety switch. Deutsch included	20,30
42378R	UFLEX®	27	KE20	Extension wiring harness kit. Deutsch plugs included	214,00
42379T	UFLEX®	27	KE30	Extension wiring harness kit. Deutsch plugs included	232,00
				<b>MOUNTING BRACKET</b>	
43220H	UFLEX®	27	BRS-T	AS12 or Lenco® replacement adapting bracket - black	50,70
				<b>TABS</b>	
41844N	UFLEX®	27	P99	9"x 9" Stainless steel tabs, polished, high performance - 1 pair	193,00
41845R	UFLEX®	27	P129	12"x 9" Stainless steel tabs, polished, high performance - 1 pair	218,00
41846T	UFLEX®	27	P1212	12"x 12" Stainless steel tabs, polished, high performance - 1 pair	280,00
41847V	UFLEX®	27	P1218	12"x 18" Stainless steel tabs, polished, high performance - 1 pair	384,00
				<b>Accessory/Spare</b>	
43094F	UFLEX®	28	.	Grommet Kit for actuators (see crossref. on catalogue)	119,10
43724N	UFLEX®	28	.	Grommet Kit for actuators (see crossref. on catalogue)	119,10
43725R	UFLEX®	28	.	Grommet Kit for actuators (see crossref. on catalogue)	119,10
				<b>CABLE EXTENSION</b>	
42302E	UFLEX®	28	EP6	Wiring harness extension for power cable 6,0 m (19.7')	101,40
42439J	UFLEX®	28	EP9	Wiring harness extension for power cable 9,0 m (29.5')	114,50
42440T	UFLEX®	28	EP5	Wiring harness extension for power cable 5,0 m (16.4')	87,50
				<b>MOUNTING BRACKET</b>	
42296N	UFLEX®	28	.	Actuator bracket kit - tab side	102,90
42298T	UFLEX®	28	.	Actuator bracket kit - transom side	87,80
43039X	UFLEX®	28	BRS-C	AT or AC Actuator-boat connecting bracket	87,80
43040F	UFLEX®	28	BRT-C	AT or AC Actuator-tab connecting bracket	102,90
				<b>PACKAGED KIT</b>	
43043M	UFLEX®	28	MTC12-CH	2 AC Compact Actuators, 12VDC + 1 chrome Joystick	1.306,00
43044P	UFLEX®	28	MTC12-CH-LP	2 AC Compact Actuators, 12VDC + 1 chrome Joystick low profile	1.306,00
43250T	UFLEX®	28	MTT12-CH	2 AT Actuators, 12VDC + 1 chrome Joystick	1.306,00
43251V	UFLEX®	28	MTT12-CH-LP	2 AT Actuators, 12VDC + 1 chrome Joystick low profile	1.306,00



**UFLEX**  
UFLEX® - A WORLD OF MARINE EQUIPMENT

**PRICE LIST - JULY, 2024**  
**Unit Price (Euro) (VAT excl.)**

p/n	Brand	pg cat24	Model	Description	
<b>AQUATIC AV® Waterproof marine A/V systems</b>					
23889K	AQUATIC AV®	30	GP1	STEREO SYSTEM Stereo, Bluetooth Connection, Size Stereo	170,80
25368R	AQUATIC AV®	31	GP100B	STEREO SYSTEM GP1 stero Kit, including twin black speakers and antenna	242,10
25369T	AQUATIC AV®	31	GP100W	STEREO SYSTEM GP1 stero Kit, including twin white speakers and antenna	242,10
22572Y	AQUATIC AV®	32	CP6	STEREO SYSTEM Kit includes GP1 Stereo and one pair of AQ-SPQ6.5-4EW Speakers	223,40
22573A	AQUATIC AV®	32	MP6	Stereo, Bluetooth Connection, USB, DAB+, MP3, AM, FM, Aux	223,40
22551P	AQUATIC AV®	33	SWA6	STEREO SYSTEM Combined Bluetooth Stereo Subwoofer	269,40
23422H	AQUATIC AV®	33	BC6 MINI	Waterproof Stereo, Bluetooth Connection , MP3	179,60
21564U	AQUATIC AV®	34	AQ-MP-5UBT-S	STEREO SYSTEM Stereo, Bluetooth Connection , MP3 Accessory/Spare	490,50
23100J	AQUATIC AV®	35	WR6	Wired waterproof marine remote control	124,90
24891B	AQUATIC AV®	35	RF610	RF6 marine remote control kit	100,80
69335X	AQUATIC AV®	35	AQ-UNH-2	Wiring Harness for Waterproof Marine Systems	9,20
69610T	AQUATIC AV®	35	AQ-ANT-1	AM/FM Antenna	5,60
23423K	AQUATIC AV®	36	ELITE 6.5" B	SPEAKER 6.5" RGB Elite Speaker, black Grill	219,00
23424M	AQUATIC AV®	36	ELITE 6.5" W	6.5" RGB Elite Speaker, white Grill	219,00
24893F	AQUATIC AV®	36	ELITE 10" B	10" RGB Elite Speaker, black Grill	201,50
24895K	AQUATIC AV®	36	ELITE 10" W	10" RGB Elite Speaker, white Grill	201,50
21995Y	AQUATIC AV®	37	PRO CLASSIC 6.5" W	SPEAKER 6.5" Full Range Speaker, White Grill	140,20
21996A	AQUATIC AV®	37	PRO CLASSIC 6.5" B	Twin speakers, black, 6.5", PC412	140,20
21997C	AQUATIC AV®	37	PRO CLASSIC 10" W	10" Subwoofer White Grill	166,50
21998E	AQUATIC AV®	37	PRO CLASSIC 10" B	10" Subwoofer Black Grill	166,50
69621Y	AQUATIC AV®	.	AQ-SPK10-4LW	10" Subwoofer White Grill	154,80
21992S	AQUATIC AV®	38	PRO SPORT 6.5"	SPEAKER Waterproof speaker PRO SPORT, PX312	140,20
24898S	AQUATIC AV®	38	PRO SPORT 10"	RO SPORT 10" Subwoofer Black Grill Accessory/Spare	166,50
22553U	AQUATIC AV®	.	AQ-SPG3.0-DB	3" Black Speaker	2,20
69609J	AQUATIC AV®	.	AQ-SPKTD-1	Hide-away Transducer Speaker	18,50
21537R	AQUATIC AV®	39	AQ-SPK6.5-4EW	SPEAKER 6" Full Range Speaker, White Grill	65,70
22182J	AQUATIC AV®	39	AQ-SPK6.5-4EB	6" Full Range Speaker, White Grill	65,70
22552S	AQUATIC AV®	.	AQ-SPK3.0-4C	3" Black Speaker	21,10
69312J	AQUATIC AV®	.	AQ-SPK6.5-4LW	6" Full Range Speaker, White Grill Accessory/Spare	140,40
23754K	AQUATIC AV®	40	RGB CONTROLLER	LED Controller RG 100 Accessory/Spare	94,20
23962T	AQUATIC AV®	41	CB103	DIN to JST adaptor	18,00
25112C	AQUATIC AV®	41	CB105	RGB extension cable - 3,6m	18,00
25113E	AQUATIC AV®	41	CB106	RGB extension cable - 7,2m	24,70
25114G	AQUATIC AV®	41	CB104	DIN to four cables adaptor	15,80
25115J	AQUATIC AV®	41	CB111	Y RGB splitter	18,00
25116L	AQUATIC AV®	41	LC109	JST extension cable - 2,7m	7,70
25118R	AQUATIC AV®	41	LC104	Four ways JST splitter	13,00
68875B	AQUATIC AV®	.	AQ-DM-5UBT	Locker supports Bluetooth, USB, MP3, iPod, iPhone	258,30
69174Z	AQUATIC AV®	.	AQ-DML-5	Locker supports Bluetooth, USB, MP3, iPod, iPhone	55,10
69394P	AQUATIC AV®	.	AQ-DM-5BT	Locker supports Bluetooth, USB, MP3, iPod, iPhone	191,10
24899U	AQUATIC AV®	42	AD500.4	STEREO SYSTEM 4 channels amplifier, AD-500.4	451,10



**UFLEX**  
UFLEX® - A WORLD OF MARINE EQUIPMENT

**PRICE LIST - JULY, 2024**  
**Unit Price (Euro) (VAT excl.)**

p/n	Brand	pg cat24	Model	Description	
<b>RITCHIE® Magnetic compasses</b>					
23379K	RITCHIE®	46	X-11Y-HW	Accessory/Spare Bracket mount - white housing and card for SportAbout™	25,00
RITCHIESPORT SERIES					
23378H	RITCHIE®	46	X-11Y	SportAbout™ portable Compass	102,00
25687H	RITCHIE®	.	X-23BB	Flush mount - black housing and card	106,00
25688K	RITCHIE®	.	X-23BU	Flush mount - black housing and card	106,00
25689M	RITCHIE®	.	X-23WW	Flush mount - white housing and card	106,00
67099B	RITCHIE®	46	X-10-M	Bracket mount - grey housing and blue card	84,00
67331C	RITCHIE®	46	X-10W-M	Bracket mount - white housing and card	84,00
67332E	RITCHIE®	46	X-10B-M	Bracket mount - black housing and card	84,00
67333G	RITCHIE®	46	X-21BB	Flush mount - black housing and card	106,00
67335L	RITCHIE®	46	X-21WW	Flush mount - white housing and card	106,00
Accessory/Spare					
23380U	RITCHIE®	47	X-TD	Fixing system for Kayak compasses (compass non included)	75,00
68297L	RITCHIE®	47	K-TD.2	Supersport™ - bulkhead mount - black housing and blue card	75,00
EXPLORER SERIES					
67352L	RITCHIE®	47	RA-91	Bracket mount - grey housing and blue card	163,00
67353N	RITCHIE®	47	RA-93	Bracket mount - black housing and card	163,00
67354R	RITCHIE®	47	S-OFF90	Bracket mount - white housing and card	163,00
68295G	RITCHIE®	47	XP-99	Supersport™ - flush mount - white housing and blue card	167,00
68296J	RITCHIE®	47	XP-99W	Kayak Compass - white	167,00
Accessory/Spare					
67355T	RITCHIE®	49	E-50-C	Bracket mount - grey housing and blue card	30,80
EXPLORER SERIES					
67102L	RITCHIE®	49	F-50	Flush mount - black housing and card	145,00
67103N	RITCHIE®	49	B-51	Bracket mount - black housing and card	163,00
67104R	RITCHIE®	49	S-53	Dash mount - black housing and card	145,00
67317J	RITCHIE®	49	F-50W	Bracket mount - grey housing and blue card	145,00
67318L	RITCHIE®	49	B-51G	Surface mount - grey housing and blue card	163,00
67319N	RITCHIE®	49	S-53G	Surface mount - black housing and card	145,00
67320X	RITCHIE®	49	S-53W	Surface mount - white housing and card	145,00
67356V	RITCHIE®	49	B-51W	Surface mount - black housing and card	163,00
67358Z	RITCHIE®	49	V-57.2	Surface mount - white housing and card	176,00
67359B	RITCHIE®	49	V-57W.2	Surface mount - grey housing and blue card	176,00
67360K	RITCHIE®	49	V-537	Bulkhead mount - black housing and card	184,00
67361M	RITCHIE®	49	V-537B	Dash mount - black housing and card	184,00
67362P	RITCHIE®	49	V-537W	Dash mount - white housing and card	184,00
VOYAGER SERIES					
67105T	RITCHIE®	50	F-82	Dash mount - black housing and blue card	257,00
67363S	RITCHIE®	50	B-80	Bracket mount - black housing and card	350,00
67367A	RITCHIE®	50	F-82W	Bulkhead mount - black housing and blue card	257,00
68937X	RITCHIE®	.	F-83-24	Flush mount - black housing and card - Wheel Mark - 24VDC	257,00
69728T	RITCHIE®	50	F-83 WM	Flush mount - black housing and card - Wheel Mark	257,00
69730D	RITCHIE®	50	F-83W WM	Navigator™ - bulkhead mount - black housing and red card	257,00
WHEELMARK APPROVED					
67322B	RITCHIE®	50	S-87 WM	Protective Cover for RA-93, S-OFF90 compasses - sold separately	335,00
67364U	RITCHIE®	50	B-81 WM	Bulkhead mount - black housing and card	350,00
69147W	RITCHIE®	50	S-87W WM	Compensator for Venture® SR-2 compass - sold separately	335,00
Accessory/Spare					
67376B	RITCHIE®	51	H-741-C	Flush mount - black housing and card	56,00
HELMSMAN SERIES					
67107X	RITCHIE®	51	HF-743	Dash mount - white housing and card	348,00
67323D	RITCHIE®	51	HF-742W	Flush mount - white housing and card	348,00
67370N	RITCHIE®	51	HB-740	Bulkhead mount - black housing and white card	512,00
67371R	RITCHIE®	51	HB-741	Bracket mount - black housing and card	512,00
67373V	RITCHIE®	51	HF-742	Flush mount - black housing and card	348,00
67375Z	RITCHIE®	51	HF-743W	Flush mount - white housing and card	348,00
Accessory/Spare					
67381U	RITCHIE®	52	INC-45	Bracket mount - black housing and card	44,00
67382W	RITCHIE®	52	SR-CM2	Bracket mount - black housing and card - Wheel Mark	49,00
68878H	RITCHIE®	52	BK-19-C	Front Cover for Venture® SR-2 and SS-PR2 compasses	59,00
68879K	RITCHIE®	52	BK-0020	Inclinometer replacement for Venture® SR-2 compass	34,00
SS SERIES					
67377D	RITCHIE®	52	SS-1002	Supersport™ - flush mount - black housing and blue card	567,00
67378F	RITCHIE®	52	SS-1002W	Flush mount - black housing and card - Wheel Mark	567,00
67380S	RITCHIE®	52	SS-PR2	Supersport™ - bulkhead mount - black housing and blue card	523,00
VENTURE SERIES					
67109B	RITCHIE®	52	SR-2	Venture® - bulkhead mount - black housing and blue card	401,00
Accessory/Spare					
67394D	RITCHIE®	53	BN-C	Surface mount - black housing and card - Wheel Mark	63,00
67395F	RITCHIE®	53	N-203-C	Surface mount - white housing and card - Wheel Mark	58,00
67403B	RITCHIE®	53	WS-P	Bracket mount - black housing and card	51,00




**UFLEX**

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - JULY, 2024

Unit Price (Euro) (VAT excl.)

p/n	Brand	pg cat24	Model	Description	
				NAVIGATOR SERIES	
67324F	RITCHIE®	53	BN-202	Navigator™ - bulkhead mount - black housing and red card	879,00
67326K	RITCHIE®	53	FN-203	Kayak Compass - black	771,00
67387G	RITCHIE®	53	FNW-203	Navigator™ - flush mount - white housing and card	771,00
69585X	RITCHIE®	53	DNW-200 WM	Navigator™ - binnacle mount - white housing and card - Wheel Mark	1.231,00
69586Z	RITCHIE®	53	DNB-200 WM	Protective front Cover for Venture®and SS-PR2 - sold separately	1.231,00
69587B	RITCHIE®	53	DNP-200 WM	Protective back Cover for Venture®and SS-PR2 - sold separately	1.231,00
69731F	RITCHIE®	53	FN-201 WM	Navigator™ - flush mount - black housing and card - Wheel Mark	745,00
69732H	RITCHIE®	53	FNW-201 WM	Navigator™ - flush mount - black housing and card - Wheel Mark	745,00
				SS SERIES	
67327M	RITCHIE®	53	SS-2000W	Kayak Compass - white	764,00
67379H	RITCHIE®	53	SS-2000	Flush mount - white housing and card - Wheel Mark	764,00
				Accessory/Spare	
67401X	RITCHIE®	54	GM-5-C	Flush mount - white housing and card	121,00
67402Z	RITCHIE®	54	LL-C	Protective Cover for FB-500, SS-5000 compasses- sold separately	75,00
				GLOBEMASTER SERIES	
67328P	RITCHIE®	54	SP-5C	Globmaster™ - deck & binnacle mount - stainless housing, black card	2.024,00
67329S	RITCHIE®	54	SP-5-B	Fixing system (compass non included)	2.024,00
67396H	RITCHIE®	54	D-515-EP	Globmaster™ - deck & binnacle mount - stainless housing, black card	3.697,00
67397K	RITCHIE®	54	D-515-X	Globmaster™ - deck & binnacle mount - brass housing, black card	3.697,00
67398M	RITCHIE®	54	FB-500	Flush mount - black housing and card	1.296,00
				SS SERIES	
67399P	RITCHIE®	54	SS-5000	Flush mount - white housing and card	1.310,00
67400V	RITCHIE®	54	SS-5000W	Flush mount - black housing and card	1.310,00
				SUPER YACHT SERIES	
67494H	RITCHIE®	55	SY-500LL	5" Compass, low level lighting - bronze bezel	2.553,00
67496M	RITCHIE®	55	SY-500LLC	Deck mount - black housing and card	2.809,00
67498S	RITCHIE®	55	SY-600LL	Protective Cover for Helmsman compasses - sold separately	3.232,00
67499U	RITCHIE®	55	SY-600PL	6" Compass, power lighting - bronze bezel	3.232,00
67500Z	RITCHIE®	.	SY-600LLC	6" Compass, low level lighting - chrome bezel	3.487,00
67501B	RITCHIE®	.	SY-600PLC	Venture® - bulkhead mount - black housing and blue card	3.487,00
				COMMERCIAL SERIES	
69588D	RITCHIE®	56	HB-845	Protective Cover for SS-1002 compasses - sold separately	1.238,00
69589F	RITCHIE®	56	B-200P	4½" Steel Compass	2.128,00



**UFLEX**  
UFLEX® - A WORLD OF MARINE EQUIPMENT

**PRICE LIST - JULY, 2024**  
**Unit Price (Euro) (VAT excl.)**

p/n	Brand	pg cat24	Model	Description	
<b>VERATRON® ViewLine &amp; sensors</b>					
<b>DIGITAL GAUGE</b>					
<b>VIEWLINE</b>					
23073J	VERATRON®	58	B00005302	VL A/M digital electronic hour counter, Voltmeter, round black bezel	38,40
23074L	VERATRON®	58	B00006302	VL A/M digital electronic hour counter, Voltmeter, round white bezel	38,40
25170T	VERATRON®	.	B00005301	VL Digital Electronic Hour Counter Voltmeter, 9V-48V, double lens, round black bezel	31,60
B0000530:	VERATRON®	.	B00005303	VL Digital Electronic Hour Counter Voltmeter, 9V-48V, double lens, triangular black bezel	38,40
B0000630:	VERATRON®	.	B00006301	VL Digital Electronic Hour Counter Voltmeter, 9V-48V, double lens, no bezel	31,60
B0000630:	VERATRON®	.	B00006303	VL Digital Electronic Hour Counter Voltmeter, 9V-48V, double lens, triangular white bezel	38,40
<b>GAUGE</b>					
<b>VIEWLINE</b>					
20224M	VERATRON®	.	A2C59510089	Bulk Tachometer with LCD black 6000 rpm (MOQ 10 pcs)	105,90
20228W	VERATRON®	.	A2C59510095	Bulk Tachometer with LCD white 6000 rpm (MOQ 10 pcs)	105,90
60206EA	VERATRON®	.	A2C59512430	Tachometer black 3000 rpm	73,60
60208IA	VERATRON®	.	A2C59512431	Tachometer black 4000 rpm	56,20
60209JA	VERATRON®	.	A2C59512434	Tachometer white 4000 rpm	56,20
60210AA	VERATRON®	.	A2C59512432	Tachometer black 6000 rpm	56,20
60212CA	VERATRON®	59	A2C59512390	Tachometer with LCD black 3000 rpm	153,80
60213DA	VERATRON®	59	A2C59512396	Tachometer with LCD white 3000 rpm	153,80
60214EA	VERATRON®	59	A2C59512391	Tachometer with LCD black 4000 rpm	153,80
60215FA	VERATRON®	59	A2C59512397	Tachometer with LCD white 4000 rpm	153,80
60216GA	VERATRON®	59	A2C59512392	Tachometer with LCD black 5000 rpm	153,80
60217HA	VERATRON®	59	A2C59512398	Tachometer with LCD white 5000 rpm	153,80
60218KA	VERATRON®	59	A2C59512393	Tachometer with LCD black 6000 rpm	153,80
60219LA	VERATRON®	59	A2C59512399	Tachometer with LCD white 6000 rpm	153,80
60220CA	VERATRON®	59	A2C59512394	Tachometer with LCD black 7000 rpm	153,80
60221DA	VERATRON®	59	A2C59512400	Tachometer with LCD white 7000 rpm	153,80
60222EA	VERATRON®	59	A2C59512395	Tachometer with LCD black 8000 rpm	153,80
60310DA	VERATRON®	.	A2C59512454	Engine hours counter white	35,80
61018FA	VERATRON®	.	A2C59510086	Bulk Tachometer with LCD black 3000 rpm (MOQ 10 pcs)	105,90
61024BA	VERATRON®	.	A2C59510038	Bulk Tachometer black 4000 rpm	42,60
61041CA	VERATRON®	.	A2C59510093	Bulk Tachometer with LCD white 4000 rpm (MOQ 10 pcs)	105,90
61064JA	VERATRON®	.	A2C59510087	Bulk Tachometer with LCD black 4000 rpm (MOQ 10 pcs)	105,90
61065KA	VERATRON®	.	A2C59510088	Bulk Tachometer with LCD black 5000 rpm (MOQ 10 pcs)	105,90
61066LA	VERATRON®	.	A2C59510092	Bulk Tachometer with LCD white 3000 rpm (MOQ 10 pcs)	105,90
<b>GAUGE</b>					
<b>VIEWLINE</b>					
20231J	VERATRON®	.	A2C59510098	Bulk Synchronizer -500 / +500 rpm black	59,60
20232L	VERATRON®	.	A2C59510099	Bulk Synchronizer -500 / +500 rpm white	59,60
60224GA	VERATRON®	60	A2C59512402	Synchronizer -500 / +500 rpm black	91,60
60225HA	VERATRON®	60	A2C59512403	Synchronizer -500 / +500 rpm white	91,60
60226IA	VERATRON®	60	A2C59501987	GPS Speed 0 - 12 knots/kmh/mph	212,80
60227JA	VERATRON®	60	A2C59501782	GPS Speed 0 - 35 knots/kmh/mph	212,80
60228MA	VERATRON®	60	A2C59501781	GPS Speed 0 - 70 knots/kmh/mph	212,80
<b>GAUGE</b>					
<b>VIEWLINE</b>					
20263Y	VERATRON®	.	A2C60001020	Bulk Engine oil temperature 50° - 150°C / 120° - 300°F white (MOQ 10 pcs)	41,50
20264A	VERATRON®	.	A2C60001021	Bulk Coolant temperature 40° - 120°C / 105° - 250°F white (MOQ 10 pcs)	41,50
20289T	VERATRON®	.	A2C60001077	Bulk Engine oil temperature 50° - 150°C / 120° - 300°F black	33,00
20290B	VERATRON®	.	A2C60001078	Bulk Coolant temperature 105° - 250°F / 40° - 120°C black (MOQ 10 pcs)	41,50
60231FA	VERATRON®	61	A2C59514160	Engine oil temperature 50° - 150°C / 120° - 300°F black	55,80
60232GA	VERATRON®	61	A2C59514231	Engine oil temperature 50° - 150°C / 120° - 300°F white	55,80
60233HA	VERATRON®	.	A2C59514165	Engine oil temperature 120° - 300°F / 50° - 150°C black	55,80
60234IA	VERATRON®	.	A2C59514234	Engine oil temperature 120° - 300°F / 50° - 150°C white	55,80
60235JA	VERATRON®	61	A2C59514170	Coolant temperature 40° - 120°C / 105° - 250°F black	55,80
60236KA	VERATRON®	61	A2C59514237	Coolant temperature 40° - 120°C / 105° - 250°F white	55,80
60237LA	VERATRON®	.	A2C59514176	Coolant temperature 105° - 250°F / 40° - 120°C black	55,80
60238OA	VERATRON®	.	A2C59514241	Coolant temperature 105° - 250°F / 40° - 120°C white	55,80
61016BA	VERATRON®	.	A2C60001076	Bulk Coolant temperature 40° - 120°C / 105° - 250°F black (MOQ 10 pcs)	41,50
61062HA	VERATRON®	.	A2C60001080	Bulk Coolant temperature 105° - 250°F / 40° - 120°C white (MOQ 10 pcs)	41,50
A2C59514	VERATRON®	.	A2C59514159	VLB Temp acqua 12/24V 52 120C S EU DL tb A	55,80
A2C59514	VERATRON®	.	A2C59514163	VLB TempOil 12/24V 52 150C S EU DL tb A	55,80
A2C59514	VERATRON®	.	A2C59514164	VLB TempOil 12/24V 52 150C S EU DL tb A	55,80
A2C59514	VERATRON®	.	A2C59514171	VLB Temp acqua 12/24V 52 120C D EU DL tc A	56,80
A2C59514	VERATRON®	.	A2C59514172	VLB Temp acqua 12/24V 52 120C D EU DL tb A	55,80
A2C59514	VERATRON®	.	A2C59514174	VLB TempHy 12/24V 52 120C S EU DL tb A	55,80
A2C59514	VERATRON®	.	A2C59514233	VLW TempOil 12/24V 52 150C S EU DL tc A	60,30
A2C59514	VERATRON®	.	A2C59514239	VLW TempWa 12/24V 52 120C S EU DL tc A	60,30
A2C60000	VERATRON®	.	A2C60000953	VLB OilTemp12/24V 52 150°C S EU DL wo C	41,50
<b>SENSOR</b>					
<b>UNIVERSAL</b>					
20020V	VERATRON®	.	323-805-039-001C	TRASM.130°C. 14X1,5	73,60
20021X	VERATRON®	.	323-805-001-001N	TRAS.VDO 14*1,5 120° PI	63,00

**UFLEX**

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - JULY, 2024

Unit Price (Euro) (VAT excl.)

p/n	Brand	pg cat24 Model	Description	
20022Z	VERATRON® .	323-803-001-006D	Temp Sender 120°C(Earth)WC96°	73,60
20027K	VERATRON® .	323-803-001-004D	Temp Sender 120°C(Earth)WC90° M14 x 1.5	73,60
20028M	VERATRON® .	323-803-001-001D	Temp Sender 120°C(Earth)WC100° M14 x 1.5	73,60
20030Y	VERATRON® .	325-805-003-001C	Temp Sender 120°C(Insul)1/4-18 D/Stat.	73,60
20033E	VERATRON® .	323-803-001-008D	Temp Sender 120°C(Earth)WC110° M14x 1.5	73,60
20037N	VERATRON® .	323-803-001-019D	Temp Sender 120°C(Earth)WC95° 1/2-14NPT	73,60
20060H	VERATRON® .	325-805-003-003C	Temp Sender 120°C(Insul)3/8-18	73,60
20093Z	VERATRON® .	323-803-001-030D	Coolant water temperature sensor 100°C	73,60
60443PA	VERATRON® .	323-801-001-008N	Temp Sender 120°C(Earth Ret)5/8-18UNF-3A	63,00
60447TA	VERATRON® .	323-801-001-040N	Temp Sender 120°C (Earth Ret) M16 x 1.5	63,00
60448WA	VERATRON® .	323-801-001-029N	Temp Sender 250F M16X1.5 801/1/29	63,00
60451SA	VERATRON® .	323-801-017-001N	Temp Sender 120°C (Earth Ret) M10 x 1	63,00
60453UA	VERATRON® .	323-805-001-004N	Temp Sender 120°C (Insul/Ret)	63,00
60454VA	VERATRON® .	323-805-001-005N	Temp Sender 120°C(Insul) 3/8-18NPTF	63,00
60456XA	VERATRON® .	323-801-004-002N	Temp Sender 150°C (Earth Ret) M14 x 1.5	63,00
60460TA	VERATRON® .	323-801-012-001D	Temp Sender 150°C (Earth Ret)	56,20
60467AA	VERATRON® .	323-805-003-002N	Temp Sender 150°C (Insul) 1/4-18NPTF	63,00
			GAUGE	
			VIEWLINE	
60239PA	VERATRON® 62	A2C59512332	Pyrometer 100° - 900°C black	55,80
60240GA	VERATRON® 62	A2C59512333	Pyrometer 100° - 900°C white	55,80
60241HA	VERATRON® .	A2C59512334	Pyrometer 250° - 1650°F black	55,80
60242IA	VERATRON® .	A2C59512335	Pyrometer 250° - 1650°F white	55,80
60311EA	VERATRON® 62	A2C59513445	Clock 8 - 16V black	93,80
60312FA	VERATRON® 62	A2C59513443	Clock 8 - 16V white	93,80
60313GA	VERATRON® 62	A2C59513446	Clock 18 - 32V black	93,80
60314HA	VERATRON® 62	A2C59513444	Clock 18 - 32V white	93,80
			GAUGE	
			VIEWLINE	
20207M	VERATRON® .	A2C59510022	Bulk Ammeter -60 / +60A black (MOQ 10 pcs)	41,50
20257D	VERATRON® .	A2C59514202	Engine oil pressure 0 - 150psi / 0 - 10 bar white	55,80
20268J	VERATRON® .	A2C60001028	Bulk Engine oil pressure 0 - 80psi / 0 - 5bar black (MOQ 10 pcs)	41,50
20272Z	VERATRON® .	A2C60001035	Bulk Engine oil pressure 0 - 5bar / 0 - 80psi white (MOQ 10 pcs)	41,50
20273B	VERATRON® .	A2C60001036	Bulk Engine oil pressure 0 - 10bar / 0 - 150psi white (MOQ 10 pcs)	41,50
60249RA	VERATRON® 63	A2C59514123	Engine oil pressure 0 - 5bar / 0 - 80psi black	55,80
60250IA	VERATRON® 63	A2C59514211	Engine oil pressure 0 - 5bar / 0 - 80psi white	55,80
60251JA	VERATRON® .	A2C59514128	Engine oil pressure 0 - 80psi / 0 - 5bar black	55,80
60252KA	VERATRON® .	A2C59514214	VL A/M pressure ind. - BAR - double scale - 0 - 5 PSI - 10-184 Ohm - round white bezel	55,80
60289GA	VERATRON® 63	A2C59512328	Ammeter -60 / +60A black	55,80
60290XA	VERATRON® 63	A2C59512330	Ammeter -60 / +60A white	55,80
60291YA	VERATRON® 63	A2C59512329	Ammeter -150 / +150A black	55,80
60292ZA	VERATRON® 63	A2C59512331	Ammeter -150 / +150A white	55,80
61059OA	VERATRON® .	A2C60001024	Bulk Engine oil pressure 0 - 5bar / 0 - 80psi black (MOQ 10 pcs)	41,50
61060FA	VERATRON® .	A2C60001025	Bulk Engine oil pressure 0 - 10bar / 0 - 150psi black (MOQ 10 pcs)	41,50
A2C59514	VERATRON® .	A2C59514103	VLB PressAir 12/24V 52 150psi D EU DL tb	52,60
A2C59514	VERATRON® .	A2C59514104	VLB PressBr 12/24V 52 10bar E EU DL tb A	55,80
A2C59514	VERATRON® .	A2C59514114	VLB Pressione Olio 12/24V 52 10bar S EU DL tb	55,80
A2C59514	VERATRON® .	A2C59514117	VLB Pressione Olio 12/24V 52 150psi D EU DL tb	55,80
A2C59514	VERATRON® .	A2C59514118	VLB Pressione Olio 12/24V 52 150psi D US DL rb	55,80
A2C59514	VERATRON® .	A2C59514126	VLB Pressione Olio 12/24V 52 5bar S EU DL tb A	55,80
A2C59514	VERATRON® .	A2C59514127	VLB Pressione Olio 12/24V 52 5kpa S EU DL tb A	55,80
A2C59514	VERATRON® .	A2C59514194	VLW Press 12/24V 52 150psi S EU DL tc A	56,80
A2C59514	VERATRON® .	A2C59514201	VLW PressOil 12/24V 52 10bar S EU DL tc	49,60
A2C59514	VERATRON® .	A2C59514213	VLW PressOil 12/24V 52 5bar S EU DL tc A	56,80
			SENSOR	
			UNIVERSAL	
20103Z	VERATRON® .	360-081-029-026K	Press Sender 5Bar (E/Ret) M14 x 1.5	72,20
60329QA	VERATRON® .	360-081-029-001C	Press Sender 5Bar (E/Ret) M10 x 1(Short)	89,90
60330HA	VERATRON® .	360-081-029-004C	Press Sender 80PSI 1/8-27NPT 29/4	89,90
60332JA	VERATRON® .	360-081-029-026C	Press Sender 5Bar (E/Ret) M14	80,20
60333KA	VERATRON® .	360-081-029-085C	Press Sender 5Bar (E/Ret) M12	80,20
60342LA	VERATRON® .	360-081-030-004C	Press Sender 5Bar (E/Ret) W/C	89,90
60357SA	VERATRON® .	360-081-039-002C	Press Sender 5Bar(Insul)WC0.8 1/8-27NPTF	89,90
			GAUGE	
			VIEWLINE	
20267G	VERATRON® .	A2C60001026	Bulk Transmission oil pressure 0 - 25bar / 0 - 350psi black (MOQ 10 pcs)	41,50
60253LA	VERATRON® 64	A2C59514111	Engine oil pressure 0 - 10bar / 0 - 150psi black	55,80
60254MA	VERATRON® 64	A2C59514199	Engine oil pressure 0 - 10bar / 0 - 150psi white	55,80
60255NA	VERATRON® 64	A2C59514136	Transmission oil pressure 0 - 25bar / 0 - 350psi black	55,80
60256OA	VERATRON® 64	A2C59514206	Transmission oil pressure 0 - 25bar / 0 - 350psi white	55,80
60259TA	VERATRON® .	A2C59514145	Transmission oil pressure 0 - 400psi / 0 - 25bar black	55,80
60260KA	VERATRON® .	A2C59514223	Transmission oil pressure 0 - 400psi / 0 - 25bar white	55,80
61021UA	VERATRON® .	A2C60001038	Bulk Transmission oil pressure 0 - 30bar / 0 - 435psi white (MOQ 10 pcs)	41,50
61061GA	VERATRON® .	A2C60001027	Bulk Transmission oil pressure 0 - 30bar / 0 - 435psi black (MOQ 10 pcs)	41,50



**UFLEX**  
UFLEX® - A WORLD OF MARINE EQUIPMENT

**PRICE LIST - JULY, 2024**  
**Unit Price (Euro) (VAT excl.)**

p/n	Brand	pg cat24 Model	Description	
A2C59514	VERATRON® .	A2C59514137	VLB PressTr 12/24V 52 25bar D EU DL tc A	60,30
A2C60000	VERATRON® .	A2C60000970	VLB GeaPress12/24V 52 25 bar S EU D wo	55,80
A2C60000	VERATRON® .	A2C60000981	VLB OilPress12/24V 52 10 kPa x100 S EU D	55,80
			SENSOR	
			UNIVERSAL	
20052J	VERATRON® .	360-081-037-019C	Press Sender 16Bar (E/Ret) M12 x 1.5	72,20
60363QA	VERATRON® .	360-081-029-033C	Press Sender 10Bar (E/Ret) M14 x 1.5	89,90
60368XA	VERATRON® .	360-081-032-004C	Press Sender 10Bar (Insul/Ret) M12 x 1.5	89,90
60369YA	VERATRON® .	360-081-032-006C	Press Sender 10Bar (Insul/Ret) M14 x 1.5	89,90
60374WA	VERATRON® .	360-081-030-009C	Press Sender 150PSI WC7 M10X1K 30/9	105,10
			GAUGE	
			VIEWLINE	
20266E	VERATRON® .	A2C60001023	Bulk Turbo pressure 0 - 2bar / 0 - 30psi black	31,60
20271X	VERATRON® .	A2C60001034	Bulk Turbo pressure 0 - 2 bar / 0 - 30psi white	32,90
60257PA	VERATRON® 65	A2C59514141	Transmission oil pressure 0 - 30bar / 0 - 435psi black	55,80
60258SA	VERATRON® 65	A2C59514208	Transmission oil pressure 0 - 30bar / 0 - 435psi white	55,80
60261LA	VERATRON® 65	A2C59514149	Turbo pressure 0 - 2bar / 0 - 30psi black	55,80
60262MA	VERATRON® 65	A2C59514225	Turbo pressure 0 - 2bar / 0 - 30psi white	55,80
A2C59514	VERATRON® .	A2C59514152	VLB PressTu 12/24V 52 2bar S EU DL tb A	55,80
			GAUGE	
			VIEWLINE	
60263NA	VERATRON® 66	A2C59514154	Rudder angle -40° / +40° black	55,80
60264OA	VERATRON® 66	A2C59514230	Rudder angle -40° / +40° white	55,80
60265PA	VERATRON® 66	A2C59512410	Rudder angle -45° / +45° black	91,60
60266QA	VERATRON® 66	A2C59512411	Rudder angle -45° / +45° white	91,60
60271NA	VERATRON® 66	A2C59514085	Fuel level Empty - Full 0 - 90 Ω black	55,80
60272OA	VERATRON® 66	A2C59514186	Fuel level Empty - Full 0 - 90 Ω white	55,80
60488LA	VERATRON® .	A2C60001066	Bulk Rudder angle -40° / +40° white (MOQ 10 pcs)	41,50
60504LA	VERATRON® .	A2C60001065	Bulk Rudder angle -40° / +40° black (MOQ 10 pcs)	41,50
A2C59513	VERATRON® .	A2C59513833	Rudder angle -45° / +45° black (RUDDER)	91,60
			GAUGE	
			VIEWLINE	
60273PA	VERATRON® 67	A2C59514082	Fuel level 0 - 1/1, 3 - 180 Ω black	55,80
60274QA	VERATRON® 67	A2C59514184	Fuel level 0 - 1/1, 3 - 180 Ω white	55,80
60277TA	VERATRON® 67	A2C59514094	Fuel level Empty - Full 240 - 33.5 Ω black	55,80
60278WA	VERATRON® 67	A2C59514190	Fuel level Empty - Full 240 - 33.5 Ω white	55,80
61011SA	VERATRON® .	A2C60001058	Bulk Fuel level Empty - Full 240 - 33.5 Ω white (MOQ 10 pcs)	41,50
61040BA	VERATRON® .	A2C60001053	Bulk Fuel level Empty - Full 240 - 33.5 Ω black (MOQ 10 pcs)	41,50
			GAUGE	
			VIEWLINE	
20280Y	VERATRON® .	A2C60001051	Bulk Fuel level 0 - 1/1, 90 - 4 Ω black (MOQ 10 pcs)	41,50
20287N	VERATRON® .	A2C60001067	Bulk Trim black (MOQ 10 pcs)	39,10
20288R	VERATRON® .	A2C60001068	Bulk Trim white (MOQ 10 pcs)	41,50
23099D	VERATRON® .	A2C59514185	VL A/M tank level ind. - Single scale - 0 - 1/1 - 3-180 Ohm - Triangle chrome bezel	55,80
60279XA	VERATRON® 68	A2C59514079	Fuel level 0 - 1/1, 90 - 4 Ω black	55,80
60280VA	VERATRON® 68	A2C59514182	Fuel level 0 - 1/1, 90 - 4 Ω white	55,80
60281WA	VERATRON® 68	A2C59514088	Fuel level Empty - Full 90 - 4 Ω black	55,80
60282XA	VERATRON® 68	A2C59514188	Fuel level Empty - Full 90 - 4 Ω white	55,80
60283YA	VERATRON® 68	A2C59514180	Trim black	55,80
60284ZA	VERATRON® 68	A2C59514244	Trim white	55,80
61014VA	VERATRON® .	A2C60001050	Bulk Fuel level 0 - 1/1, 3 - 180 Ω black (MOQ 10 pcs)	41,50
61019GA	VERATRON® .	A2C60001056	Bulk Fuel level 0 - 1/1, 3 - 180 Ω white (MOQ 10 pcs)	41,50
61073KA	VERATRON® .	A2C59514091	VLB LevelFuel 12/24V 52 F S LT EU DL rb	55,80
A2C59514	VERATRON® .	A2C59514080	VLB LevelFuel 12/24V 52 1/1 S DT A DL tc	52,60
A2C59514	VERATRON® .	A2C59514081	VLB LevelFuel 12/24V 52 1/1 S DT A DL tb	55,80
A2C59514	VERATRON® .	A2C59514096	VLB LevelFuel 12/24V 52 F S LT US DL tb	55,80
A2C59514	VERATRON® .	A2C59514183	VLW LevelFuel 12/24V 52 1/1 S DT A DL tc	49,60
A2C59514	VERATRON® .	A2C59514189	VLW LevelFuel 12/24V 52 F S DT A DL tc A	56,80
A2C59514	VERATRON® .	A2C59514891	VLB Fuel 52 12+24 1/1 S LT EU DL rb C	41,50
A2C59514	VERATRON® .	A2C59514916	VLW FUEL 12+24V 52 1/1 S LT EU DL rc C	41,50
			GAUGE	
			VIEWLINE	
20292F	VERATRON® .	A2C60100078	Bulk Voltmeter 18 - 32V black (MOQ 10 pcs)	41,50
20293H	VERATRON® .	A2C60100079	Bulk Voltmeter 18 - 32V white (MOQ 10 pcs)	41,50
20294K	VERATRON® .	A2C60100178	Bulk Voltmeter 8 - 16V black (MOQ 10 pcs)	41,50
60285AA	VERATRON® 69	A2C59512545	Voltmeter 8 - 16V black	55,80
60286BA	VERATRON® 69	A2C59512546	Voltmeter 8 - 16V white	55,80
60287CA	VERATRON® 69	A2C59512458	Voltmeter 18 - 32V black	55,80
60288FA	VERATRON® 69	A2C59512459	Voltmeter 18 - 32V white	55,80
60297EA	VERATRON® 69	A2C59514676	Fresh water (capacitive) 0 - 1/1 black	55,80
60298HA	VERATRON® 69	A2C59514677	Fresh water (capacitive) 0 - 1/1 white	55,80
61025CA	VERATRON® .	A2C60100179	Bulk Voltmeter 8 - 16V white (MOQ 10 pcs)	41,50
A2C59514	VERATRON® .	A2C59514850	VLW Volt 52 12V 16V S DL tc A	56,80
A2C59514	VERATRON® .	A2C59514851	VLB Volt 52 12V 16V S DL tb A	52,60



**UFLEX**  
UFLEX® - A WORLD OF MARINE EQUIPMENT

**PRICE LIST - JULY, 2024**  
**Unit Price (Euro) (VAT excl.)**

p/n	Brand	pg cat24 Model	Description	
			GAUGE	
			VIEWLINE	
20218T	VERATRON® .	A2C59510037	Bulk Waste water 0 - 1/1 white (MOQ 10 pcs)	41,50
60301CA	VERATRON® 70	A2C59514097	Fresh water (resistive) 0 - 1/1 black	55,80
60302DA	VERATRON® 70	A2C59514192	Fresh water (resistive) 0 - 1/1 white	55,80
60303EA	VERATRON® 70	A2C59514099	Fresh water (resistive) Empty - Full black	55,80
60304FA	VERATRON® 70	A2C59514193	Fresh water (resistive) Empty - Full white	55,80
60305GA	VERATRON® 70	A2C59512342	Waste water 0 - 1/1 black	55,80
60306HA	VERATRON® 70	A2C59512343	Waste water 0 - 1/1 white	55,80
60500HA	VERATRON® .	A2C59510036	Bulk Waste water 0 - 1/1 black (MOQ 10 pcs)	39,10
60501IA	VERATRON® .	A2C60001061	Bulk Fresh water (resistive) 0 - 1/1 black (MOQ 10 pcs)	41,50
60502JA	VERATRON® .	A2C60001063	Bulk Fresh water (resistive) 0 - 1/1 white (MOQ 10 pcs)	41,50
61027EA	VERATRON® .	A2C59510782	VLB Tach LC 85 12+24 S 4000rpm DL rb C	68,20
A2C59510	VERATRON® .	A2C59510044	VLB Tach LC 85 12+24 S 1800rpm SL wo C	105,90
A2C59510	VERATRON® .	A2C59510063	VLB Speed LC 85 12+24 S 60km/h SL wo C	153,80
A2C59510	VERATRON® .	A2C59510068	VLB Speed LC 85 12+24 D 30mph SL wo C	153,80
A2C59512	VERATRON® .	A2C59512350	VLB TachoLC 85 12+24 S 1800rpm DG ds A	153,80
A2C59512	VERATRON® .	A2C59512367	VLB SpeedoLC 85 12+24 S 60km/h SL tb A	179,50
A2C59512	VERATRON® .	A2C59512370	VLB SpeedoLC 85 12+24 S 200km/h SL tb A	179,50
A2C59512	VERATRON® .	A2C59512371	VLB SpeedoLC 85 12+24 S 300km/h SL tb A	179,50
A2C59512	VERATRON® .	A2C59512413	MODULE TACH 3KRPM WITH LCD 110MM 12/24 RBA	153,80
A2C59512	VERATRON® .	A2C59512414	MODULE TACH 4KRPM WITH LCD 110MM 12/24 RBA	153,80
A2C59512	VERATRON® .	A2C59512416	MODULE TACH 6KRPM WITH LCD 110MM 12/24 RBA	153,80
A2C60000	VERATRON® .	A2C60000971	Module BOOST 30PSI 10-180 12/24 VLB	52,60
A2C60000	VERATRON® .	A2C60000983	Module Oil 80PSI/5bar 240-33 12/24 VLB	52,60
A2C60001	VERATRON® .	A2C60001052	MODULE FUEL E-F 10-180 12/24 VLB Accessory/Spare	41,50
20324S	VERATRON® .	N05-800-306	Anemometer Cup Rotor (Old Type)	51,60
20330L	VERATRON® .	N05-800-786	OceanLink, Dropping Resistor (Red Bulb)	21,90
20337B	VERATRON® .	N05-801-564	OCEAN LINE BULB HOLDER 85mm	8,90
21522B	VERATRON® 71	N05-016-930	Sealing Kit for Waste Water Sensor N02	37,80
23191R	VERATRON® .	N06-009-59001	Volvo Glass Replacement	52,20
60485GA	VERATRON® .	N05-800-774	BEZEL ROUND BLACK, 52mm, OceanLine	18,40
60486HA	VERATRON® .	N05-800-550	24 V BULB 1.2W RED	8,90
60487IA	VERATRON® .	N05-800-286	Marine Double Glazed Lens 100mm	41,70
60492FA	VERATRON® .	N05-800-540	Wedge Base Bulb - T5 - W2x4.6d - 12V-2W Red	10,80
60506NA	VERATRON® .	N05-801-448	ANEMOMETER CUP ROTOR	37,40
61000PA	VERATRON® .	N05-800-218	OceanLine BULB HOLDER	10,80
61029IA	VERATRON® .	800-005-003G	BULB & HOLDER 24V (N05-801-328)	13,80
61049MA	VERATRON® .	N05-801-562	OceanLine BULB HOLDER, 85 mm	23,30
61068PA	VERATRON® .	N05-800-552	OCEAN LINE BULB, RED, 12 V	8,30
61069QA	VERATRON® .	N05-800-762	SOCKET WARNING BULB 12V OL	10,80
61070HA	VERATRON® .	N05-800-764	BULB WARNING LIGHT 24V RED OL	10,80
61071IA	VERATRON® .	N05-801-788	BEZEL BEZEL WHITE 52MM round- OceanLine	22,30
N05-801-9	VERATRON® .	N05-801-970	VDO Old Series Wind Sensor Mast Head Unit - Ball-bearing UNIVERSAL Accessory/Spare	94,60
20251R	VERATRON® .	A2C59510854	Bracket assembly mounting set	58,70
20252T	VERATRON® .	A2C59510864	L- Flush mount fixing gauge brackets	10,20
20254X	VERATRON® .	A2C59510886	ViewLine Make point switch 12V (alarm setting)	69,30
21922U	VERATRON® .	N05-008-750	Sealing Kit for Fresh Water Resistive Sensor	21,30
22184N	VERATRON® 71	N05-001-370	Sealing Kit for Water Capacitive Sensor N02	26,30
61038JA	VERATRON® .	N05-801-434	Flange Kit -Bolt On for Dip Pipe Sender	8,10
A2C53121	VERATRON® .	A2C5312164501	Blind Plug for 52mm diameter VIEWLINE Accessory/Spare	10,20
20013Y	VERATRON® .	A2C59512950	Adapter cable 14 pole for tachometer with LCD	17,40
20014A	VERATRON® .	A2C53215640	ViewLine Sealing, 52mm, Flush mount kit	5,10
20015C	VERATRON® .	A2C53215641	ViewLine Sealing, 85mm, Flush mount kit	5,10
20113C	VERATRON® .	A2C53210745	( ViewLine ) Bezel flat black 110mm - Bulk packaging	6,30
20115G	VERATRON® .	A2C53210747	( ViewLine ) Bezel flat chrome 110mm - Bulk packaging	11,20
20117L	VERATRON® .	A2C53210761	( ViewLine ) Bezel round chrome 110mm - Bulk packaging	11,20
20118N	VERATRON® .	A2C53210763	( ViewLine ) Bezel triangular black 110mm - Bulk packaging	6,30
20119R	VERATRON® .	A2C53210764	( ViewLine ) Bezel triangular white 110mm - Bulk packaging	6,30
20120Z	VERATRON® .	A2C53210765	( ViewLine ) Bezel triangular chrome 110mm - Bulk packaging	11,20
20121B	VERATRON® .	A2C53212238	Spinlock Nut 85 mm ViewLine - (Bulk packaging)	7,30
20249E	VERATRON® .	A2C59510850	8-pin, ViewLine Connector set	5,10
20250N	VERATRON® .	A2C59510851	14-pin, ViewLine Connector set	9,30
20939G	VERATRON® .	A2C10284000	Push Button, ViewLine	23,30
21873H	VERATRON® .	B00013402	VL Adapter Cable for WWG 4 pin	35,40
23289J	VERATRON® .	A2C5319291301	VL - A/M packaging -bezel round black 85mm	8,10
25311J	VERATRON® .	B00109001	Acoustic dual tone alarm buzzer, 52mm, black, 12/24V	59,30
600118W	VERATRON® .	A2C59514543	VIEWLINE USB - TTL 232R SOFTWARE KABEL	131,00
600120G	VERATRON® .	A2C59510852	Adapter cable for 52 mm 5 x AMP taps, 6.3 mm 2 x AMP taps, 2.8 mm	9,30



**UFLEX**  
UFLEX® - A WORLD OF MARINE EQUIPMENT

**PRICE LIST - JULY, 2024**  
**Unit Price (Euro) (VAT excl.)**

p/n	Brand	pg cat24 Model	Description	
600121J	VERATRON® .	A2C59512947	ViewLine 8-pole universal conection cable	12,40
600122L	VERATRON® .	A2C59512948	Adapter cable 8 pole for voltmeter, engine hours counter, clock	11,20
61009EA	VERATRON® .	A2C53186027	( ViewLine ) Bezel round black 52mm - Bulk packaging	5,10
61010RA	VERATRON® .	A2C53186029	( ViewLine ) Bezel round chrome 52mm - Bulk packaging	9,30
61015AA	VERATRON® .	A2C53192913	( ViewLine ) Bezel round black 85mm - Bulk packaging	5,10
61028HA	VERATRON® .	A2C53186026	( ViewLine ) Bezel triangular chrome 52mm - Bulk packaging	9,30
61030VA	VERATRON® .	A2C53210749	( ViewLine ) Bezel round black 110mm - Bulk packaging	4,30
61033CA	VERATRON® .	A2C53192914	( ViewLine ) Bezel round chrome 85mm - Bulk packaging	11,20
61037GA	VERATRON® .	A2C59510853	Dropping resistor 24 V (with connector)	8,10
61047IA	VERATRON® .	A2C53192918	( ViewLine ) Bezel triangular chrome 85mm - Bulk packaging	11,20
61075MA	VERATRON® .	A2C53186040	( ViewLine ) Bezel flat black 52mm - Bulk packaging	5,10
61078RA	VERATRON® .	A2C53186022	( ViewLine ) Bezel flat white 52mm - Bulk packaging	5,10
61079SA	VERATRON® .	A2C53186023	( ViewLine ) Bezel flat chrome 52mm - Bulk packaging	9,30
61085SA	VERATRON® .	A2C53186024	( ViewLine ) Bezel triangular black 52mm - Bulk packaging	5,10
61086TA	VERATRON® .	A2C53186025	( ViewLine ) Bezel triangular white 52mm - Bulk packaging	5,10
61087UA	VERATRON® .	A2C53186028	( ViewLine ) Bezel round white 52mm - Bulk packaging	5,10
61088XA	VERATRON® .	A2C53192911	( ViewLine ) Bezel flat black 85mm - Bulk packaging	5,10
61089YA	VERATRON® .	A2C53192912	( ViewLine ) Bezel flat white 85mm - Bulk packaging	6,30
61090PA	VERATRON® .	A2C53192910	( ViewLine ) Bezel flat chrome 85mm - Bulk packaging	11,20
61091QA	VERATRON® .	A2C53192917	( ViewLine ) Bezel triangular black 85mm - Bulk packaging	5,10
61093SA	VERATRON® .	A2C53192916	( ViewLine ) Bezel round white 85mm - Bulk packaging	6,30
A2C53186	VERATRON® .	A2C5318602201	(ViewLine) -Aftermarket packaging - Bezel flat white 52mm	7,30
A2C53186	VERATRON® .	A2C5318602301	(ViewLine) -Aftermarket packaging - Bezel flat chrome 52mm	12,40
A2C53186	VERATRON® .	A2C5318602401	(ViewLine) -Aftermarket packaging - Bezel triangular black 52mm	7,30
A2C53186	VERATRON® .	A2C5318602501	(ViewLine) -Aftermarket packaging - Bezel triangular white 52mm	7,30
A2C53186	VERATRON® .	A2C5318602601	(ViewLine) -Aftermarket packaging - Bezel triangular chrome 52mm	12,40
A2C53186	VERATRON® .	A2C5318602701	(ViewLine) -Aftermarket packaging - Bezel round black 52mm	7,30
A2C53186	VERATRON® .	A2C5318602801	(ViewLine) -Aftermarket packaging - Bezel round white 52mm	7,30
A2C53186	VERATRON® .	A2C5318602901	(ViewLine) -Aftermarket packaging - Bezel round chrome 52mm	12,40
A2C53186	VERATRON® .	A2C5318604001	(ViewLine) -Aftermarket packaging - Bezel flat black 52mm	7,30
A2C53192	VERATRON® .	A2C5319291001	(ViewLine) -Aftermarket packaging - Bezel flat chrome 85mm	13,20
A2C53192	VERATRON® .	A2C5319291101	(ViewLine) -Aftermarket packaging -Bezel flat black 85mm	8,10
A2C53192	VERATRON® .	A2C5319291201	(ViewLine) -Aftermarket packaging - Bezel flat white 85mm	8,10
A2C53192	VERATRON® .	A2C5319291401	(ViewLine) -Aftermarket packaging - Bezel round chrome 85mm	13,20
A2C53192	VERATRON® .	A2C5319291601	(ViewLine) -Aftermarket packaging - Bezel round white 85mm	8,10
A2C53192	VERATRON® .	A2C5319291701	(ViewLine) -Aftermarket packaging - Bezel triangular black 85mm	8,10
A2C53192	VERATRON® .	A2C5319291801	(ViewLine) -Aftermarket packaging - Bezel triangular chrome 85mm	13,20
A2C53192	VERATRON® .	A2C5319292001	(ViewLine) -Aftermarket packaging - Bezel triangular white 85mm	8,10
A2C53210	VERATRON® .	A2C5321074501	(ViewLine) -Aftermarket packaging - Bezel flat black 110mm	10,20
A2C53210	VERATRON® .	A2C5321074701	(ViewLine) -Aftermarket packaging - Bezel flat chrome 110mm	16,20
A2C53210	VERATRON® .	A2C5321076101	(ViewLine) -Aftermarket packaging - Bezel round chrome 110mm	16,20
A2C53210	VERATRON® .	A2C5321076301	(ViewLine) -Aftermarket packaging - Bezel triangular black 110mm	10,20
A2C53210	VERATRON® .	A2C5321076501	(ViewLine) -Aftermarket packaging - Bezel triangular chrome 110mm	16,20
A2C53212	VERATRON® .	A2C5321223801	Spinlock Nut 85 mm ViewLine- (Aftermarket packaging)	7,30
A2C59512	VERATRON® .	A2C59512675	Adapter cable 8 pole for ammeter	12,40
A2C95822	VERATRON® .	A2C9582260001	GPS Speed cable	24,30
			NAVIGATION SENSOR	
			UNIVERSAL	
20741J	VERATRON® 71	A2C1102950001	Rudder angle sensor single station 10 - 180 Ω	83,10
20742L	VERATRON® 71	A2C1102960001	Rudder angle sensor dual station 5 - 90 Ω	113,00
			SENSOR	
			UNIVERSAL	
60317KA	VERATRON® 71	N02-240-402	Sensor Fresh water 600mm 4-20mA 12/24V	161,30
60318NA	VERATRON® 71	N02-240-404	Sensor Fresh water 1200mm4-20mA12/24V	289,80
60319OA	VERATRON® 71	N02-240-406	Fresh water sensor, 1500mm, 4-20mA 12/24V	396,90
60321GA	VERATRON® 71	N02-240-902	Waste Water sensor, cap., 600mm 4-20mA 12/24V	257,30
60322HA	VERATRON® 71	N02-240-904	Waste Water sensor, cap., 1200mm 4-20mA 12/24V	385,80
61003SA	VERATRON® .	N02-240-802	Fresh water sensor, 600mm	169,40
			UNIVERSAL	
			Accessory/Spare	
60475AA	VERATRON® 72	N03-320-266	Sensor Pyrometer Weld Boss	26,30
61013UA	VERATRON® 72	N05-801-432	Sealing Kit for Fuel Level Sensor 226	11,20
			SENSOR	
			UNIVERSAL	
20084Y	VERATRON® 72	226-801-015-001C	Bulk Adjustable Lever Arm Sensor 3-180 Ω ins grnd	54,20
21124N	VERATRON® 72	A2C1364580001	Adjustable Fuel level sensor 240-33.5 Ω	64,50
25473M	VERATRON® 72	A2C1364580002	Adjustable Fuel level sensor 240-33.5 Ω	54,20
60324JA	VERATRON® 72	A2C59514043	Ammeter Shunts 60A/60mv single	54,20
60325KA	VERATRON® 72	A2C59514047	Ammeter Shunts 150A/60mv single	54,20
60473YA	VERATRON® 72	N03-320-264	Sender Pyrometer	214,30
60478FA	VERATRON® 72	226-801-015-001G	Adjustable Lever Arm Sensor 10-180 ins grnd	64,50
			Accessory/Spare	
20325U	VERATRON® .	N05-800-308	Wind Vane (Old Type)	201,50
60508RA	VERATRON® .	N05-800-356	Wind Vane for New Type Masthead 8/93on	79,70


**UFLEX**

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - JULY, 2024

Unit Price (Euro) (VAT excl.)

p/n	Brand	pg cat24 Model	Description	
			UNIVERSAL	
			Accessory/Spare	
22984Y	VERATRON® 73	B00001201	Flange Adapter Kit - Flange from 85 mm to 54 mm	28,30
23071E	VERATRON® 73	A2C17593300	Installation kit for Deep Pipe sensor	10,20
23072G	VERATRON® 73	A2C17563000	Wiring harness for Deep Pipe sensor, 6m	25,30
			SENSOR	
			UNIVERSAL	
21777M	VERATRON® .	A2C1720030001	150 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	39,30
21778P	VERATRON® .	A2C1742980001	170 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	40,10
21779S	VERATRON® .	A2C1744190001	200 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	41,10
21780A	VERATRON® .	A2C1744210001	220 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	43,30
21781C	VERATRON® .	A2C1744220001	230 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	43,30
21782E	VERATRON® .	A2C1744240001	250 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	45,10
21783G	VERATRON® .	A2C1744270001	280 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	47,10
21784J	VERATRON® .	A2C1744290001	300 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	49,20
21785L	VERATRON® .	A2C1744360001	350 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	53,20
21786N	VERATRON® .	A2C1744380001	370 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	54,20
21787R	VERATRON® .	A2C1744410001	400 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	57,20
21788T	VERATRON® .	A2C1744460001	450 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	60,10
21789V	VERATRON® .	A2C1745800001	500 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	64,30
21790D	VERATRON® .	A2C1745810001	550 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	67,10
21791F	VERATRON® .	A2C1745820001	650 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	76,20
21792H	VERATRON® .	A2C1745830001	700 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	80,10
21793K	VERATRON® .	A2C1745840001	750 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	85,10
21794M	VERATRON® .	A2C1745920001	1000 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	108,20
21795P	VERATRON® .	A2C1746020001	150 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	39,30
21796S	VERATRON® .	A2C1746040001	170 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	40,10
21797U	VERATRON® .	A2C1746150001	230 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	43,30
21798W	VERATRON® .	A2C1746190001	250 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	45,10
21799Y	VERATRON® .	A2C1746450001	300 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	49,20
21800D	VERATRON® .	A2C1747050001	350 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	53,20
21801F	VERATRON® .	A2C1747200001	450 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	60,10
21861A	VERATRON® .	A2C1745910001	950 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	103,30
22007P	VERATRON® .	A2C1720100001	600 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	71,20
22021H	VERATRON® .	A2C1746170001	240 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	43,30
22044W	VERATRON® .	A2C1747260001	550 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	67,10
22211N	VERATRON® .	A2C1747140001	400 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	57,20
22246J	VERATRON® .	A2C1750420001	450 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	60,10
22247L	VERATRON® .	A2C1750530001	550 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	67,10
22248N	VERATRON® .	A2C1750620001	650 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	76,20
22249R	VERATRON® .	A2C1750740001	800 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	89,20
22341C	VERATRON® .	A2C1746120001	200 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	41,10
22363N	VERATRON® .	A2C1745890001	850 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	94,20
22787W	VERATRON® .	A2C1745880001	800 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	89,20
22817C	VERATRON® .	A2C1747270001	600 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	71,20
22843D	VERATRON® .	A2C1747250001	500 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	64,30
22906B	VERATRON® 73	A2C1745900001	900 mm stainless steel, liquid level tub. sensor 0-180 Ω	99,10
22997H	VERATRON® 73	A2C1750190001	250 mm stainless steel, liquid level tub. sensor 90-4 Ω	45,10
23163K	VERATRON® 73	A2C1750730001	750 mm stainless steel, liquid level tub. sensor 90-4 Ω	85,10
23195Z	VERATRON® 73	A2C1744400001	390 mm stainless steel, liquid level tub. sensor 0-180 Ω	56,20
23253L	VERATRON® 73	A2C1744280001	290 mm stainless steel, liquid level tub. sensor 0-180 Ω	48,10
23254N	VERATRON® 73	A2C1745780001	480 mm stainless steel, liquid level tub. sensor 0-180 Ω	62,30
23300T	VERATRON® 73	A2C1745960001	1200 mm stainless steel, liquid level tub. sensor 0-180 Ω	127,20
23305D	VERATRON® 73	A2C1746390001	280 mm stainless steel, liquid level tub. sensor 240-33 Ω	47,10
23337T	VERATRON® 73	A2C1750290001	350 mm stainless steel, liquid level tub. sensor 90-4 Ω	53,20
23343M	VERATRON® 73	A2C1750570001	600 mm stainless steel, liquid level tub. sensor 90-4 Ω	71,20
23349A	VERATRON® 73	A2C1750810001	1050 mm stainless steel, liquid level tub. sensor 90-4 Ω	113,20
23363U	VERATRON® 73	A2C1750240001	300 mm stainless steel, liquid level tub. sensor 90-4 Ω	49,20
23382Y	VERATRON® 73	A2C1747300001	750 mm stainless steel, liquid level tub. sensor 240-33 Ω	85,10
23401Z	VERATRON® 73	A2C1750650001	700 mm stainless steel, liquid level tub. sensor 90-4 Ω	80,10
23435T	VERATRON® 73	A2C1747280001	650 mm stainless steel, liquid level tub. sensor 240-33 Ω	76,20
23529C	VERATRON® 73	A2C1744480001	470 mm stainless steel, liquid level tub. sensor 0-180 Ω	62,30
23556F	VERATRON® 73	A2C1750860001	1200 mm stainless steel, liquid level tub. sensor 90-4 Ω	127,20
23619D	VERATRON® 73	A2C1750760001	900 mm stainless steel, liquid level tub. sensor 90-4 Ω	99,10
23671F	VERATRON® 73	A2C1750040001	200 mm stainless steel, liquid level tub. sensor 90-4 Ω	41,10
23672H	VERATRON® 73	A2C1750340001	400 mm stainless steel, liquid level tub. sensor 90-4 Ω	57,20
23673K	VERATRON® 73	A2C1750500001	500 mm stainless steel, liquid level tub. sensor 90-4 Ω	64,30
23742C	VERATRON® 73	A2C1742410001	160 mm stainless steel, liquid level tub. sensor 0-180 Ω	40,10
23743E	VERATRON® 73	A2C1744170001	180 mm stainless steel, liquid level tub. sensor 0-180 Ω	40,10
23793W	VERATRON® 73	A2C1746100001	190 mm stainless steel, liquid level tub. sensor 240-33 Ω	40,10
23794Y	VERATRON® 73	A2C1746140001	220 mm stainless steel, liquid level tub. sensor 240-33 Ω	43,30
23795A	VERATRON® 73	A2C1747130001	390 mm stainless steel, liquid level tub. sensor 240-33 Ω	56,20
23823C	VERATRON® 73	A2C1749310001	160 mm stainless steel, liquid level tub. sensor 90-4 Ω	40,10
23824E	VERATRON® 73	A2C1749370001	170 mm stainless steel, liquid level tub. sensor 90-4 Ω	40,10

**UFLEX**

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - JULY, 2024

Unit Price (Euro) (VAT excl.)

p/n	Brand	pg cat24 Model	Description	
24842M	VERATRON®	A2C1745940001	1100 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	118,30
24894H	VERATRON®	A2C1750850001	1150 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	122,30
25097K	VERATRON®	A2C1750770001	950 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	103,30
25181Y	VERATRON®	A2C1746300001	270 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	47,10
25182A	VERATRON®	A2C1747090001	380 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	55,20
25211E	VERATRON®	A2C1747370001	950 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	103,30
25212G	VERATRON®	A2C1747340001	800 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	89,20
25213J	VERATRON®	A2C1747290001	700 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	80,10
25238B	VERATRON®	A2C1750790001	1000 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	108,20
25239D	VERATRON®	A2C1750750001	850 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	94,20
25310G	VERATRON®	A2C1744370001	360 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	53,20
25339H	VERATRON®	A2C1747220001	470 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	62,30
25518H	VERATRON®	A2C1744390001	380 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	55,20
25533D	VERATRON®	A2C1747410001	1100 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	118,30
25722G	VERATRON®	A2C1744200001	210 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	42,30
25764Z	VERATRON®	A2C1750280001	340 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	52,20
A2C17441	VERATRON®	A2C1744180001	190 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	40,10
A2C17442	VERATRON®	A2C1750230001	240 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	43,30
A2C17442	VERATRON®	A2C1744250001	260 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	46,10
A2C17442	VERATRON®	A2C1744260001	270 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	47,10
A2C17443	VERATRON®	A2C1744300001	310 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	50,20
A2C17443	VERATRON®	A2C1744310001	320 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	50,20
A2C17443	VERATRON®	A2C1744320001	330 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	51,20
A2C17443	VERATRON®	A2C1744350001	340 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	52,20
A2C17444	VERATRON®	A2C1744420001	410 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	58,20
A2C17444	VERATRON®	A2C1744430001	420 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	58,20
A2C17444	VERATRON®	A2C1744440001	430 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	59,30
A2C17444	VERATRON®	A2C1744450001	440 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	60,10
A2C17444	VERATRON®	A2C1744470001	460 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	61,10
A2C17457	VERATRON®	A2C1745790001	490 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	63,30
A2C17459	VERATRON®	A2C1745930001	1050 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	113,20
A2C17459	VERATRON®	A2C1745950001	1150 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	122,30
A2C17460	VERATRON®	A2C1746030001	160 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	40,10
A2C17460	VERATRON®	A2C1746060001	180 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	40,10
A2C17461	VERATRON®	A2C1746130001	210 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	42,30
A2C17462	VERATRON®	A2C1746220001	260 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	46,10
A2C17464	VERATRON®	A2C1746420001	290 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	48,10
A2C17469	VERATRON®	A2C1746990001	310 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	50,20
A2C17470	VERATRON®	A2C1747000001	320 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	50,20
A2C17470	VERATRON®	A2C1747020001	330 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	51,20
A2C17470	VERATRON®	A2C1747030001	340 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	52,20
A2C17470	VERATRON®	A2C1747060001	360 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	53,20
A2C17470	VERATRON®	A2C1747080001	370 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	54,20
A2C17471	VERATRON®	A2C1747150001	410 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	58,20
A2C17471	VERATRON®	A2C1747160001	420 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	58,20
A2C17471	VERATRON®	A2C1747170001	430 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	59,30
A2C17471	VERATRON®	A2C1747190001	440 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	60,10
A2C17472	VERATRON®	A2C1747210001	460 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	61,10
A2C17472	VERATRON®	A2C1747230001	480 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	62,30
A2C17472	VERATRON®	A2C1747240001	490 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	63,30
A2C17473	VERATRON®	A2C1747350001	850 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	94,20
A2C17473	VERATRON®	A2C1747360001	900 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	99,10
A2C17473	VERATRON®	A2C1747380001	1000 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	108,20
A2C17473	VERATRON®	A2C1747390001	1050 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	113,20
A2C17474	VERATRON®	A2C1747420001	1150 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	122,30
A2C17474	VERATRON®	A2C1747430001	1200 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	127,20
A2C17493	VERATRON®	A2C1749300001	150 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	39,30
A2C17499	VERATRON®	A2C1749950001	180 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	40,10
A2C17500	VERATRON®	A2C1750030001	190 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	40,10
A2C17501	VERATRON®	A2C1750100001	210 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	42,30
A2C17501	VERATRON®	A2C1750120001	220 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	43,30
A2C17501	VERATRON®	A2C1750130001	230 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	43,30
A2C17501	VERATRON®	A2C1750170001	240 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	43,30
A2C17502	VERATRON®	A2C1750200001	260 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	46,10
A2C17502	VERATRON®	A2C1750210001	270 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	47,10
A2C17502	VERATRON®	A2C1750220001	280 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	47,10
A2C17502	VERATRON®	A2C1750230001	290 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	48,10
A2C17502	VERATRON®	A2C1750250001	310 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	50,20
A2C17502	VERATRON®	A2C1750260001	320 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	50,20
A2C17502	VERATRON®	A2C1750270001	330 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	51,20
A2C17503	VERATRON®	A2C1750300001	360 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	53,20
A2C17503	VERATRON®	A2C1750310001	370 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	54,20
A2C17503	VERATRON®	A2C1750320001	380 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	55,20
A2C17503	VERATRON®	A2C1750330001	390 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	56,20



**UFLEX**

UFLEX® - A WORLD OF MARINE EQUIPMENT

**PRICE LIST - JULY, 2024**  
**Unit Price (Euro) (VAT excl.)**

<i>p/n</i>	<i>Brand</i>	<i>pg cat24 Model</i>	<i>Description</i>	
<b>A2C17503</b>	VERATRON® .	<b>A2C1750350001</b>	410 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	<b>58,20</b>
<b>A2C17503</b>	VERATRON® .	<b>A2C1750360001</b>	420 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	<b>58,20</b>
<b>A2C17503</b>	VERATRON® .	<b>A2C1750380001</b>	430 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	<b>59,30</b>
<b>A2C17503</b>	VERATRON® .	<b>A2C1750390001</b>	440 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	<b>60,10</b>
<b>A2C17504</b>	VERATRON® .	<b>A2C1750440001</b>	460 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	<b>61,10</b>
<b>A2C17504</b>	VERATRON® .	<b>A2C1750460001</b>	470 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	<b>62,30</b>
<b>A2C17504</b>	VERATRON® .	<b>A2C1750470001</b>	480 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	<b>62,30</b>
<b>A2C17504</b>	VERATRON® .	<b>A2C1750490001</b>	490 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	<b>63,30</b>
<b>A2C17508</b>	VERATRON® .	<b>A2C1750840001</b>	1100 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	<b>118,30</b>

**UFLEX**

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - JULY, 2024

Unit Price (Euro) (VAT excl.)

p/n	Brand	pg cat24 Model	Description	
<b>VERATRON® Digital Devises, sensors &amp; accessories</b>				
			Accessory/Spare	
60484FA	VERATRON® .	N05-801-336	LENS 52mm for OceanLine	34,80
60490DA	VERATRON® .	N05-801-834	Double lens, 85mm, OceanLine	40,70
61004TA	VERATRON® .	N05-801-832	LENS OCEAN LINE 85MM with push button	40,70
61036FA	VERATRON® .	A2C00065115	Display Module, TN,+ (WWG)	72,40
			UNIVERSAL	
			Accessory/Spare	
23324K	VERATRON® .	B00063201	6m extention cable for pyrometer, IP 67 connector	78,70
			SENSOR	
			UNIVERSAL	
B0006860	VERATRON® .	B00068601	1400 MM STAINLESS STEEL,LIQUID LEVEL SENSOR 90-4 Ω	190,20
			OCEANLINK	
			Accessory/Spare	
21538T	VERATRON® 76	A2C59500139	EasyLink connecting Cable	14,40
21944E	VERATRON® 76	A2C1845710001	Video Cable 0.3m TFT 7" OceanLink (only)	58,70
24907P	VERATRON® 76	A2C1507870001	Power cable + Data cable Engine 1	20,30
24908S	VERATRON® 76	A2C1992110001	Engine 2 data cable VMH70	20,30
			DIGITAL GAUGE	
			VMH	
21965N	VERATRON® 77	B00109901	VMH-14 Multifunction color display, embedded 10Hz GNSS receiver NMEA2K	67,50
24897P	VERATRON® 77	B00129201	VMH70 Display	1.052,10
			DIGITAL GAUGE	
			VMH	
23606U	VERATRON® 79	B00085501	VMH-35 Multifunction color display, embedded 10Hz GNSS receiver NMEA2K	276,30
25287R	VERATRON® 79	B00143501	VMH-35 Multifunction color display, embedded 10Hz GNSS receiver NMEA2K (0-5V input)	276,30
25321M	VERATRON® 79	B00143601	VMH-35 Multifunction color display, NMEA2K, (0-5V input)	256,10
			VERATRON KIT	
			VMH	
22046A	VERATRON® .	B00085502	VMH-35 Outboard Kit, multifunction color display, embedded 10Hz GNSS receiver NMEA2K	521,00
			DIGITAL GAUGE	
			VMH	
25401K	VERATRON® 80	B00171201	VMH-35-D Multifunction color display, NMEA2K (12-24V input)	304,00
25402M	VERATRON® 80	B00171101	VMH-35-D Multifunction color display, embedded 10 Hz GNSS receiver NMEA2K (12-24V input)	329,40
			LIN	
			Accessory/Spare	
23190N	VERATRON® .	B00068201	Battery pole adapter for Intelligent Battery Sensor 12-24 V 250A M8	23,70
23736H	VERATRON® .	B00068401	Battery pole adapter for Intelligent Battery Sensor 12- 24 V 500A M6	23,70
25531Z	VERATRON® .	B00090601	IBS (Intelligent Battery Sensor) Adapter cable kit, 12V	54,40
25532B	VERATRON® .	B00090701	IBS (Intelligent Battery Sensor) Adapter cable kit, 24V	54,40
			DIGITAL GAUGE	
			VIEWLINE	
21395X	VERATRON® 83	B00111301	VL Flex 52 NMEA 2K color display, 1,4"	122,50
21613E	VERATRON® 83	B00110901	VL Flex 52 J1939 color display, 1,4", white	100,10
21616L	VERATRON® 83	B00086001	VL Flex 52 J1939 color display, 1,4", black	93,40
23605S	VERATRON® 83	B00043501	VL-aftermarket digital color display 1,4"	118,10
			SENSOR	
			LIN	
21733R	VERATRON® .	B00084201	Intelligent battery Sensors 12 Volt 500 A	149,00
			VERATRON KIT	
			VIEWLINE	
21924Y	VERATRON® 83	B00084701	VL Flex IBM (Intelligent Battery Monitor) kit, 12V	223,50
21925A	VERATRON® 83	B00084801	VL Flex IBM (Intelligent Battery Monitor) kit, 24V	320,10
			CONTROL UNIT	
			NMEA 2K	
25255B	VERATRON® 86	B00059201	0-5 V LinkUp Gateway	124,70
			SENSOR	
			LIN	
23561Y	VERATRON® .	B00043901	LinkUP IBS 12 Volt (Sensor B00043901 included)	114,60
B0007210	VERATRON® .	B00072101	Intelligent battery Sensors 24 Volt	229,00
			VERATRON KIT	
			NMEA 2K	
23411C	VERATRON® 87	B00042501	LinkUP IBS 12 Volt (Sensor B00043901 included)	224,60
23854P	VERATRON® 87	B00070401	LinkUP IBS 24 Volt (Sensor B00072101 Included)	336,90
24843P	VERATRON® 87	B00042502	LinkUP IBS 12 V 500 A (Sensor B00084201) included)	250,60
			NMEA 2K	
			Accessory/Spare	
24913J	VERATRON® 88	B00102701	LinkUp J1939 adapter cable for Volvo Penta Engine	64,90
24914L	VERATRON® 88	B00102801	LinkUp J1939 adapter cable for Yanmar Engine	64,90
			CONTROL UNIT	
			NMEA 2K	
23560W	VERATRON® 88	B00042401	LinkUp J1939 to NMEA 2000	134,80
			VERATRON KIT	



**UFLEX**  
UFLEX® - A WORLD OF MARINE EQUIPMENT

**PRICE LIST - JULY, 2024**  
**Unit Price (Euro) (VAT excl.)**

p/n	Brand	pg cat24	Model	Description	
21917B	VERATRON® 88	B00070501		NMEA 2K LinkUP Temperature and pressure CONTROL UNIT	178,70
23410A	VERATRON® 89	B00042201		NMEA 2K LinkUp analogue resistive to NMEA 2000 VERATRON KIT	112,40
23559M	VERATRON® 89	B00042301		NMEA 2K LinkUp Pyrometer (Sensor N03-320-264 included)	303,20
21617N	VERATRON® 91	B00062402		NMEA 2K Accessory/Spare VeratronGo top mount mounting Kit NAVIGATION SENSOR	10,20
23112S	VERATRON® 91	B00034901		NMEA 2K NMEA2000 Veratron GO GPS Sensor	165,10
23565G	VERATRON® 91	B00041701		Veratron GO Plus	239,90
23566J	VERATRON® 91	B00041601		Veratron GO DATA CONTROL UNIT ACQUALINK	135,40
20202B	VERATRON® 92	A2C59501982		NavControl Black DIGITAL GAUGE ACQUALINK	271,80
20206K	VERATRON® 92	A2C59501997		TFT display 7" Black DISPLAY ACQUALINK	1.104,80
20205H	VERATRON® 92	A2C59501996		TFT display 4.3" Black GAUGE ACQUALINK	453,30
20129U	VERATRON® 93	A2C59501900		Apparent wind angle gauge Black	158,60
20130C	VERATRON® 93	A2C59501901		Apparent wind angle magnified gauge Black	158,60
20131E	VERATRON® 93	A2C59501902		Apparent wind speed gauge Black	158,60
20142K	VERATRON® 93	A2C59501913		Tachometer 3000 rpm Black	158,60
20143M	VERATRON® 93	A2C59501914		Tachometer 5000 rpm Black	158,60
20144P	VERATRON® 93	A2C59501915		Tachometer 7000 rpm Black GAUGE ACQUALINK	158,60
20132G	VERATRON® 94	A2C59501903		Depth gauge 200m / 660 ft Black	158,60
20134L	VERATRON® 94	A2C59501905		Speed through water 12 knots Black	151,10
20137T	VERATRON® 94	A2C59501908		Speed over ground 12 knots Black	158,60
20138V	VERATRON® 94	A2C59501909		Speed over ground 70 mph / 115 kmh Black	158,60
20139X	VERATRON® 94	A2C59501910		Speed over ground 35 mph / 60 kmh Black	158,60
20146U	VERATRON® 94	A2C59501926		Engine oil temp. 150°C / 300°F Black	50,60
20151L	VERATRON® 94	A2C59501931		Engine coolant temp. 120°C / 250°F Black	50,60
20153R	VERATRON® 94	A2C59501933		Pyrometer 900°C / 1650°F Black GAUGE ACQUALINK	50,60
20148Y	VERATRON® 95	A2C59501928		Waste water gauge E-F Black	50,60
20149A	VERATRON® 95	A2C59501929		Fresh water gauge E-F Black	50,60
20150J	VERATRON® 95	A2C59501930		Fuel level gauge E-F Black	50,60
20155V	VERATRON® 95	A2C59501935		Engine oil pressure 10 bar / 150 psi Black	50,60
20157Z	VERATRON® 95	A2C59501937		Transmission oil pressure 30 bar / 450 psi Black	50,60
20164W	VERATRON® 95	A2C59501944		Boost, Turbo pressure 2 bar / 30 psi Black GAUGE ACQUALINK	50,60
20145S	VERATRON® 96	A2C59501925		Trim Black	50,60
20159D	VERATRON® 96	A2C59501939		Rudder angle gauge Black	50,60
20160M	VERATRON® 96	A2C59501940		Voltmeter 8 - 16 V Black	50,60
20161P	VERATRON® 96	A2C59501941		Voltmeter 16 - 32 V Black	50,60
20162S	VERATRON® 96	A2C59501942		Ammeter gauge 60 A , Battery status Black	50,60
20163U	VERATRON® 96	A2C59501943		Ammeter gauge 150 A, Battery Status Black CONTROL UNIT ACQUALINK	50,60
20199S	VERATRON® 97	A2C59501979		NavBox CONTROL UNIT NMEA 2K	707,30
22221S	VERATRON® 98	A2C1767000001		Engine Box Dual engine	589,50
23557H	VERATRON® 98	A2C1824820001		Engine Box single engine DIGITAL GAUGE OCEANLINK	353,90
21123L	VERATRON® 99	A2C1352150001		OL TFT Display unit 4.3" Black	611,90
22545V	VERATRON® 99	A2C1865330001		OL TFT Display unit 7" Black GAUGE OCEANLINK	1.104,80
21022E	VERATRON® 100	A2C1065660001		OL Tacho 3000rpm Black Facelift	208,60
21023G	VERATRON® 100	A2C1065670001		OL Tacho 3000rpm White Facelift	208,60



**UFLEX**  
UFLEX® - A WORLD OF MARINE EQUIPMENT

**PRICE LIST - JULY, 2024**  
**Unit Price (Euro) (VAT excl.)**

p/n	Brand	pg cat24	Model	Description	
21024J	VERATRON®	100	A2C1065720001	OL Tacho 5000rpm Black Facelift	208,60
21025L	VERATRON®	100	A2C1065800001	OL Tacho 5000rpm White Facelift	208,60
21026N	VERATRON®	100	A2C1065810001	OL Tacho 7000rpm Black Facelift	208,60
21027R	VERATRON®	100	A2C1065820001	OL Tacho 7000rpm White Facelift	208,60
21114K	VERATRON®	100	A2C1351970001	OL GPS Speedo 0-14 Black Facelift	230,80
21115M	VERATRON®	100	A2C1351980001	OL GPS Speedo 0-35 Black Facelift	230,80
21116P	VERATRON®	100	A2C1351990001	OL GPS Speedo 0-70 Black Facelift	230,80
21117S	VERATRON®	100	A2C1352010001	OL GPS Speedo 0-14 White Facelift	230,80
21118U	VERATRON®	100	A2C1352080001	OL GPS Speedo 0-35 White Facelift	230,80
21120E	VERATRON®	100	A2C1352090001	OL GPS Speedo 0-70 White Facelift	230,80
				GAUGE	
				OCEANLINK	
20017G	VERATRON®	.	N02-140-512	OceanLink CAN SAE J 1939, Engine oil pressure gauge 0-150psi	122,20
20018J	VERATRON®	.	N02-311-552	OceanLink CAN SAE J 1939, Engine coolant temperature gauge 100 - 250 °F	122,20
21030D	VERATRON®	101	A2C1065850001	OL Engine Oil Temperature 150 °C / 300 °F Black Facelift	64,70
21031F	VERATRON®	101	A2C1065860001	OL Engine Oil Temperature 150 °C / 300 °F White Facelift	64,70
21040G	VERATRON®	101	A2C1065950001	OL Coolant Temperature 120 °C / 250 °F Black Facelift	64,70
21041J	VERATRON®	101	A2C1065970001	OL Coolant Temperature 120 °C / 250 °F White Facelift	64,70
21042L	VERATRON®	.	A2C1065980001	OL Coolant Temperature Cold / Hot (250 °F) Black Facelift	64,70
21044R	VERATRON®	101	A2C1066000001	OL Engine Oil Pressure 10 bar / 150 psi Black Facelift	64,70
21045T	VERATRON®	101	A2C1066010001	OL Engine Oil Pressure 10 bar / 150 psi White Facelift	64,70
21046V	VERATRON®	.	A2C1066020001	OL Engine Oil Pressure Low / High (150 psi) Black Facelift	64,70
21047X	VERATRON®	.	A2C1066030001	OL Engine Oil Pressure Low / High (150 psi) White Facelift	64,70
21048Z	VERATRON®	101	A2C1066040001	OL Transmission Oil Pressure 30 bar / 440 psi Black Facelift	64,70
21049B	VERATRON®	101	A2C1066050001	OL Transmission Oil Pressure 30 bar / 440 psi White Facelift	64,70
21058C	VERATRON®	101	A2C1066140001	OL Boost Pressure 2 bar / 30 psi Black Facelift	64,70
21059E	VERATRON®	101	A2C1066150001	OL Boost Pressure 2 bar / 30 psi White Facelift	64,70
21110B	VERATRON®	101	A2C1349690001	OL Pyrometer 900 °C / 1650 °F Black Facelift	61,10
21111D	VERATRON®	.	A2C1349700001	OL Pyrometer 1650 °F / 900 °C Black Facelift	64,70
21112F	VERATRON®	101	A2C1349710001	OL Pyrometer 900 °C / 1650 °F White Facelift	61,10
21113H	VERATRON®	.	A2C1349730001	OL Pyrometer 1650 °F / 900 °C White Facelift	64,70
61006VA	VERATRON®	.	N02-140-156	OceanLink CAN SAE J 1939, Engine Oil Pressure, 0-10BAR	122,20
61007AA	VERATRON®	.	N02-311-056	OceanLink CAN SAE J 1939, Engine coolant temperature gauge 40 - 120°C	122,20
				GAUGE	
				OCEANLINK	
21034M	VERATRON®	102	A2C1065890001	OL Waste Water Empty – Full Black Facelift	64,70
21035P	VERATRON®	102	A2C1065900001	OL Waste Water Empty – Full White Facelift	64,70
21036S	VERATRON®	102	A2C1065910001	OL Fresh Water Empty – Full Black Facelift	64,70
21037U	VERATRON®	102	A2C1065920001	OL Fresh Water Empty – Full White Facelift	64,70
21038W	VERATRON®	102	A2C1065930001	OL Fuel Level Empty – Full Black Facelift	64,70
21039Y	VERATRON®	102	A2C1065940001	OL Fuel Level Empty – Full White Facelift	64,70
21054U	VERATRON®	102	A2C1066100001	OL Battery Voltage 8-16 V Black Facelift	64,70
21055W	VERATRON®	102	A2C1066110001	OL Battery Voltage 8-16 V White Facelift	64,70
21056Y	VERATRON®	102	A2C1066120001	OL Battery Voltage 16 – 32 V Black Facelift	64,70
21057A	VERATRON®	102	A2C1066130001	OL Battery Voltage 16 – 32 V White Facelift	64,70
21106L	VERATRON®	102	A2C1349640001	OL Battery Current - 60 / + 60 A Black Facelift	61,10
21107N	VERATRON®	102	A2C1349650001	OL Battery Current - 150 / + 150 A Black Facelift	61,10
21108R	VERATRON®	102	A2C1349660001	OL Battery Current - 60 / + 60 A White Facelift	61,10
21109T	VERATRON®	102	A2C1349680001	OL Battery Current - 150 / + 150 A White Facelift	49,50
				VERATRON KIT	
				OCEANLINK	
22919L	VERATRON®	102	A2C3935310001	VDO Marine Sailing kit	1.446,30
				GAUGE	
				NMEA 183	
25250R	VERATRON®	.	B00067401	Professional Rudder indicator NMEA 183	220,50
				OCEANLINK	
20125K	VERATRON®	.	A2C59500012	EasyLink Master Tachometer 5000RPM	367,20
21028T	VERATRON®	103	A2C1065830001	OL Engine Trim Up/Down Black Facelift	64,70
21029V	VERATRON®	103	A2C1065840001	OL Engine Trim Up/Down White Facelift	64,70
21052P	VERATRON®	103	A2C1066080001	OL Rudder Angle 90° Black Facelift	64,70
21053S	VERATRON®	103	A2C1066090001	OL Rudder Angle 90° White Facelift	64,70
22546X	VERATRON®	103	A2C1957360001	Depth gauge 200m / 660 ft Black	216,30
22547Z	VERATRON®	103	A2C1957380001	Compass Black	216,30
22548B	VERATRON®	103	A2C1957390001	Magnified Apparent Wind Angle Gauge black	216,30
22549D	VERATRON®	103	A2C1957420001	Apparent/True wind speed gauge Black	216,30
22550M	VERATRON®	103	A2C1957400001	Apparent/True wind angle gauge Black	216,30
60498NA	VERATRON®	.	N02-012-920	OceanLink CAN SAE J 1939, Tachometer 3000RPM, 12-24V	367,20
				VERATRON KIT	
				ACQUALINK	
23004N	VERATRON®	105	B00033101	Mast Display Unit kit TFT 7"	4.537,30
23558K	VERATRON®	105	B00044701	AL B MAST UNIT KIT 1 DISPALY 7 INCH	1.512,60
				VERATRON KIT	
				OCEANLINK	
23608Y	VERATRON®	108	A2C1352150004	SMART Kit 4,3- VERATRON GO AND NMEA ACCESSORIES INCLUDED	965,80



**UFLEX**  
UFLEX® - A WORLD OF MARINE EQUIPMENT

**PRICE LIST - JULY, 2024**  
**Unit Price (Euro) (VAT excl.)**

p/n	Brand	pg cat24 Model	Description	
23609A	VERATRON®	108 A2C1865330002	SMART Kit 7 - VERATRON GO AND NMEA ACCESSORIES INCLUDED	1.465,90
A2C13521	VERATRON®	A2C1352150002	VDO Navigation Kit	1.710,20
A2C13521	VERATRON®	A2C1352150003	VDO Navigation Kit Plus	2.443,20
			UNIVERSAL	
			Accessory/Spare	
22566D	VERATRON®	109 A2C1856150001	Marine Speakers - pair, White (051-018-011)	55,60
A2C13131	VERATRON®	A2C1313150001	MediaBox Cable Harness	105,90
			CONTROL UNIT	
			NMEA 2K	
20200X	VERATRON®	109 A2C59501980	Media Box	353,90
			NMEA 2K	
			Accessory/Spare	
A3C01435	VERATRON®	A3C0143530001	VMWS Top mast bracket accessory	98,90
A3C01435	VERATRON®	A3C0143540001	VMWS Front mast bracket accessory	68,60
			NAVIGATION SENSOR	
			NMEA 2K	
20201Z	VERATRON®	110 A2C59501981	NMEA 2K Nav Sensor	759,50
20203D	VERATRON®	110 A2C59501984	Wind sensor NMEA 2000	639,60
			SENSOR	
			NMEA 2K	
23408P	VERATRON®	111 B00041201	NMEA 2K capacitive sensor 600mm	279,30
23409S	VERATRON®	111 B00041401	NMEA2K capacitive sensor 1200mm	419,00
25475S	VERATRON®	111 B00041501	NMEA2K capacitive sensor 1500mm	535,30
			NAVIGATION SENSOR	
			ACQUALINK	
600119Y	VERATRON®	112 A2C59501983	Wind sensor Analogue	774,80
			NMEA 2K	
25099P	VERATRON®	112 IDST810-40-01	Ttriducer Sensor NMEA 2K	541,20
A2C10295	VERATRON®	A2C1029570001	NMEA2000® Vertical mast unit wind sensor	1.715,30
A2C10295	VERATRON®	A2C1029570003	NMEA2000® Vertical mast unit wind sensor - VMWS with front bracket	1.838,50
			SENSOR	
			UNIVERSAL	
20204F	VERATRON®	112 A2C59501986	SUMLOG KIT TRANSDUCER Kit 12Knots (Optional propeller 50 Knots)	193,10
			ACQUALINK	
			Accessory/Spare	
20185E	VERATRON®	113 A2C59501965	Bezel 52 single Black	4,70
20186G	VERATRON®	113 A2C59501966	Bezel 52 double Black	7,00
20188L	VERATRON®	113 A2C59501968	AcquaLink Bezel TFT 7" Black	25,30
21643P	VERATRON®	113 A2C3995200001	AcquaLink Bezel TFT 7" White	25,30
A2C98754	VERATRON®	A2C9875480001	26 pin NavBox Analogue Harness	130,20
B0002850	VERATRON®	B00028501	Carbon Bracket Mast Unit for 7" Display	666,90
			AL + OL	
			Accessory/Spare	
20192B	VERATRON®	113 A2C59501972	Silicone cover for display 4.3" TFT	29,40
20193D	VERATRON®	113 A2C59501973	Silicone cover for display 7" TFT	62,70
A2C98756	VERATRON®	A2C9875610001	Power cable Nav Box	130,20
			AL + VL	
			Accessory/Spare	
20122D	VERATRON®	113 A2C5323888101	Spinlock Nut 110 mm AL, VL - (Bulk packaging)	9,30
A2C53238	VERATRON®	A2C5323888101	Spinlock Nut 110 mm 110 mm AL, VL - (Aftermarket packaging)	9,30
			OCEANLINK	
			Accessory/Spare	
21063V	VERATRON®	113 A2C1083230001	(OceanLink) Bezel Black TFT 4.3"	20,30
21064X	VERATRON®	113 A2C1111380001	(OceanLink) Bezel Black 85mm	11,20
21065Z	VERATRON®	113 A2C1141440001	(OceanLink) Bezel Black 52mm	9,30
21066B	VERATRON®	113 A2C1141580001	(OceanLink) Bezel chrome 85mm	21,30
21067D	VERATRON®	113 A2C1152980001	(OceanLink) Bezel White TFT 4.3"	20,30
21121G	VERATRON®	113 A2C1352110001	(OceanLink) Bezel White 52mm	9,30
21122J	VERATRON®	113 A2C1352140001	(OceanLink) Bezel White 85mm	11,20
21125R	VERATRON®	113 A2C13760900	Spinlock 85mm OceanLink - (Bulk packaging)	10,20
21543K	VERATRON®	113 A2C5336487001	(OceanLink) Bezel chrome 52mm	14,40
21928G	VERATRON®	113 A2C1376090001	Spinlock 85mm OceanLink - (Aftermarket packaging)	11,20
60496JA	VERATRON®	A2C53092432	KABELBAUM OceanLink	60,10
60505MA	VERATRON®	N03-230-702	Acoustic alarm buzzer, 52mm, black, 12/24V OceanLine	48,10
A2C14333	VERATRON®	A2C1433330001	Power cable + Data cable Master 85mm	29,40
A2C16507	VERATRON®	A2C1650700001	EasyLink extension Cable for 7" OceanLink	16,20
A2C16975	VERATRON®	A2C1697530001	OceanLink Bezel TFT 7" Black	23,30
A2C16975	VERATRON®	A2C1697540001	OceanLink Bezel TFT 7" White	23,30
			UNIVERSAL	
			Accessory/Spare	
20112A	VERATRON®	113 A2C5205947101	Spinlock Nut 52 mm - AL, OL, VL (Bulk packaging)	8,10
A2C52059	VERATRON®	A2C5205947101	Spinlock Nut 52 mm - AL, OL, VL (Aftermarket packaging)	8,10
			ACQUALINK	
			Accessory/Spare	


**UFLEX**

UFLEX® - A WORLD OF MARINE EQUIPMENT

**PRICE LIST - JULY, 2024**  
 Unit Price (Euro) (VAT excl.)

p/n	Brand	pg cat24	Model	Description	
21126T	VERATRON®	114	A2C38804900	Infield Installation Connector VDO Bus/analogue Wind	45,70
21127V	VERATRON®	114	A2C38805500	Gender Changer VDO Bus	30,40
21128X	VERATRON®	114	A2C38805700	VDO Bus Cable 2m	51,60
21152U	VERATRON®	114	A2C96244600	VDO Bus Cable 0.3m	38,40
21153W	VERATRON®	114	A2C96244900	VDO BUS to NMEA 2000 Adapter	46,50
21154Y	VERATRON®	114	A2C96245000	VDO Bus Cable 5m	57,60
21155A	VERATRON®	114	A2C96245100	VDO Bus Cable 10m	72,80
				AL + OL	
				Accessory/Spare	
21156C	VERATRON®	.	A2C99791100	Video Cable 0.3m	54,60
				NMEA 2K	
				Accessory/Spare	
20170R	VERATRON®	114	A2C59501950	NMEA 2000 Cable 30m	115,00
21129Z	VERATRON®	114	A2C39308500	NMEA 2K Infield Installation Connector Female	42,50
21130H	VERATRON®	114	A2C39310500	NMEA 2K Infield Installation Connector Male	30,40
21131K	VERATRON®	114	A2C3931060001	NMEA 2K Terminator Female	20,30
21132M	VERATRON®	114	A2C3931100001	NMEA 2K Terminator Male	20,30
21133P	VERATRON®	114	A2C3931250001	NMEA 2K Inline Terminator	30,40
21134S	VERATRON®	114	A2C3931270002	NMEA 2K T Splitter	35,40
21148D	VERATRON®	114	A2C9624370001	NMEA 2K Cable 0.3m	32,40
21149F	VERATRON®	114	A2C9624380001	NMEA 2K Cable 2m	42,50
21150P	VERATRON®	114	A2C9624400001	NMEA 2K Cable 6m	50,60
21151S	VERATRON®	114	A2C9624420001	NMEA 2K Cable 10m	61,70
22177S	VERATRON®	.	A2C3931270001	Kvaser Diagnostic tool	503,40
23577P	VERATRON®	.	A2C3931290001	NMEA 2K power cable	32,40
25158D	VERATRON®	114	B00054101	NMEA 2K 4 WAYS T SPLITTER	66,50
				UNIVERSAL	
				Accessory/Spare	
21159J	VERATRON®	114	A2C99793900	Termination Resistor VDO Bus	30,40
21160T	VERATRON®	114	A2C99794200	Termination Resistor J1939Inline	48,50
60495IA	VERATRON®	.	270-023-005-004D	SUMLOG PADDLEWHEEL, 30Knot	30,40
60497KA	VERATRON®	.	270-023-005-005D	SUMLOG PADDLEWHEEL, 50Knots	30,40
60499OA	VERATRON®	.	270-023-005-003D	SUMLOG PADDLEWHEEL, 18Knot	30,40
A2C17669	VERATRON®	.	A2C1766930001	32Pin Power Cable for Dual Engine	117,10
A2C18219	VERATRON®	.	A2C1821960001	32Pin Power Cable for Single Engine	105,90
A2C39859	VERATRON®	.	A2C3985920001	Sumlog Valve Assy	55,20
				NAVIGATION SENSOR	
				UNIVERSAL	
20086C	VERATRON®	.	270-023-001-002K	SUMLOG IMPELLER TRANSDUCER UNIT 8-18Knot	255,30
20087E	VERATRON®	.	270-023-004-002K	SUMLOG IMPELLER TRANSDUCER UNIT 30Knot	255,30
60491EA	VERATRON®	.	270-023-005-002K	SUMLOG TRANSDUCER UNIT 50KN	255,30



**UFLEX**  
UFLEX® - A WORLD OF MARINE EQUIPMENT

**PRICE LIST - JULY, 2024**  
**Unit Price (Euro) (VAT excl.)**

p/n	Brand	pg cat24 Model	Description	
<b>UFLEX® Marine instruments</b>				
<b>GAUGE</b>				
<b>ULTRA BLACK SERIES</b>				
22463TK	UFLEX®	117	Holding tank level gauge E -1/2- F	46,10
22464VK	UFLEX®	117	Tachometer 0-4000 RPM engines 0,5/250 speed ratio	116,50
22465XK	UFLEX®	117	Tachometer 0-6000 RPM engines 0,5/250 speed ratio	116,50
22466ZK	UFLEX®	117	Tachometer 0-8000 RPM engines 1/10 speed ratio	116,50
22467BK	UFLEX®	117	Tachometer 0-8000 RPM engines 0,5/250 speed ratio	116,50
22468DK	UFLEX®	117	Speedometer - 35 knot	92,60
22469FK	UFLEX®	117	Speedometer - 65 knot	92,60
22470PK	UFLEX®	117	Speedometer - 55 knot	92,60
22471SK	UFLEX®	117	Speedometer - 60 knot + GPS signal	235,10
22472WK	UFLEX®	117	Ammeter ± 80 A with shunt	166,90
22474YK	UFLEX®	117	Trim gauge 160-10 ohm	46,10
22475AK	UFLEX®	117	Exhaust temperature gauge	123,20
22475MK	UFLEX®	117	Trim gauge 0-190 ohm	46,10
22482XK	UFLEX®	117	Tachometer 0-4000 RPM engines 0,5/250 speed ratio	116,50
22483ZK	UFLEX®	117	Tachometer 0-6000 RPM engines 1/10 speed ratio	116,50
22484BK	UFLEX®	117	Tachometer 0-6000 RPM engines 0,5/250 speed ratio	116,50
22485DK	UFLEX®	117	Tachometer 0-8000 RPM engines 1/10 speed ratio	116,50
22486FK	UFLEX®	117	Tachometer 0-8000 RPM engines 0,5/250 speed ratio	116,50
22487HK	UFLEX®	117	Speedometer - 35 knot	92,60
22488KK	UFLEX®	117	Speedometer - 65 knot	92,60
22489MK	UFLEX®	117	Speedometer - 55 knot	92,60
22490WK	UFLEX®	117	Speedometer - 60 knot + GPS signal	235,10
22491YK	UFLEX®	117	Exhaust temperature gauge	123,20
22492AK	UFLEX®	117	Quartz analog clock	95,20
22493CK	UFLEX®	117	Ammeter ± 80 A with shunt	166,90
22494EK	UFLEX®	117	Water temperature gauge - 40-120 °C	46,10
22495GK	UFLEX®	117	Hourmeter 0-99999 hours	64,70
22496JK	UFLEX®	117	Trim gauge 160-10 ohm	46,10
22497LK	UFLEX®	117	Trim gauge 0-190 ohm	46,10
22498NK	UFLEX®	117	Rudder angle indicator Port- Starboard	97,90
22499RK	UFLEX®	117	Voltmeter 8-16 VDC	46,10
22500WK	UFLEX®	117	Voltmeter 18-32 VDC	46,10
60510JK	UFLEX®	117	Tachometer 0-4000 RPM engines 1/10 speed ratio	116,50
60518TK	UFLEX®	117	Fuel level gauge E -1/2- F	46,10
60520LK	UFLEX®	117	Tank level gauge E -1/2- F	46,10
60521MK	UFLEX®	117	Oil pressure gauge 0-5 bar	46,10
60522NK	UFLEX®	117	Oil pressure gauge 0-10 bar	46,10
60526RK	UFLEX®	117	Water temperature gauge - 40-120 °C	46,10
60529WK	UFLEX®	117	Voltmeter 8-16 VDC	46,10
60530QK	UFLEX®	117	Hourmeter 0-99999 hours	64,70
60531RK	UFLEX®	117	Quartz analog clock	95,20
60699UK	UFLEX®	117	Rudder angle indicator Port- Starboard	97,90
60738GK	UFLEX®	117	Tachometer 0-6000 RPM engines 1/10 speed ratio	116,50
60741ZK	UFLEX®	117	Voltmeter 18-32 VDC	46,10
<b>ULTRA WHITE SERIES</b>				
22430BK	UFLEX®	117	Holding tank level gauge E -1/2- F	46,10
22431DK	UFLEX®	117	Ammeter ± 80 A with shunt	166,90
22432FK	UFLEX®	117	Trim gauge 160-10 ohm	46,10
22433HK	UFLEX®	117	Trim gauge 0-190 ohm	46,10
22437SK	UFLEX®	117	Tachometer 0-8000 RPM engines 1/10 speed ratio	116,50
22438TK	UFLEX®	117	Tachometer 8000 0,5/250 speed ratio	116,50
22439WK	UFLEX®	117	Speedometer - 35 knot	92,60
22441GK	UFLEX®	117	Speedometer - 55 knot	92,60
22442JK	UFLEX®	117	Tachometer 0-6000 RPM engines 0,5/250 speed ratio	116,50
22443LK	UFLEX®	117	Speedometer - 65 knot	92,60
22445RK	UFLEX®	117	Speedometer - 60 knot + GPS signal	235,10
22447VK	UFLEX®	117	Exhaust temperature gauge	123,20
22449ZK	UFLEX®	117	Tachometer 0-4000 RPM engines 0,5/250 speed ratio	116,50
60534UK	UFLEX®	117	Tachometer 0-4000 RPM engines 1/10 speed ratio	116,50
60539BK	UFLEX®	117	Quartz analog clock	95,20
60542UK	UFLEX®	117	Fuel level gauge E -1/2- F	46,10
60544WK	UFLEX®	117	Tank level gauge E -1/2- F	46,10
60545XK	UFLEX®	117	Oil pressure gauge 0-5 bar	46,10
60546YK	UFLEX®	117	Oil pressure gauge 0-10 bar	46,10
60550UK	UFLEX®	117	Water temperature gauge - 40-120 °C	46,10
60553XK	UFLEX®	117	Voltmeter 8-16 VDC	46,10
60554YK	UFLEX®	117	Hourmeter 0-99999 hours	64,70
60691KK	UFLEX®	117	Tachometer 0-6000 RPM engines 1/10 speed ratio	116,50
60700QK	UFLEX®	117	Rudder angle indicator Port- Starboard	97,90
60742AK	UFLEX®	117	Voltmeter 18-32 VDC	46,10



**UFLEX**  
UFLEX® - A WORLD OF MARINE EQUIPMENT

**PRICE LIST - JULY, 2024**  
**Unit Price (Euro) (VAT excl.)**

p/n	Brand	pg cat24 Model	Description	
<b>GAUGE</b>				
<b>ULTRA BLACK SS SERIES</b>				
22476BK	UFLEX®	119 .	Fuel level gauge E -1/2- F	46,10
22477EK	UFLEX®	119 .	Tank level gauge E -1/2- F	46,10
22478GK	UFLEX®	119 .	Holding tank level gauge E -1/2- F	46,10
22479JK	UFLEX®	119 .	Oil pressure gauge 0-5 bar	46,10
22480TK	UFLEX®	119 .	Oil pressure gauge 0-10 bar	46,10
22481VK	UFLEX®	119 .	Tachometer 0-4000 RPM engines 1/10 speed ratio	116,50
<b>ULTRA WHITE SS SERIES</b>				
22450HK	UFLEX®	119 .	Tachometer 0-4000 RPM engines 0,5/250 speed ratio	116,50
22451KK	UFLEX®	119 .	Tachometer 0-6000 RPM engines 0,5/250 speed ratio	116,50
22452MK	UFLEX®	119 .	Tachometer 0-8000 RPM engines 1/10 speed ratio	116,50
22453PK	UFLEX®	119 .	Tachometer 0-8000 RPM engines 0,5/250 speed ratio	116,50
22454SK	UFLEX®	119 .	Speedometer - 35 knot	92,60
22455UK	UFLEX®	119 .	Speedometer - 65 knot	92,60
22456WK	UFLEX®	119 .	Speedometer - 55 knot	92,60
22457YK	UFLEX®	119 .	Speedometer - 60 knot + GPS signal	235,10
22458AK	UFLEX®	119 .	Exhaust temperature gauge	123,20
22459CK	UFLEX®	119 .	Ammeter ± 80 A with shunt	166,90
22460LK	UFLEX®	119 .	Trim gauge 160-10 ohm	46,10
22461NK	UFLEX®	119 .	Trim gauge 0-190 ohm	46,10
22462RK	UFLEX®	119 .	Holding tank level gauge E -1/2- F	46,10
62004JK	UFLEX®	119 .	Tachometer 0-6000 RPM engines 1/10 speed ratio	116,50
62005LK	UFLEX®	119 .	Tachometer 0-4000 RPM engines 1/10 speed ratio	116,50
62013KK	UFLEX®	119 .	Quartz analog clock	95,20
62014MK	UFLEX®	119 .	Fuel level gauge E -1/2- F	46,10
62015PK	UFLEX®	119 .	Hourmeter 0-99999 hours	64,70
62016SK	UFLEX®	119 .	Oil pressure gauge 0-5 bar	46,10
62017UK	UFLEX®	119 .	Oil pressure gauge 0-10 bar	46,10
62018WK	UFLEX®	119 .	Tank level gauge E -1/2- F	46,10
62022LK	UFLEX®	119 .	Voltmeter 8-16 VDC	46,10
62023NK	UFLEX®	119 .	Voltmeter 18-32 VDC	46,10
62024RK	UFLEX®	119 .	Water temperature gauge - 40-120 °C	46,10
62027XK	UFLEX®	119 .	Rudder angle indicator Port- Starboard	97,90
<b>Accessory/Spare</b>				
22514HK	UFLEX®	120 <b>160001</b>	White bezel for Ø 52 mm gauges	2,60
22535SK	UFLEX®	120 <b>160000</b>	Black bezel for Ø 52 mm gauges	2,50
22536UK	UFLEX®	120 <b>160002</b>	Chrome bezel for Ø 52 mm gauges	7,70
22537WK	UFLEX®	120 .	Device to connect gauge and sender with different values of resistance	75,40
68028GK	UFLEX®	120 <b>160040</b>	Black bezel for Ø 85 mm gauges	4,50
68029JK	UFLEX®	120 <b>160041</b>	White bezel for Ø 85 mm gauges	4,50
68030OK	UFLEX®	120 <b>160042</b>	Chrome bezel for Ø 85 mm gauges	10,50
<b>GAUGE</b>				
<b>DRESS WHITE SERIES</b>				
22501YK	UFLEX®	121 .	Holding tank level gauge E -1/2- F	50,90
22502AK	UFLEX®	121 .	Tachometer 0-4000 RPM engines 0,5/250 speed ratio	123,20
22503CK	UFLEX®	121 .	Tachometer 0-6000 RPM engines 0,5/250 speed ratio	123,20
22504EK	UFLEX®	121 .	Tachometer 0-8000 RPM engines 1/10 speed ratio	123,20
22505GK	UFLEX®	121 .	Tachometer 0-8000 RPM engines 0,5/250 speed ratio	123,20
22506JK	UFLEX®	121 .	Speedometer - 35 knot	99,30
22507LK	UFLEX®	121 .	Speedometer - 65 knot	99,30
22508NK	UFLEX®	121 .	Speedometer - 55 knot	99,30
22509RK	UFLEX®	121 .	Speedometer - 60 knot + GPS signal	241,80
22510ZK	UFLEX®	121 .	Exhaust temperature gauge	128,00
22511BK	UFLEX®	121 .	Ammeter ± 80 A with shunt	171,70
22512DK	UFLEX®	121 .	Trim gauge 160-10 ohm	50,90
22513FK	UFLEX®	121 .	Trim gauge 0-190 ohm	50,90
62656FK	UFLEX®	121 .	Tachometer 0-6000 RPM engines 1/10 speed ratio	123,20
62658KK	UFLEX®	121 .	Tachometer 0-4000 RPM engines 1/10 speed ratio	123,20
62664EK	UFLEX®	121 .	Fuel level gauge E -1/2- F	50,90
62665GK	UFLEX®	121 .	Tank level gauge E -1/2- F	50,90
62666JK	UFLEX®	121 .	Oil pressure gauge 0-5 bar	50,90
62667LK	UFLEX®	121 .	Oil pressure gauge 0-10 bar	50,90
62669RK	UFLEX®	121 .	Water temperature gauge - 40-120 °C	50,90
62670ZK	UFLEX®	121 .	Voltmeter 8-16 VDC	50,90
62671BK	UFLEX®	121 .	Voltmeter 18-32 VDC	50,90
62672DK	UFLEX®	121 .	Hourmeter 0-99999 hours	69,50
62676MK	UFLEX®	121 .	Quartz analog clock	100,00
62678SK	UFLEX®	121 .	Rudder angle indicator Port- Starboard	104,60
<b>Accessory/Spare</b>				
60615U	UFLEX®	122 .	Bushing kit 1/8" NPTF to 1/4" - 3/8"	10,40
60616V	UFLEX®	122 .	Bushing kit 1/8" NPTF to 1/2" - 5/8"	12,80
60617W	UFLEX®	122 .	Bushing kit 1/8" NPTF to 1/8" BSP/F	12,80
60618Z	UFLEX®	122 .	Bushing kit 1/8" NPTF - M10x1	17,10





**UFLEX**  
UFLEX® - A WORLD OF MARINE EQUIPMENT

**PRICE LIST - JULY, 2024**  
**Unit Price (Euro) (VAT excl.)**

p/n	Brand	pg cat24	Model	Description	
60619A	UFLEX®	122	.	Bushing kit 1/8" NPTF - M12x1	13,30
60620R	UFLEX®	122	.	Bushing kit 1/8" NPTF - M16x1,5	15,10
60613S	UFLEX®	122	.	SENSOR Diesel tachometer sender ENGINE	213,00
60360NK	UFLEX®	122	.	Oil pressure sender 10 bar - single station	37,70
60525QK	UFLEX®	122	.	Oil pressure sender 5 bar - single station	37,70
60528VK	UFLEX®	122	.	Water temperature sender 40-120°C - 1/8" NPTF - single station LEVEL	20,10
66180C	UFLEX®	122	.	Fuel level sender 20-60 cm - single station PITOT	56,40
60515OK	UFLEX®	122	.	Pitot tube kit complete with mounting hardware	19,60
60516PK	UFLEX®	122	.	Pitot tube kit complete with mounting hardware and 20' tubing RUDDER ANGLE	23,40
68451UK	UFLEX®	122	.	Rudder angle sender - single station TEMPERATURE	42,00
22533MK	UFLEX®	122	.	Exhaust temperature sender 0-800 °C Accessory/Spare	440,40
64719P	UFLEX®	123	HFL	1 1/4" Spare Flange for US3H Sensors FUEL LEVEL KIT	25,30
66234Z	UFLEX®	123	.	Ultra Black Series fuel level gauge and sender 20-60 cm	105,40
66235B	UFLEX®	123	.	Ultra White Series fuel level gauge and sender 20-60 cm SENSOR ENGINE	105,40
22531HK	UFLEX®	123	KE10010	Magnetolectric tachometer sender	54,00
22532KK	UFLEX®	123	KE10004	Holzer tachometer sender LEVEL	66,60
20602U	UFLEX®	123	US3H-1	Holding tank Sensor - length 100 mm - 3.9"	80,30
20603W	UFLEX®	123	US3H-2	Holding tank Sensor - length 205 mm - 8.0"	91,60
20604Y	UFLEX®	123	US3H-3	Holding tank Sensor - length 305 mm - 12.0"	105,40
20605A	UFLEX®	123	US3H-4	Holding tank Sensor - length 410 mm - 16.1"	117,90
21717T	UFLEX®	123	US3H-5	Holding tank Sensor - length 510 mm - 20.1" Accessory/Spare	133,00
68417U	UFLEX®	124	FL-2	Spare Flange for US5 Sensors SENSOR LEVEL	7,40
20370Z	UFLEX®	124	US3-E1400	Fuel/water Sensor - length 1400 mm - 55.1"	169,90
20371B	UFLEX®	124	US3-E2000	Fuel/water Sensor - length 2000 mm - 78.7"	279,80
20606C	UFLEX®	124	US5-E150	Fuel/water Sensor - length 150 mm - 5.9"	51,30
20607E	UFLEX®	124	US5-E175	Fuel/water Sensor - length 175 mm - 6.9"	51,30
20608G	UFLEX®	124	US5-E200	Fuel/water Sensor - length 200 mm - 7.9"	53,20
20609J	UFLEX®	124	US5-E225	Fuel/water Sensor - length 225 mm - 8.9"	54,00
20610T	UFLEX®	124	US5-E250	Fuel/water Sensor - length 250 mm - 9.8"	56,80
20611V	UFLEX®	124	US5-E275	Fuel/water Sensor - length 275 mm - 10.8"	58,10
20612X	UFLEX®	124	US5-E300	Fuel/water Sensor - length 300 mm - 11.8"	60,90
20613Z	UFLEX®	124	US5-E350	Fuel/water Sensor - length 350 mm - 13.8"	66,30
20614B	UFLEX®	124	US5-E400	Fuel/water Sensor - length 400 mm - 15.7"	71,80
20615D	UFLEX®	124	US5-E450	Fuel/water Sensor - length 450 mm - 17.7"	75,80
20616F	UFLEX®	124	US5-E500	Fuel/water Sensor - length 500 mm - 19.7"	81,30
20617H	UFLEX®	124	US5-E550	Fuel/water Sensor - length 550 mm - 21.7"	86,70
20618K	UFLEX®	124	US5-E600	Fuel/water Sensor - length 600 mm - 23.6"	90,80
20619M	UFLEX®	124	US5-E650	Fuel/water Sensor - length 650 mm - 25.6"	96,30
20620W	UFLEX®	124	US5-E700	Fuel/water Sensor - length 700 mm - 27.6"	101,70
20621Y	UFLEX®	124	US5-E750	Fuel/water Sensor - length 750 mm - 29.5"	108,50
20622A	UFLEX®	124	US5-E800	Fuel/water Sensor - length 800 mm - 31.5"	112,60
20623C	UFLEX®	124	US5-E850	Fuel/water Sensor - length 850 mm - 33.5"	117,00
20624E	UFLEX®	124	US5-E900	Fuel/water Sensor - length 900 mm - 35.4"	122,60
20625G	UFLEX®	124	US5-A175	Fuel/water Sensor - length 175 mm - 6.9"	39,30
20626J	UFLEX®	124	US5-A200	Fuel/water Sensor - length 200 mm - 7.9"	51,30
20627L	UFLEX®	124	US5-A250	Fuel/water Sensor - length 250 mm - 9.8"	43,40
20628N	UFLEX®	124	US5-A275	Fuel/water Sensor - length 275 mm - 10.8"	44,40
20629R	UFLEX®	124	US5-A300	Fuel/water Sensor - length 300 mm - 11.8"	60,90
20630Z	UFLEX®	124	US5-A350	Fuel/water Sensor - length 350 mm - 13.8"	66,30
20632D	UFLEX®	124	US5-A400	Fuel/water Sensor - length 400 mm - 15.7"	71,80
20633F	UFLEX®	124	US5-A500	Fuel/water Sensor - length 500 mm - 19.7"	81,30
20634H	UFLEX®	124	US3-E300	Fuel/water Sensor - length 300 mm - 11.8"	60,90
20635K	UFLEX®	124	US3-E350	Fuel/water Sensor - length 350 mm - 13.8"	50,60
20636M	UFLEX®	124	US3-E400	Fuel/water Sensor - length 400 mm - 15.7"	71,80
20637P	UFLEX®	124	US3-E450	Fuel/water Sensor - length 450 mm - 17.7"	57,80
20638S	UFLEX®	124	US3-E500	Fuel/water Sensor - length 500 mm - 19.7"	81,30
20639U	UFLEX®	124	US3-E550	Fuel/water Sensor - length 550 mm - 21.7"	66,20
20640C	UFLEX®	124	US3-E600	Fuel/water Sensor - length 600 mm - 23.6"	90,80
21634N	UFLEX®	124	US5-A450	Fuel/water Sensor - length 450 mm - 17.7"	75,80
21687L	UFLEX®	.	NS5-500	Fuel/water Sensor - length 500 mm - 19.7"	196,50


**UFLEX**

UFLEX® - A WORLD OF MARINE EQUIPMENT

**PRICE LIST - JULY, 2024**  
**Unit Price (Euro) (VAT excl.)**

<i>p/n</i>	<i>Brand</i>	<i>pg cat24</i> Model	<i>Description</i>	
21745Y	UFLEX® 124	<b>US3-E250</b>	Fuel/water Sensor - length 250 mm - 9.84"	<b>55,10</b>
21813N	UFLEX® .	<b>US3-A225</b>	Fuel/water Sensor - length 225 mm - 8.9"	<b>54,00</b>
21814R	UFLEX® .	<b>US3-A450</b>	Fuel/water Sensor - length 450 mm - 17.7"	<b>75,80</b>
23522M	UFLEX® 124	<b>US5-E550</b>	Fuel/water Sensor - length 550 mm - 21.7"	<b>51,30</b>
62501Z	UFLEX® 124	<b>US5-E1500</b>	Fuel/water Sensor - length 1500 mm - 59"	<b>231,10</b>
65181Z	UFLEX® 124	<b>US5-A750</b>	Fuel/water Sensor - length 750 mm - 29.5"	<b>110,20</b>



**UFLEX**  
UFLEX® - A WORLD OF MARINE EQUIPMENT

**PRICE LIST - JULY, 2024**  
**Unit Price (Euro) (VAT excl.)**

p/n	Brand	pg cat24 Model	Description	
<b>PENTAIR® Fresh water &amp; bilge pumps, filters and blowers</b>				
FRESH WATER PUMP				
AQUAKING II SERIES				
69590P	PENTAIR® 127	<b>Junior 12V</b>	Aqua King™ Junior pump 2.0 GPM (7,6 l/min), 30 PSI (2 Bar), 12VDC	<b>183,80</b>
69591S	PENTAIR® 127	<b>Standard 12V</b>	Aqua King™ Standard 3.0 GPM (11,4 l/min), 45 PSI (3,1 Bar), 12VDC	<b>189,20</b>
69592U	PENTAIR® 127	<b>Standard 24V</b>	Aqua King™ Standard 3.0 GPM (11,4 l/min), 45 PSI (3,1 Bar), 24VDC	<b>189,20</b>
AQUAKING SERIES				
68851L	PENTAIR® 127	<b>SLV</b>	Aqua King™ SLV pump 1.0 GPM (3,8 l/min), 30 PSI (2 Bar), 12VDC	<b>125,70</b>
FRESH WATER PUMP				
AQUAKING II SERIES				
60474Z	PENTAIR® .	<b>Junior 12V</b>	Aqua King™ II Junior pump 3.0 GPM (11,4 l/min), 30 PSI (2 Bar), 12VDC	<b>189,20</b>
68804B	PENTAIR® 128	<b>Supreme 12V</b>	Aqua King™ II Supreme 5.0 GPM (18,9 l/min), 55 PSI (3,8 Bar), 12V DC	<b>304,60</b>
68805D	PENTAIR® 128	<b>Supreme 24V</b>	Aqua King™ II Supreme 5.0 GPM (18,9 l/min), 55 PSI (3,8 Bar), 24V DC	<b>366,90</b>
68806F	PENTAIR® 128	<b>Premium 12V</b>	Aqua King™ II Premium 4.0 GPM (15,1 l/min), 55 PSI (3,8 Bar), 12V DC	<b>248,60</b>
68850J	PENTAIR® 128	<b>Premium 24V</b>	Aqua King™ II Premium 4.0 GPM (15,1 l/min), 55 PSI (3,8 Bar), 24V DC	<b>336,90</b>
69594Y	PENTAIR® .	<b>Junior 12V</b>	Aqua King™ II Junior pump 2.0 GPM (7,6 l/min), 20 PSI (1,4 Bar), 12VDC	<b>178,10</b>
69640C	PENTAIR® .	<b>Junior 24V</b>	Aqua King™ II Junior pump 3.0 GPM (11,4 l/min), 30 PSI (2 Bar), 24VDC	<b>189,20</b>
MACERATOR PUMP				
20912K	PENTAIR® 129	<b>Macerator 24V OEM</b>	Macerator pump 13 GPM (50 l/min), 24VDC, OEM	<b>422,00</b>
62767R	PENTAIR® 129	<b>Macerator 12V</b>	Macerator pump 13 GPM (50 l/min), 12VDC	<b>427,70</b>
62768T	PENTAIR® 129	<b>Macerator 24V</b>	Macerator pump 13 GPM (50 l/min), 24VDC	<b>415,80</b>
67730T	PENTAIR® 129	<b>Macerator 12V, OEM</b>	Macerator pump 13 GPM (50 l/min), 12VDC, OEM	<b>417,70</b>
MACERATOR/TANK KIT				
20914P	PENTAIR® 129	<b>MCTK-70 12V</b>	12VDC Macerator pump and 70 litre tank kit	<b>698,90</b>
20915S	PENTAIR® 129	<b>MCTK-40 12V</b>	12VDC Macerator pump and 40 litre tank kit	<b>669,40</b>
20916U	PENTAIR® 129	<b>MCTK-60 12V</b>	12VDC Macerator pump and 60 litre tank kit	<b>759,30</b>
20917W	PENTAIR® 129	<b>MCTK-70 24V</b>	24VDC Macerator pump and 70 litre tank kit	<b>702,50</b>
20919A	PENTAIR® 129	<b>MCTK-60 24V</b>	24VDC Macerator pump and 60 litre tank kit	<b>762,90</b>
WASHDOWN PUMP				
PROBLASTER SERIES				
69194F	PENTAIR® 129	<b>Washdown Kit</b>	Washdown Kit II Deluxe 4.0 GPM (15,1 l/min), 45 PSI (3,1 Bar), 12VDC	<b>419,90</b>
WASHDOWN PUMP				
BLASTER SERIES				
69436D	PENTAIR® 130	<b>Blaster II 24V</b>	Blaster 3.5 GPM (13,2 l/min), 45 PSI (3,1 Bar), 24V DC	<b>229,30</b>
69437F	PENTAIR® 130	<b>Blaster II 12V</b>	Blaster 3.5 GPM (13,2 l/min), 45 PSI (3,1 Bar), 12V DC	<b>228,70</b>
PROBLASTER SERIES				
68801V	PENTAIR® 130	<b>Ultimate 24V</b>	Problaster™ II Ultimate 5.0 GPM (18,9 l/min), 55 PSI (3,8 Bar), 24V DC	<b>351,20</b>
68802X	PENTAIR® 130	<b>Ultimate 12V</b>	Problaster™ II Ultimate 5.0 GPM (18,9 l/min), 55 PSI (3,8 Bar), 12V DC	<b>357,00</b>
68803Z	PENTAIR® 130	<b>Deluxe 12V</b>	Problaster™ II Deluxe 4.0 GPM (15,1 l/min), 55 PSI (3,8 Bar), 12V DC	<b>282,30</b>
69202B	PENTAIR® 130	<b>Deluxe 24V</b>	Problaster™ II Deluxe 4.0 GPM (15,1 l/min), 55 PSI (3,8 Bar), 24V DC	<b>311,00</b>
Accessory/Spare				
20731F	PENTAIR® 131	<b>CWE in-line</b>	In-line city water entry	<b>97,40</b>
63378J	PENTAIR® 131	<b>CWE Chrome</b>	Wall mount city water entry - chrome	<b>107,10</b>
64717K	PENTAIR® 131	<b>CWE White</b>	Wall mount city water entry - white	<b>88,10</b>
65861Y	PENTAIR® 131	<b>Nylon Tank</b>	Nylon Accumulator Tank - volume 0,7 litres	<b>151,20</b>
GEN PURPOSE PUMP				
20975L	PENTAIR® 131	<b>Oil Change</b>	12 VDC Oil Change System complete with storage container	<b>409,20</b>
Accessory/Spare				
61120A	PENTAIR® 132	<b>HPBN</b>	High Pressure Blaster Nozzle	<b>27,60</b>
61125F	PENTAIR® 132	<b>ICV</b>	Inline Check Valve	<b>99,20</b>
FITTING				
22409L	PENTAIR® .	.	Swivel Straight Garden Hose Adapter ¼" GHT (Male) - ½" NPT (Female)	<b>7,40</b>
61127H	PENTAIR® 132	<b>SF 1/2-1/2 barb</b>	Straight fitting 1/2" NPT (f) x 1/2" barb swivel	<b>5,60</b>
61128K	PENTAIR® 132	<b>EF 1/2-3/4 wing</b>	Elbow fitting 1/2" NPT (f) x 1/2" wing nut swivel	<b>8,50</b>
61129L	PENTAIR® 132	<b>SF 1/2-3/8 barb</b>	Straight fitting 1/2" NPT(f) x 3/8" barb swivel	<b>7,10</b>
61130C	PENTAIR® 132	<b>EF 1/2-3/8 barb</b>	Elbow fitting 1/2" NPT (f) x 3/8" barb swivel	<b>7,80</b>
61132E	PENTAIR® 132	<b>APT 1/2-1/2</b>	Straight adaptor 1/2" FPT (m) x 1/2" barb swivel	<b>4,20</b>
64220B	PENTAIR® 132	<b>SF 1/2-3/4 wing</b>	Straight fitting 1/2" NPT (f) x 3/4" wing nut swivel	<b>7,10</b>
64340M	PENTAIR® 132	<b>SF 1/2-3/4 wing</b>	Elbow fitting 1/2" NPT (f) x 3/4" wing nut swivel	<b>7,10</b>
STRAINER				
61122C	PENTAIR® .	.	Strainer ½" NPSM male inlet x ½" NPSM female outlet	<b>11,20</b>
63185X	PENTAIR® 132	<b>STR in-line</b>	In-line Strainer 13mm (1/2") thread	<b>105,20</b>
66526N	PENTAIR® 132	<b>STR swivel</b>	Swivel Nut Strainer 13mm (1/2") thread	<b>23,90</b>
Accessory/Spare				
23540P	PENTAIR® 133	<b>330-021</b>	Livewell fill valve	<b>106,90</b>
LIVEWELL PUMP				
BAITMASTER SERIES				
23377F	PENTAIR® 133	<b>Bait Sentry 500</b>	Bait Sentry™ 500 GPH (31,5 l/min) 12VDC	<b>278,00</b>
67731V	PENTAIR® 133	<b>Bait Sentry 1100</b>	Bait Sentry™ 1100 GPH (69,4 l/min) 12VDC	<b>275,10</b>
68828S	PENTAIR® 133	<b>Bait Sentry 800</b>	Bait Sentry™ 800 GPH (50,5 l/min) 12VDC	<b>275,40</b>
BILGE PUMP				
66527R	PENTAIR® 134	<b>Bilge 380</b>	380 GPH (24 l/min) Bilge Pump, 12VDC	<b>57,80</b>
66528T	PENTAIR® 134	<b>Bilge 500</b>	500 GPH (32 l/min) Bilge Pump, 12VDC	<b>59,00</b>

**UFLEX**

UFLEX® - A WORLD OF MARINE EQUIPMENT

**PRICE LIST - JULY, 2024**  
**Unit Price (Euro) (VAT excl.)**

<i>p/n</i>	<i>Brand</i>	<i>pg cat24</i> Model	<i>Description</i>	
66529V	PENTAIR® 134	<b>Bilge 700</b>	700 GPH (42 l/min) Bilge Pump, 12VDC	<b>58,90</b>
66530D	PENTAIR® 134	<b>Bilge 1000</b>	1000 GPH (63 l/min) Bilge Pump, 12VDC	<b>59,00</b>
66531F	PENTAIR® 134	<b>Bilge 1500/12</b>	1500 GPH (94,6 l/min) Bilge Pump, 12VDC	<b>184,90</b>
66532H	PENTAIR® 134	<b>Bilge 1500/24</b>	1500 GPH (94,6 l/min) Bilge Pump, 24VDC	<b>189,30</b>
66533K	PENTAIR® 134	<b>Bilge 2000/12</b>	2000 GPH (126 l/min) Bilge Pump, 12VDC	<b>188,90</b>
66534M	PENTAIR® 134	<b>Bilge 2000/24</b>	2000 GPH (126 l/min) Bilge Pump, 24VDC	<b>202,60</b>
			<b>BILGE WATER FILTRATION SYSTEMS</b>	
			<b>BILGE WATER FILTER</b>	
65973K	WAVESTREAM™ 135	<b>WMS</b>	Wavestream Micro System Cartridge	<b>115,70</b>
65974M	WAVESTREAM™ 135	<b>WSS1</b>	Wavestream System 1000 Cartridge	<b>178,10</b>
65975P	WAVESTREAM™ 135	<b>WSS2</b>	Wavestream System 2000 Cartridge	<b>360,80</b>
65976S	WAVESTREAM™ 135	<b>WSS3</b>	Wavestream System 3000 Cartridge	<b>538,30</b>
			<b>CARTRIDGE FOR FILTRATION SYSTEM</b>	
65977U	WAVESTREAM™ 135	<b>WS-CM</b>	Wavestream Micro System Cartridge	<b>32,50</b>
65978W	WAVESTREAM™ 135	<b>WS-C1</b>	Wavestream System 1000 Cartridge	<b>55,60</b>
65979Y	WAVESTREAM™ 135	<b>WS-C2</b>	Wavestream System 2000 Cartridge	<b>134,70</b>
65980G	WAVESTREAM™ 135	<b>WS-C3</b>	Wavestream System 3000 Cartridge	<b>245,60</b>
			<b>FLOAT SWITCH</b>	
66535P	PENTAIR® 136	<b>SWS</b>	12V/24V DC Standard Float Switch - Automatic	<b>47,20</b>
66536S	PENTAIR® 136	<b>SWSC</b>	12V/24V DC Protected Cage Float Switch - Automatic	<b>50,80</b>
			<b>IN LINE BLOWER</b>	
64703Y	PENTAIR® 136	<b>Yellow Tail 3"</b>	3" In-line Bilge Blower - 130x140x100 mm - 12V DC	<b>54,60</b>
64704A	PENTAIR® 136	<b>Yellow Tail 4"</b>	4" In-line Bilge Blower - 130x160x120 mm - 12VDC	<b>67,50</b>

**UFLEX**

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - JULY, 2024

Unit Price (Euro) (VAT excl.)

p/n	Brand	pg cat24 Model	Description	
<b>UFLEX® Electric pumps &amp; blowers</b>				
SELF PRIMING EL. PUMP				
U SERIES				
23610J	UFLEX®	138 U050-24	Self-priming Electric Pump 250 l/min (66.0 GPM) - 24 VDC	3.353,00
64809RP	UFLEX®	138 U020-12	Self-priming Electric Pump 28 l/min (7.4 GPM) - 12 VDC	838,00
64810ZP	UFLEX®	138 U025-12	Self-priming Electric Pump 52 l/min (13.7 GPM) - 12 VDC	967,00
64811BP	UFLEX®	138 U030-12	Self-priming Electric Pump 75 l/min (19.8 GPM) - 12 VDC	1.273,00
64812DP	UFLEX®	138 U020-24	Self-priming Electric Pump 28 l/min (7.4 GPM) - 24 VDC	838,00
64813FP	UFLEX®	138 U025-24	Self-priming Electric Pump 52 l/min (13.7 GPM) - 24 VDC	967,00
64814HP	UFLEX®	138 U030-24	Self-priming Electric Pump 75 l/min (19.8 GPM) - 24 VDC	1.273,00
64815KP	UFLEX®	138 U040-24	Self-priming Electric Pump 250 l/min (66.0 GPM) - 230 VAC	1.592,00
66329L	UFLEX®	138 U050-M	Self-priming Electric Pump 250 l/min (66.0 GPM) - 380 VAC	1.295,00
66330V	UFLEX®	138 U050-T	Self-priming Electric Pump 250 l/min (66.0 GPM) - 230/380 VAC	1.295,00
66331X	UFLEX®	138 U070-T	Self-priming Electric Pump 500 l/min (132.0 GPM) - 380 VAC	5.816,00
Accessory/Spare				
66538W	UFLEX®	140 .	Neoprene impeller for USBM pump	129,00
66539Y	UFLEX®	140 .	Nitrile impeller for USBM pump (oil transfer only)	129,00
SELF PRIMING EL. PUMP				
USBM SERIES				
24850L	UFLEX®	140 USBM-midex-12	Self-priming Electric Pump 64 l/min (16.9 GPM) - 12 VDC	1.538,00
64821E	UFLEX®	140 USBM-midex-24	Self-priming Electric Pump 64 l/min (16.9 GPM) - 24 VDC	1.538,00
BRONZE CENTR. EL. PUMP				
UBCE SERIES				
20848D	UFLEX®	141 UB-CE 25-12-M	Centrifugal Electric Pump 200 l/min (52.8 GPM) - 230 VAC	1.800,00
20849F	UFLEX®	141 UB-CE 25-12-T	Centrifugal Electric Pump 200 l/min (52.8 GPM) - 380 VAC	1.793,00
20850P	UFLEX®	141 UB-CE 41-1 A-M	Centrifugal Electric Pump 250 l/min (66.0 GPM) - 230 VAC	1.380,00
20851S	UFLEX®	141 UB-CE 41-1 A-T	Centrifugal Electric Pump 250 l/min (66.0 GPM) - 380 VAC	1.381,00
25386T	UFLEX®	. UB-CE 41-1 B-M	Centrifugal Electric Pump 250 l/min (66.0 GPM) - 230 VAC	1.472,00
67958A	UFLEX®	141 UB-CE 16-12	Centrifugal Electric Pump 40 l/min (10.5 GPM) - 12 VDC	932,00
67959C	UFLEX®	141 UB-CE 16-24	Centrifugal Electric Pump 40 l/min (10.5 GPM) - 24 VDC	932,00
67960L	UFLEX®	141 UB-CE 16-M	Centrifugal Electric Pump 40 l/min (10.5 GPM) - 230 VAC	875,00
67961N	UFLEX®	141 UB-CE 16-T	Centrifugal Electric Pump 40 l/min (10.5 GPM) - 380 VAC	875,00
67962R	UFLEX®	141 UB-CE 20-12	Centrifugal Electric Pump 80 l/min (21.3 GPM) - 12 VDC	1.147,00
67963T	UFLEX®	141 UB-CE 20-24	Centrifugal Electric Pump 80 l/min (21.3 GPM) - 24 VDC	1.147,00
67964V	UFLEX®	141 UB-CE 20-M	Centrifugal Electric Pump 80 l/min (21.3 GPM) - 230 VAC	965,00
67965X	UFLEX®	141 UB-CE 20-T	Centrifugal Electric Pump 80 l/min (21.3 GPM) - 380 VAC	965,00
67966Z	UFLEX®	141 UB-CE 22-24	Centrifugal Electric Pump 120 l/min (31.7 GPM) - 24 VDC	1.244,00
67967B	UFLEX®	141 UB-CE 22-M	Centrifugal Electric Pump 120 l/min (31.7 GPM) - 230 VAC	1.048,00
67968D	UFLEX®	141 UB-CE 22-T	Centrifugal Electric Pump 120 l/min (31.7 GPM) - 380 VAC	1.024,00
SELF PRIMING EL. PUMP				
UABR SERIES				
66068J	UFLEX®	142 UABR 32/1	Self-priming Electric Pump 160 l/min (42.2 GPM) - 24 VDC	6.656,00
66069L	UFLEX®	142 UABR 32/2	Self-priming Electric Pump 160 l/min (42.2 GPM) - 24 VDC	7.280,00
66070V	UFLEX®	142 UABR 40/1	Self-priming Electric Pump 250 l/min (66 GPM) - 24 VDC	7.640,00
66071X	UFLEX®	142 UABR 32/2-M	Self-priming Electric Pump 150 l/min (39.6 GPM) - 230 VAC	6.205,00
66073B	UFLEX®	142 UABR 50/2-T	Self-priming Electric Pump 400 l/min (105.6 GPM) - 380 VAC	9.781,00
66074D	UFLEX®	142 UABR 65/2-T	Self-priming Electric Pump 600 l/min (158.5 GPM) - 380 VAC	14.563,00
66092F	UFLEX®	142 UABR 32/2-T	Self-priming Electric Pump 150 l/min (39.6 GPM) - 380 VAC	6.170,00
66093H	UFLEX®	142 UABR 40/2-T	Self-priming Electric Pump 220 l/min (58.1 GPM) - 380 VAC	7.550,00
67948X	UFLEX®	142 UABR 32/1-M	Self-priming Electric Pump 150 l/min (39.6 GPM) - 230 VAC	5.520,00
67949Z	UFLEX®	142 UABR 32/1-T	Self-priming Electric Pump 150 l/min (39.6 GPM) - 380 VAC	5.455,00
67950H	UFLEX®	142 UABR 40/1-M	Self-priming Electric Pump 220 l/min (58.1 GPM) - 230 VAC	6.641,00
67951K	UFLEX®	142 UABR 40/1-T	Self-priming Electric Pump 220 l/min (58.1 GPM) - 380 VAC	6.532,00
SELF PRIMING EL. PUMP SINGLE CSREW				
USBR SERIES				
67954S	UFLEX®	144 USBR-12	Self-priming Electric Pump 50 l/min (13.2 GPM) - 12 VDC	1.872,00
67955U	UFLEX®	144 USBR-24	Self-priming Electric Pump 50 l/min (13.2 GPM) - 24 VDC	1.822,00
67956W	UFLEX®	144 USBR-M	Self-priming Electric Pump 50 l/min (13.2 GPM) - 230 VAC	2.372,00
67957Y	UFLEX®	144 USBR-T	Self-priming Electric Pump 50 l/min (13.2 GPM) - 380 VAC	1.965,00
SELF PRIMING EL. PUMP				
UJ SERIES				
64824L	UFLEX®	145 UJ-INOX-12	Self-priming Electric Pump 50 l/min (13.2 GPM) - 12 VDC	747,00
64825N	UFLEX®	145 UJ-INOX-24	Self-priming Electric Pump 50 l/min (13.2 GPM) - 24 VDC	735,00
64827T	UFLEX®	145 UJ-INOX-M	Self-priming Electric Pump 50 l/min (13.2 GPM) - 220 VAC	485,00
UMG SERIES				
64826R	UFLEX®	145 UMG-INOX-24	Self-priming Electric Pump 90 l/min (23.8 GPM) - 24 VDC	1.493,00
64828V	UFLEX®	145 UMG-INOX-M	Self-priming Electric Pump 90 l/min (23.8 GPM) - 220 VAC	765,00
WATER PRESSURE SYSTEM				
UJ SERIES				
64833M	UFLEX®	146 UJ-INOX-12/20X	Pressure Set, 20 l s.steel tank, 50 l/min (13.2 GPM) - 12 VDC	1.295,00
64834P	UFLEX®	146 UJ-INOX-24/20X	Pressure Set, 20 l s.steel tank, 50 l/min (13.2 GPM) - 24 VDC	1.279,00
64836U	UFLEX®	146 UJ-INOX-M/20X	Pressure Set, 20 l s.steel tank, 50 l/min (13.2 GPM) - 220 VAC	974,00
UMG SERIES				



**UFLEX**  
UFLEX® - A WORLD OF MARINE EQUIPMENT

**PRICE LIST - JULY, 2024**  
**Unit Price (Euro) (VAT excl.)**

p/n	Brand	pg cat24 Model	Description	
64835S	UFLEX® 146	<b>UMG-INOX-24/20X</b>	Pressure Set, 20 l s.steel tank, 90 l/min (23.8 GPM) - 24 VDC	<b>2.140,00</b>
64837W	UFLEX® 146	<b>UMG-INOX-M/20X</b>	Pressure Set, 20 l s.steel tank, 90 l/min (23.8 GPM) - 220 VAC SELF PRIMING EL. PUMP UJ SERIES	<b>1.201,00</b>
64816M	UFLEX® 147	<b>UJBR-12</b>	Self-priming Electric Pump 44 l/min (11.6 GPM) - 12 VDC	<b>1.789,00</b>
64817P	UFLEX® 147	<b>UJBR-24</b>	Self-priming Electric Pump 55 l/min (14.5 GPM) - 24 VDC	<b>1.765,00</b>
64818S	UFLEX® 147	<b>UJBR-M</b>	Self-priming Electric Pump 55 l/min (14.5 GPM) - 220 VAC	<b>1.722,00</b>
69659A	UFLEX® 147	<b>UJBR-3 M</b>	Self-priming Electric Pump 100 l/min (26.4 GPM) - 230 VAC WATER PRESSURE SYSTEM UJ SERIES	<b>2.430,00</b>
64838Y	UFLEX® 148	<b>UJBR-12/8X</b>	Pressure Set, 8 l s.steel tank, 44 l/min (11.6 GPM) - 12 VDC	<b>2.176,00</b>
64839A	UFLEX® 148	<b>UJBR-24/8X</b>	Pressure Set, 8 l s.steel tank, 55 l/min (14.5 GPM) - 24 VDC	<b>2.162,00</b>
64840J	UFLEX® 148	<b>UJBR-12/20X</b>	Pressure Set, 20 l s.steel tank, 44 l/min (11.6 GPM) - 12 VDC	<b>2.332,00</b>
64841L	UFLEX® 148	<b>UJBR-24/20X</b>	Pressure Set, 20 l s.steel tank, 55 l/min (14.5 GPM) - 24 VDC	<b>2.319,00</b>
64842N	UFLEX® 148	<b>UJBR-M/20X</b>	Pressure Set, 20 l s.steel tank, 55 l/min (14.5 GPM) - 220 VAC PERIPHERAL ELECTRIC PUMP UPB SERIES	<b>2.022,00</b>
64819U	UFLEX® 149	<b>UPB-12</b>	Self-priming Electric Pump 35 l/min (9.2 GPM) - 12 VDC	<b>837,00</b>
64820C	UFLEX® 149	<b>UPB-24</b>	Self-priming Electric Pump 35 l/min (9.2 GPM) - 24 VDC WATER PRESSURE SYSTEM UPB SERIES	<b>837,00</b>
64829X	UFLEX® 149	<b>UPB-12/8-L</b>	Pressure Set, 8 l painted steel tank, 35 l/min (9.2 GPM) - 12 VDC	<b>1.068,00</b>
64830F	UFLEX® 149	<b>UPB-24/8-L</b>	Pressure Set, 8 l painted steel tank, 36 l/min (9.5 GPM) - 24 VDC	<b>1.068,00</b>
64843R	UFLEX® 149	<b>UPB-12/2X</b>	Pressure Set, 2 l s.steel tank, 35 l/min (9.2 GPM) - 12 VDC	<b>1.151,00</b>
64844T	UFLEX® 149	<b>UPB-24/2X</b>	Pressure Set, 2 l s.steel tank, 36 l/min (9.5 GPM) - 24 VDC	<b>1.151,00</b>
64845V	UFLEX® 149	<b>UPB-12/8-X</b>	Pressure Set, 8 l s.steel tank, 35 l/min (9.2 GPM) - 12 VDC	<b>1.254,00</b>
64846X	UFLEX® 149	<b>UPB-24/8-X</b>	Pressure Set, 8 l s. steel tank, 36 l/min (9.5 GPM) - 24 VDC WATER PRESSURE SYSTEM UJ SERIES	<b>1.254,00</b>
20852U	UFLEX® 150	<b>UGDE J/3</b>	UJ-INOX-24 and UJ-INOX-M electric pumps connected in series	<b>3.589,00</b>
66332Z	UFLEX® 150	<b>UGDE J/1</b>	Two UJ-INOX-24 electric pumps connected in series	<b>4.032,00</b>
66333B	UFLEX® 150	<b>UGDE J/2</b>	Two UJ-INOX-M electric pumps connected in series UJBR SEIERS	<b>3.094,00</b>
66338M	UFLEX® 150	<b>UGDE JBR/1</b>	Two UJBR-INOX-24 electric pumps connected in series	<b>5.891,00</b>
66339P	UFLEX® 150	<b>UGDE JBR/2</b>	Two UJBR-INOX-M electric pumps connected in series	<b>5.463,00</b>
66340Y	UFLEX® 150	<b>UGDE JBR/3</b>	UJBR-INOX-24 and UJBR-INOX-M pumps connected in series UMG SERIES	<b>5.737,00</b>
66335F	UFLEX® 150	<b>UGDE MG/1</b>	Two UMG-INOX-24 electric pumps connected in series	<b>5.225,00</b>
66336H	UFLEX® 150	<b>UGDE MG/2</b>	Two UMG-INOX-M electric pumps connected in series	<b>3.683,00</b>
66337K	UFLEX® 150	<b>UGDE MG/3</b>	UMG-INOX-24 and UMG-INOX-M pumps connected in series ELECTRONIC WATER PRESSURE SYSTEM UJ SERIES	<b>4.418,00</b>
66076H	UFLEX® 151	<b>UJ-INOX/EPC-12</b>	Self-priming Electric Pump 50 l/min (13.2 GPM) - 12 VDC	<b>1.057,00</b>
66077K	UFLEX® 151	<b>UJ-INOX/EPC-24</b>	Self-priming Electric Pump 50 l/min (13.2 GPM) - 24 VDC	<b>1.046,00</b>
66078M	UFLEX® .	<b>UJ-INOX/EPC-M</b>	Self-priming Electric Pump 50 l/min (13.2 GPM) - 230 VAC	<b>764,00</b>
66081A	UFLEX® 151	<b>UJBR/EPC-12</b>	Self-priming Electric Pump 44 l/min (11.6 GPM) - 12 VDC	<b>2.035,00</b>
66082C	UFLEX® 151	<b>UJBR/EPC-24</b>	Self-priming Electric Pump 55 l/min (14.5 GPM) - 24 VDC	<b>2.024,00</b>
66083E	UFLEX® 151	<b>UJBR/EPC-M</b>	Self-priming Electric Pump 55 l/min (14.5 GPM) - 230 VAC	<b>1.756,00</b>
69660J	UFLEX® 151	<b>UJ-mini/EPC-12</b>	Self-priming Electric Pump with electronic control (EPC), 55 l/min (13.2 GPM) - 12 VDC	<b>994,00</b>
69661L	UFLEX® 151	<b>UJ-mini/EPC-24</b>	Self-priming Electric Pump with electronic control (EPC), 55 l/min (13.2 GPM) - 24 VDC	<b>994,00</b>
69662N	UFLEX® 151	<b>UJ-mini/EPC-M</b>	Self-priming Electric Pump with electronic control (EPC), 55 l/min (13.2 GPM) - 230 VAC UMG SERIES	<b>730,00</b>
66079P	UFLEX® 151	<b>UMG-INOX/EPC-24</b>	Self-priming Electric Pump 40 l/min (23.8 GPM) - 24 VDC	<b>1.736,00</b>
66080Y	UFLEX® 151	<b>UMG-INOX/EPC-M</b>	Self-priming Electric Pump 90 l/min (23.8 GPM) - 230 VAC UPB SERIES	<b>888,00</b>
66084G	UFLEX® 151	<b>UPB/EPC-12</b>	Self-priming Electric Pump 35 l/min (9.2 GPM) - 12 VDC	<b>1.086,00</b>
66085J	UFLEX® 151	<b>UPB/EPC-24</b>	Self-priming Electric Pump 35 l/min (9.2 GPM) - 24 VDC SELF PRIMING PUMP UN SERIES	<b>1.086,00</b>
64847Z	UFLEX® 152	<b>UN 025</b>	Pump, bare shaft, 60 l/min (15.8 GPM) @2800rpm	<b>402,00</b>
64857C	UFLEX® 152	<b>UN 030-030 F</b>	Pump manual clutch 75 l/min (19.8 GPM ) @1400rpm	<b>933,00</b>
64858E	UFLEX® 152	<b>UN 040-040 F</b>	Pump manual clutch 120 l/min (31.7 GPM ) @1400rpm	<b>998,00</b>
64859G	UFLEX® 152	<b>UN 050-050 F</b>	Pump manual clutch 230 l/min (60.8 GPM ) @1400rpm	<b>1.332,00</b>
64860R	UFLEX® 152	<b>UN 070-070 F</b>	Pump manual clutch 500 l/min (132.1 GPM ) @1400rpm US SERIES	<b>3.650,00</b>
64852S	UFLEX® 152	<b>US 020</b>	Pump, bare shaft, 30 l/min (7.9 GPM) @2800rpm	<b>382,00</b>
64853U	UFLEX® 152	<b>US 025</b>	Pump, bare shaft, 60 l/min (15.8 GPM) @2800rpm	<b>420,00</b>
64861T	UFLEX® 152	<b>US 030-030 FM 12</b>	Pump w/magn.clutch 75 l/min (19.8 GPM) @ 1400rpm, 12VDC	<b>1.362,00</b>
64862V	UFLEX® 152	<b>US 040-040 FM 12</b>	Pump w/magn. clutch 120 l/min (31.7 GPM) @ 1400rpm, 12VDC	<b>1.462,00</b>
64863X	UFLEX® 152	<b>US 050-050 FM 12</b>	Pump w/magn. clutch 230 l/min (60.7 GPM) @ 1400rpm, 12VDC	<b>2.025,00</b>
64864Z	UFLEX® 152	<b>US 030-030 FM 24</b>	Pump w/magn. clutch 75 l/min (19.8 GPM) @ 1400rpm, 24VDC	<b>1.362,00</b>
64865B	UFLEX® 152	<b>US 040-040 FM 24</b>	Pump w/magn. clutch 120 l/min (31.7 GPM) @ 1400rpm, 24VDC	<b>1.462,00</b>
64866D	UFLEX® 152	<b>US 050-050 FM 24</b>	Pump w/magn. clutch 230 l/min (60.7 GPM) @ 1400rpm, 24VDC ELECTRIC BLOWER	<b>2.025,00</b>



**UFLEX**  
UFLEX® - A WORLD OF MARINE EQUIPMENT

**PRICE LIST - JULY, 2024**  
**Unit Price (Euro) (VAT excl.)**

p/n	Brand	pg cat24	Model	Description	
<b>UBLC SERIES</b>					
64867F	UFLEX®	153	UBLC 004-24	Centrifugal Blower, 12 m³/min, 24 VDC, right direction	524,00
64868H	UFLEX®	153	UBLC 015-24	Centrifugal Blower, 24 m³/min, 24 VDC, right direction	959,00
64869K	UFLEX®	153	UBLC 028-24	Centrifugal Blower, 24 m³/min, 24 VDC, right direction	730,00
65433A	UFLEX®	153	UBLC 002-12	Centrifugal Blower, 4,5 m³/min, 12 VDC, right direction	393,00
65434C	UFLEX®	153	UBLC 002-24	Centrifugal Blower, 4,5 m³/min, 24 VDC, right direction	393,00
65435E	UFLEX®	153	UBLC 002-M	Centrifugal Blower, 4,5 m³/min, 230 VAC, right direction	336,00
65436G	UFLEX®	153	UBLC 002-T	Centrifugal Blower, 4,5 m³/min, 380 VAC, right direction	326,00
65437J	UFLEX®	153	UBLC 004-12	Centrifugal Blower, 12 m³/min, 12 VDC, right direction	524,00
65438L	UFLEX®	153	UBLC 004-M	Centrifugal Blower, 15 m³/min, 230 VAC, right direction	483,00
65439N	UFLEX®	153	UBLC 004-T	Centrifugal Blower, 15 m³/min, 380 VAC, right direction	455,00
65440X	UFLEX®	153	UBLC 015-M	Centrifugal Blower, 24 m³/min, 230 VAC, right direction	829,00
65441Z	UFLEX®	153	UBLC 015-T	Centrifugal Blower, 24 m³/min, 380 VAC, right direction	769,00
65442B	UFLEX®	153	UBLC 028-M	Centrifugal Blower, 24 m³/min, 230 VAC, right direction	727,00
65443D	UFLEX®	153	UBLC 028-T	Centrifugal Blower, 24 m³/min, 380 VAC, right direction	611,00
65444F	UFLEX®	153	UBLC 023-24	Centrifugal Blower, 237 m³/min, 24 VDC, right direction	1.247,00
65445H	UFLEX®	153	UBLC 023-M	Centrifugal Blower, 58 m³/min, 230 VAC, right direction	1.099,00
65446K	UFLEX®	153	UBLC 023-T	Centrifugal Blower, 58 m³/min, 380 VAC, right direction	1.030,00
65447M	UFLEX®	153	UBLC 025-24	Centrifugal Blower, 50 m³/min, 24 VDC, right direction	1.887,00
65448P	UFLEX®	153	UBLC 025-M	Centrifugal Blower, 50 m³/min, 230 VAC, right direction	1.283,00
65449S	UFLEX®	153	UBLC 025-T	Centrifugal Blower, 50 m³/min, 380 VAC, right direction	1.221,00
65450A	UFLEX®	153	UBLC 030-M	Centrifugal Blower, 95 m³/min, 230 VAC, right direction	1.470,00
65451C	UFLEX®	153	UBLC 030-T	Centrifugal Blower, 95 m³/min, 380 VAC, right direction	1.380,00
67971S	UFLEX®	153	UBLC 015-12	Centrifugal Blower, 24 m³/min, 12 VDC, right direction	959,00
67972U	UFLEX®	153	UBLC 023-12	Centrifugal Blower, 37 m³/min, 12 VDC, right direction	1.267,00
67973W	UFLEX®	153	UBLC 028-12	Centrifugal Blower, 24 m³/min, 12 VDC, right direction	741,00
<b>ELECTRIC BLOWER</b>					
<b>UVE SERIES</b>					
64873A	UFLEX®	154	UVE 25-24	Helicoidal Blower, 30 m³/min, 24 VDC - ventilator	808,00
64874C	UFLEX®	154	UVE 35-24	Helicoidal Blower, 56 m³/min, 24 VDC - ventilator	954,00
65452E	UFLEX®	154	UVE 25-12	Helicoidal Blower, 30 m³/min, 12 VDC - ventilator	808,00
65453G	UFLEX®	154	UVE 25-M	Helicoidal Blower, 35 m³/min, 230 VAC - ventilator	752,00
65454J	UFLEX®	154	UVE 25-T	Helicoidal Blower, 35 m³/min, 380 VAC - ventilator	650,00
65455L	UFLEX®	154	UVE 30-12	Helicoidal Blower, 42 m³/min, 12 VDC - ventilator	862,00
65456N	UFLEX®	154	UVE 30-24	Helicoidal Blower, 42 m³/min, 24 VDC - ventilator	862,00
65457R	UFLEX®	154	UVE 30-M	Helicoidal Blower, 42 m³/min, 230 VAC - ventilator	797,00
65458T	UFLEX®	154	UVE 30-T	Helicoidal Blower, 42 m³/min, 380 VAC - ventilator	729,00
65459V	UFLEX®	154	UVE 30/2-24	Helicoidal Blower, 75 m³/min, 24 VDC - ventilator	1.056,00
65460D	UFLEX®	154	UVE 30/2-M	Helicoidal Blower, 78 m³/min, 230 VAC - ventilator	882,00
65461F	UFLEX®	154	UVE 35-12	Helicoidal Blower, 56 m³/min, 12 VDC - ventilator	954,00
65462H	UFLEX®	154	UVE 35-M	Helicoidal Blower, 56 m³/min, 230 VAC - ventilator	852,00
65463K	UFLEX®	154	UVE 35-T	Helicoidal Blower, 56 m³/min, 380 VAC - ventilator	744,00
65464M	UFLEX®	154	UVE 35/2-24	Helicoidal Blower, 96 m³/min, 24 VDC - ventilator	1.099,00
65465P	UFLEX®	154	UVE 35/2-M	Helicoidal Blower, 100 m³/min, 230 VAC - ventilator	939,00
65466S	UFLEX®	154	UVE 35/2-T	Helicoidal Blower, 100 m³/min, 380 VAC - ventilator	840,00
65467U	UFLEX®	154	UVE 40-12	Helicoidal Blower, 70 m³/min, 12 VDC - ventilator	1.090,00
65468W	UFLEX®	154	UVE 40-24	Helicoidal Blower, 70 m³/min, 24 VDC - ventilator	1.079,00
65469Y	UFLEX®	154	UVE 40-M	Helicoidal Blower, 70 m³/min, 230 VAC - ventilator	967,00
65470G	UFLEX®	154	UVE 40-T	Helicoidal Blower, 70 m³/min, 380 VAC - ventilator	863,00
65471J	UFLEX®	154	UVE 40/2-24	Helicoidal Blower, 130 m³/min, 24 VDC - ventilator	1.250,00
65472L	UFLEX®	154	UVE 40/2-M	Helicoidal Blower, 130 m³/min, 230 VAC - ventilator	1.061,00
65473N	UFLEX®	154	UVE 40/2-T	Helicoidal Blower, 130 m³/min, 380 VAC - ventilator	955,00
65474R	UFLEX®	154	UVE 45-24	Helicoidal Blower, 107 m³/min, 24 VDC - ventilator	1.181,00
65475T	UFLEX®	154	UVE 45-M	Helicoidal Blower, 107 m³/min, 230 VAC - ventilator	996,00
65476V	UFLEX®	154	UVE 45-T	Helicoidal Blower, 107 m³/min, 380 VAC - ventilator	892,00
65477X	UFLEX®	154	UVE 45/2-24	Helicoidal Blower, 144 m³/min, 24 VDC - ventilator	1.306,00
65478Z	UFLEX®	154	UVE 45/2-M	Helicoidal Blower, 175 m³/min, 230 VAC - ventilator	1.148,00
65479B	UFLEX®	154	UVE 45/2-T	Helicoidal Blower, 175 m³/min, 380 VAC - ventilator	1.061,00
65480K	UFLEX®	154	UVE 50-24	Helicoidal Blower, 160 m³/min, 24 VDC - ventilator	1.389,00
65481M	UFLEX®	154	UVE 50-M	Helicoidal Blower, 160 m³/min, 230 VAC - ventilator	1.090,00
65482P	UFLEX®	154	UVE 50-T	Helicoidal Blower, 160 m³/min, 380 VAC - ventilator	1.018,00
65483S	UFLEX®	154	UVE 56-24	Helicoidal Blower, 225 m³/min, 24 VDC - ventilator	1.648,00
65484U	UFLEX®	154	UVE 56-M	Helicoidal Blower, 225 m³/min, 230 VAC - ventilator	1.211,00
65485W	UFLEX®	154	UVE 56-T	Helicoidal Blower, 225 m³/min, 380 VAC - ventilator	1.092,00
65486Y	UFLEX®	154	UVE 63-M	Helicoidal Blower, 312 m³/min, 230 VAC - ventilator	1.353,00
65487A	UFLEX®	154	UVE 63-T	Helicoidal Blower, 312 m³/min, 380 VAC - ventilator	1.235,00
65489E	UFLEX®	154	UVE 71-T	Helicoidal Blower, 330 m³/min, 380 VAC - ventilator	1.680,00
65490N	UFLEX®	154	UVE 71/B-T	Helicoidal Blower, 400 m³/min, 380 VAC - ventilator	1.806,00
65491R	UFLEX®	154	UVE 30/2-T	Helicoidal Blower, 78 m³/min, 380 VAC - ventilator	758,00
67969F	UFLEX®	154	UVE 21-12	Helicoidal Blower, 22 m³/min, 12 VDC - ventilator	597,00
67970P	UFLEX®	154	UVE 21-24	Helicoidal Blower, 22 m³/min, 24 VDC - ventilator	597,00



**UFLEX**  
UFLEX® - A WORLD OF MARINE EQUIPMENT

**PRICE LIST - JULY, 2024**  
**Unit Price (Euro) (VAT excl.)**

p/n	Brand	pg cat24	Model	Description	
<b>MARINCO® Shore power systems, spotlights, horns &amp; wipers</b>					
<b>CABLES &amp; CONNECTIONS</b>					
<b>CONNECTOR</b>					
22555Y	MARINCO®	159	199114	16A Female connector, cover and cap	96,70
22556A	MARINCO®	159	199115	32A Female connector, cover and cap	209,80
66757J	MARINCO®	159	305CRCXN	16A Female Connector	47,30
66758L	MARINCO®	159	103RNX	Weatherproof Cover with threaded ring	20,50
66759N	MARINCO®	159	199109PK	16A Watertight Connector sealing Cap	17,60
66770A	MARINCO®	159	6360CRNX	32A Female Connector	157,80
66772E	MARINCO®	159	199110PK	32A Watertight Connector sealing Cap	17,60
66820N	MARINCO®	.	103RN	20A/30A Connector Cover Short with Ring	31,20
<b>CORDSET</b>					
22557C	MARINCO®	159	15M32AX	32A PwCord Plus® Cordset w/female conn. & blunt cut - 15 m	478,40
66760X	MARINCO®	159	50PCMX	16A Cordset with female connector - 15,24 meters (50 ft)	201,80
66762B	MARINCO®	159	50SPPX	16A PowerCord Plus® Cordset w/female connector - 15,24 m (50 ft)	206,40
66763D	MARINCO®	159	20MSPPXP	16A PwCord Plus® Cordset w/female conn. & male plug - 20 m	324,50
67812V	MARINCO®	.	199119	30A 50ft Cordset Led Ergo Grip	270,30
<b>INLET</b>					
22554W	MARINCO®	.	6371ELX	32A 230V Easy Lock Inlet Stainless Steel	242,50
24996S	MARINCO®	.	303SSEL-B	30A 125V Easy Lock Inlet Stainless Steel with Enclosure	162,20
66753A	MARINCO®	159	303SSEL-BXPK	16A Stainless Steel Inlet with rear safety enclosure	162,70
66754C	MARINCO®	159	301EL-BX	16A Square glass filled Inlet with rear safety enclosure	72,90
66755E	MARINCO®	159	304EL-BX	16A Contour glass filled Inlet with rear safety enclosure	68,00
66766K	MARINCO®	159	6371EL-BX	32A Stainless Steel Inlet with rear safety enclosure	208,50
66767M	MARINCO®	159	6351EL-BX	32A Square glass filled Inlet with rear safety enclosure	97,60
66768P	MARINCO®	159	6343EL-BX	32A Contour glass filled Inlet with rear safety enclosure	150,80
67283U	MARINCO®	.	303SSEL-B.OEM	30A 125V Easy Lock Inlet Stainless Steel with Enclosure	154,10
68422L	MARINCO®	.	6371EL-B	50A 125V Easy Lock Inlet Stainless Steel with Enclosure	298,30
<b>PLUG</b>					
66764F	MARINCO®	159	15MSPPXP	16A PwCord Plus® Cordset w/female conn. & male plug - 15 m	275,50
66765H	MARINCO®	159	10MSPPXP	16A PwCord Plus® Cordset w/female conn. & male plug - 10 m	204,70
66773G	MARINCO®	159	15M32AXP	32A PwCord Plus® Cordset w/female conn. & male plug - 15 m	478,40
<b>CABLES &amp; CONNECTIONS</b>					
<b>Accessory/Spare</b>					
66771C	MARINCO®	160	7715CRNX	32A Weatherproof Cover with threaded ring	31,40
66781F	MARINCO®	.	165AY	"Y" Adapter 2-50A	873,70
66782H	MARINCO®	160	510R	Sealing collar with threaded ring	23,50
66822T	MARINCO®	160	7717N	Weatherproof Cover for male plug	36,10
66825Z	MARINCO®	160	CLIP	Cable clips w/stainless steel mounting screws; includes 6 cable clips	49,70
67056G	MARINCO®	160	110R	Sealing collar with threaded ring	21,60
66780D	MARINCO®	.	7715CRN	50A Weatherproof Cover With Threaded Sealing Ring Yellow	49,10
<b>CONNECTOR</b>					
66779V	MARINCO®	160	6364CRN	50A Female Connector, 3 Pole, 4-Wire	146,40
<b>INLET</b>					
66774J	MARINCO®	160	6373EL-B	50A Stainless steel Inlet with rear safety enclosure	243,80
66775L	MARINCO®	160	6353EL-B	50A Square glass filled Inlet with rear safety enclosure	165,50
66776N	MARINCO®	160	6373EL	50A Stainless steel Inlet without rear safety enclosure	322,90
<b>PLUG</b>					
66778T	MARINCO®	160	6365CRN	50A Male Plug, 3 Pole, 4-Wire	149,10
<b>CABLES &amp; CONNECTIONS</b>					
<b>CONNECTOR</b>					
20857E	MARINCO®	161	M4100C12	Body Connector with cap	1.392,60
20858G	MARINCO®	161	M5100C9	Body Connector with cap	1.675,60
60102TA	MARINCO®	161	199111PK	Watertight Connector Sealing Cap	52,10
66786S	MARINCO®	161	6401CRCX	63A 50Hz Female Connector	202,30
66789Y	MARINCO®	161	6402CRCX	63A 50Hz Female Connector	236,10
66792L	MARINCO®	161	M4100C12R	Body Connector with gasketed locking ring	1.312,60
66794R	MARINCO®	161	M5100C9R	Body Connector with gasketed locking ring	1.710,10
<b>INLET</b>					
66785M	MARINCO®	161	6401EL-BX	63A 50Hz Stainless Steel Inlet with rear safety enclosure	281,10
66787U	MARINCO®	161	6401CRPX	63A 50Hz Male Plug	187,10
66788W	MARINCO®	161	6402EL-BX	63A 50Hz Stainless Steel Inlet with rear safety enclosure	324,50
66790G	MARINCO®	161	6402CRPX	63A 50Hz Male Plug	185,30
66793N	MARINCO®	161	M4100B12R	Shore Power Inlet with gasketed, spring-loaded, IP67 cover	1.229,80
66795T	MARINCO®	161	M5100B9R	Shore Power Inlet with gasketed, spring-loaded, IP67 cover	1.594,10
<b>PLUG</b>					
20856C	MARINCO®	161	M5100P9	Plug with gasketed locking ring	1.476,80
67038E	MARINCO®	161	M4100P12	Plug with gasketed locking ring	1.257,40
<b>CABLES &amp; CONNECTIONS</b>					
<b>CONNECTOR</b>					
66819E	MARINCO®	162	305CRCN	30A Female Connector	54,10
66823V	MARINCO®	162	6360CRN	50A Female Connector	170,50
<b>PLUG</b>					





**UFLEX**  
UFLEX® - A WORLD OF MARINE EQUIPMENT

**PRICE LIST - JULY, 2024**  
**Unit Price (Euro) (VAT excl.)**

p/n	Brand	pg cat24	Model	Description	
66817A	MARINCO®	162	305CRPN	30A Male Plug	30,60
66818C	MARINCO®	162	102N	Weatherproof Cover for male plug	20,20
66821R	MARINCO®	162	6361CRN	50A Male Plug	145,90
				CABLES & CONNECTIONS	
				Accessory/Spare	
66802L	MARINCO®	163	PH6599	Telephone Cordset 50 ft (15,24m)	316,20
66805T	MARINCO®	163	TV99-25	TV Cable Cordset 25 ft	103,10
				CONNECTOR	
66848M	MARINCO®	163	PH6629	Female Phone Connector	64,00
				INLET	
66796V	MARINCO®	163	PH6592TV-SS	Stainless steel Phone & Cable TV Inlet	237,60
66797X	MARINCO®	163	TV6592	Stainless steel Cable TV Inlet	203,30
66798Z	MARINCO®	163	PH6574TV	Standard Phone & Cable TV Inlet	170,50
66799B	MARINCO®	163	TV6574	Standard Cable TV Inlet	131,10
66801J	MARINCO®	163	TV6444	Contoured Cable TV Inlet	159,00
				CABLES & CONNECTIONS	
				Accessory/Spare	
66810K	MARINCO®	164	12VXT	Sealink® Deluxe 12 Volt Extension Cord	60,70
66811M	MARINCO®	164	12VAD	Sealink® Deluxe 12 Volt Dual Outlet Cord	64,00
				INLET	
67219J	MARINCO®	164	12VBP	Watertight Plug 12V DC	29,30
67225D	MARINCO®	164	12VCP	12VBP plug and 12VBR receptacle packaged together	65,80
				PLUG	
22129E	MARINCO®	164	12VCPS3	70A 3-Wire Trolling Motor Plug & Receptacle Combo	98,40
66156F	MARINCO®	164	12VRC	12 Volt Receptacle	29,50
66415D	MARINCO®	164	12VPG	DC Plug with LED power indicator light	21,20
66862F	MARINCO®	164	12VRCW	12 Volt Receptacle complete with mounting plate, white	63,30
67220T	MARINCO®	164	12VBR	Watertight Plug 12V DC with sealing cap	37,20
				POWER CONVERSION	
				DC-DC CONVERTER	
20767D	MARINCO®	164	12MP	Mounting plate for 12VRC/DSP Receptacle	2,90
21630E	MARINCO®	164	12VDUSB-B	Dual USB Port Receptacle- black	28,80
21631G	MARINCO®	164	12VDUSB-W	Dual USB Port Receptacle - white	31,30
				CABLES & CONNECTIONS	
				CORDSET	
21507F	MARINCO®	165	CS504-50	Easily Engaged Lock ShorePower Cordset - yellow - 50'	1.512,70
21644S	MARINCO®	165	CS504-50W	Easily Engaged Lock ShorePower Cordset - white - 50'	1.258,80
				SPOTLIGHT	
68115B	MARINCO®	166	SPL-12W	Halogen Spotlight, wireless control included, white	599,30
68116D	MARINCO®	166	SPL-12B	Halogen Spotlight, wireless control included, black	599,30
68117F	MARINCO®	166	SPL-12C	Halogen Spotlight, wireless control included, chrome	657,60
				Accessory/Spare	
68118H	MARINCO®	166	202319	Replacement Bulb, 12V, halogen H3	11,40
68119K	MARINCO®	166	202320	Replacement Bulb, 24V, halogen H3	11,80
68120U	MARINCO®	166	SPLR-2	Wireless Control (spare part)	94,00
68121W	MARINCO®	166	SPLR-1	Hand Held Remote Control, optional	106,50
68122Y	MARINCO®	166	SPLR-3	Wired Remote Control for SPL-12W	62,20
				SPOTLIGHT	
21505B	MARINCO®	167	22050A	Wireless Stainless Steel Spot / Flood with remote Control 12VDC	1.311,20
21645U	MARINCO®	167	22051A	Wireless Stainless Steel Spot / Flood 12VDC	1.144,20
22361J	MARINCO®	167	23050A	12V LED Spotlight , remote control included	2.172,40
22362L	MARINCO®	167	23051A	12V LED Spotlight , remote control not included	2.041,30
22590A	MARINCO®	167	22150A	Wireless Stainless Steel Spot / Flood with remote Control 24VDC	1.537,60
22591C	MARINCO®	167	23151A	24V LED Spotlight , remote control not included	2.110,30
23403D	MARINCO®	167	23150A	24V LED Spotlight , remote control included	2.234,50
23513L	MARINCO®	167	22151A	Wireless Stainless Steel Spot / Flood 24VDC	1.403,70
66860B	MARINCO®	167	22040A	Stainless Steel Halogen Spot / Flood with Joystick Control	1.177,30
68705Z	MARINCO®	.	SPL-24W.OEM	Halogen Spotlight, 100W/24V, wireless control included, white	560,80
				Accessory/Spare	
22542N	MARINCO®	167	23250R	12V wireless bridge remote	126,30
22543R	MARINCO®	167	23350R	24V wireless bridge remote	165,80
22544T	MARINCO®	167	23250-HH	Wireless IP67 spotlightshand held remote	134,80
66989G	MARINCO®	167	22240R	Joystick Control Panel for Halogen Spot 22040A	135,90
67001E	MARINCO®	167	22014-P	Replacement Bulb Kit for 22040A	156,60
				HORN	
66904V	MARINCO®	168	11080	"H" Horn Phase II - Drop-in Hidden Horn	37,00
66908D	MARINCO®	168	10079	Drop-in "H" Horn with Grills	75,30
66909F	MARINCO®	168	11095	Drop-in Hidden Horn without Grill	36,80
				Accessory/Spare	
66905X	MARINCO®	168	11187	Screw-in White ASA Grill for 11080	4,20
66906Z	MARINCO®	168	11188	Screw-in Black ABS Grill for 11080	4,20
66907B	MARINCO®	168	11096	Screw-in Stainless Steel Grill Kit for 11080	21,40
66910P	Attwood®	168	11090	Snap-in White ASA Grill for 11095	5,90
66911S	MARINCO®	168	11091	Snap-in Black ABS Grill for 11095	5,50



**UFLEX**  
UFLEX® - A WORLD OF MARINE EQUIPMENT

**PRICE LIST - JULY, 2024**  
**Unit Price (Euro) (VAT excl.)**

p/n	Brand	pg cat24	Model	Description	
66912U	MARINCO®	168	11225	Snap-in Chrome Plated ABS Grill for 11095 HORN	13,90
66913W	Attwood®	169	10107	12 Volt Chrome Single Trumpet Mini Air Horn	370,90
66914Y	MARINCO®	169	10104	12 Volt White Single Trumpet Mini Air Horn	360,80
66915A	Attwood®	169	10108	12 Volt Chrome Dual Trumpet Mini Air Horn	432,60
66920T	MARINCO®	169	10099	White MiniBlast	45,20
66921V	MARINCO®	169	10098	Black MiniBlast	47,60
				Accessory/Spare	
66917E	MARINCO®	169	10102	12 Volt Air Compressor	170,40
66918G	MARINCO®	169	10224	24 Volt Air Compressor	170,40
				HORN	
21511W	MARINCO®	170	11045	Under Deck Horn	49,30
22404A	MARINCO®	170	10011	12 Volt Compact Dual Trumpet Electric Horn	273,00
22558E	MARINCO®	170	10010	Ct Compact Single Trumpet	159,50
				SOLAR VENT	
24742H	MARINCO®	.	N20803S	Day/Night Solar Vent 3"	336,80
				WIPER	
				Accessory/Spare	
23957A	MARINCO®	171	76090	Single Speed Controller, washer system included	241,60
23958C	MARINCO®	171	76080	Dual Speed Controller, washer system included	278,80
66935G	MARINCO®	171	76030	Single Motor Intelligent Switch	486,80
				KIT	
23615V	MARINCO®	171	30004	500 Wiper kit - 80 degree	281,30
				WIPER	
				MOTOR	
66938N	MARINCO®	172	82082	Shaft lengths 2", angle of 80°, motor 12V	465,00
66940Z	MARINCO®	172	82012	Shaft lengths 2", angle of 110°, motor 12V	465,00
66941B	MARINCO®	172	82312	Shaft lengths 2", angle of 110°, motor 24V	466,30
66952G	MARINCO®	172	71081	Shaft lengths 1", angle of 80°, motor 12V	367,60
66953J	MARINCO®	172	71082	Shaft lengths 2", angle of 80°, motor 12V	395,20
66954L	MARINCO®	172	71011	Shaft lengths 1", angle of 110°, motor 12V	419,20
66955N	MARINCO®	172	71012	Shaft lengths 2", angle of 110°, motor 12V	395,20
				WIPER	
				ARM	
66957T	MARINCO®	173	33086	Single Arm, Adjusts 20" to 25"	148,60
66958V	MARINCO®	173	33092	Pantographic Arm, Adjusts 17" to 22"	182,50
66959X	MARINCO®	173	33094	Pantographic Arm, Adjusts 22" to 26"	203,20
66960F	MARINCO®	173	33086W	Single Wet Arm, Adjusts 20" to 25"	160,00
66961H	MARINCO®	173	33092W	Pantographic Wet Arm, Adjusts 17" to 22"	208,00
66967W	MARINCO®	173	33010A	Single Arm, Adjusts 14" to 20"	64,00
66968Y	MARINCO®	173	33070A	Single Black Arm, Adjusts 18" to 24"	80,00
66969A	MARINCO®	173	33037A	Pantographic Black Arm, Adjusts 17" to 22"	104,40
				BLADE	
22883S	MARINCO®	173	34020S	20" Stainless steel Blade	38,90
22884U	MARINCO®	173	34024S	24" Stainless steel Blade	40,70
22918J	MARINCO®	173	34020B	20" Stainless steel Black Blade	41,10
23075N	MARINCO®	173	34016S	16" Stainless steel Blade	34,00
23076R	MARINCO®	173	34018S	18" Stainless steel Blade	35,50
23077T	MARINCO®	173	34022S	22" Stainless steel Blade	40,70
23426S	MARINCO®	173	34024B	24" Stainless steel Black Blade	43,00
				SHORE POWER PRODUCTS	
				CORDSET	
20920J	UFLEX®	174	SPC42/20	Shore Power Cord 4 x 2,5 mm <sup>2</sup> - 20 m spool	2.627,40
20921L	UFLEX®	174	SPC425/60	Shore Power Cord 4 x 25 mm <sup>2</sup> - 60 m spool	7.882,00
67310U	UFLEX®	174	SPC32/30	Shore Power Cord 3 x 2,5 mm <sup>2</sup> - 30 m spool	212,20
67311W	UFLEX®	174	SPC34/30	Shore Power Cord 3 x 4 mm <sup>2</sup> - 30 m spool	335,00
67755K	UFLEX®	174	SPC310/20	Shore Power Cord 3 x 10 mm <sup>2</sup> - 20 m spool	606,60
67837M	UFLEX®	174	SPC36/30	Shore Power Cord 3 x 6 mm <sup>2</sup> - 30 m spool	480,10
68911C	UFLEX®	174	SPC316/20	Shore Power Cord 3 x 16 mm <sup>2</sup> - 20 m spool	796,40
68946Y	UFLEX®	174	SPC310/30	Shore Power Cord 3 x 10 mm <sup>2</sup> - 30 m spool	909,90
69598G	UFLEX®	174	SPC416/60	Shore Power Cord 4 x 16 mm <sup>2</sup> - 60 m spool	4.778,30
69599J	UFLEX®	174	SPC416/20	Shore Power Cord 4 x 16 mm <sup>2</sup> - 20 m spool	1.592,80
69600P	UFLEX®	174	SPC316/60	Shore Power Cord 3 x 16 mm <sup>2</sup> - 60 m spool	2.389,20
69815M	UFLEX®	174	SPC310/60	Shore Power Cord 3 x 10 mm <sup>2</sup> - 60 m spool	1.819,80
69816P	UFLEX®	174	SPC410/60	Shore Power Cord 4 x 10 mm <sup>2</sup> - 60 m spool	3.708,60
69817S	UFLEX®	174	SPC410/20	Shore Power Cord 4 x 10 mm <sup>2</sup> - 20 m spool	1.236,20
69845X	UFLEX®	174	SPC32/20	Shore Power Cord 3 x 2,5 mm <sup>2</sup> - 20 m spool	141,50
69846Z	UFLEX®	174	SPC32/60	Shore Power Cord 3 x 2,5 mm <sup>2</sup> - 60 m spool	424,30
69847B	UFLEX®	174	SPC34/20	Shore Power Cord 3 x 4 mm <sup>2</sup> - 20 m spool	223,30
69848D	UFLEX®	174	SPC34/60	Shore Power Cord 3 x 4 mm <sup>2</sup> - 60 m spool	669,90
69849F	UFLEX®	174	SPC36/20	Shore Power Cord 3 x 6 mm <sup>2</sup> - 20 m spool	320,10
69850P	UFLEX®	174	SPC36/60	Shore Power Cord 3 x 6 mm <sup>2</sup> - 60 m spool	960,20
				SLEEVING FOR CABLES	
20540Y	UFLEX®	174	GT02150	Braided Sleeving diameter 15mm (0.59") - Roll, 100 m length	154,90

**UFLEX**

UFLEX® - A WORLD OF MARINE EQUIPMENT

**PRICE LIST - JULY, 2024**  
**Unit Price (Euro) (VAT excl.)**

<i>p/n</i>	<i>Brand</i>	<i>pg cat24</i> Model	<i>Description</i>	
20542C	UFLEX® 174	<b>GT02200</b>	Braided Sleeving diameter 20mm (0.78") - Roll, 100 m length	<b>169,10</b>
20543E	UFLEX® 174	<b>GT02250</b>	Braided Sleeving diameter 25mm (0.98") - Roll, 100 m length	<b>211,50</b>
20544G	UFLEX® 174	<b>GT02300</b>	Braided Sleeving diameter 30mm (1.18") - Roll, 100 m length	<b>256,70</b>
23622S	UFLEX® 174	<b>GT01100/1m</b>	Braided Sleeving diameter 10mm (0.39") - 1m length	<b>1,30</b>
23623U	UFLEX® 174	<b>GT01150/1m</b>	Braided Sleeving diameter 15mm (0.59") - 1m length	<b>1,70</b>
23624W	UFLEX® 174	<b>GT01200/1m</b>	Braided Sleeving diameter 20mm (0.78") - 1m length	<b>1,90</b>
23625Y	UFLEX® 174	<b>GT01250/1m</b>	Braided Sleeving diameter 25mm (0.98") - 1m length	<b>2,30</b>
23626A	UFLEX® 174	<b>GT01300/1m</b>	Braided Sleeving diameter 30mm (1.18") - 1m length	<b>2,80</b>
24853T	UFLEX® 174	<b>GT01100/10m</b>	Braided Sleeving diameter 10mm (0.39") - 10m length	<b>12,60</b>
24854V	UFLEX® 174	<b>GT01150/10m</b>	Braided Sleeving diameter 15mm (0.59") - 10m length	<b>16,90</b>
24855X	UFLEX® 174	<b>GT01200/10m</b>	Braided Sleeving diameter 20mm (0.78") - 10m length	<b>18,40</b>
24856Z	UFLEX® 174	<b>GT01250/10m</b>	Braided Sleeving diameter 25mm (0.98") - 10m length	<b>23,00</b>
24857B	UFLEX® 174	<b>GT01300/10m</b>	Braided Sleeving diameter 30mm (1.18") - 10m length	<b>27,90</b>
24858D	UFLEX® 174	<b>GT01100/20m</b>	Braided Sleeving diameter 10mm (0.39") - 20m length	<b>25,20</b>
24859F	UFLEX® 174	<b>GT01150/20m</b>	Braided Sleeving diameter 15mm (0.59") - 20m length	<b>33,70</b>
24861S	UFLEX® 174	<b>GT01250/20m</b>	Braided Sleeving diameter 25mm (0.98") - 20m length	<b>45,90</b>
24862U	UFLEX® 174	<b>GT01300/20m</b>	Braided Sleeving diameter 30mm (1.18") - 20m length	<b>55,70</b>
24863W	UFLEX® 174	<b>GT01200/20m</b>	Braided Sleeving diameter 20mm (0.78") - 20m length	<b>36,70</b>
68180N	UFLEX® 174	<b>GT02100</b>	Braided Sleeving diameter 10mm (0.39") - Roll, 100 m length	<b>116,00</b>



**UFLEX**  
UFLEX® - A WORLD OF MARINE EQUIPMENT

**PRICE LIST - JULY, 2024**  
**Unit Price (Euro) (VAT excl.)**

p/n	Brand	pg cat24 Model	Description	
<b>BEP® Battery management, power distribution panels, connectors &amp; insulators</b>				
POWER DISTRIBUTION & MANAGEMENT				
DISTRIBUTION PANEL				
22236F	BEP® 177	903-DCSM	18 Loads Circuit Breaker Panel 12V w/digital meter	1.978,30
25139Z	BEP® 177	901V-DCSM	8 Loads vertical Circuit Breaker Panel 12V w/DCSM monitor	1.506,50
63125C	BEP® 177	900-DC	4 Loads Circuit Breaker Panel 12V no meter	355,90
63126E	BEP® 177	901V	8 Loads vertical Circuit Breaker Panel 12V no meter	469,70
63127G	BEP® 177	901H	8 Loads horizontal Circuit Breaker Panel 12V no meter	533,80
63128J	BEP® 177	902-AM	12 Loads Circuit Breaker Panel 12V w/analog Voltmeter	953,70
63129L	BEP® 177	904NM	16 Loads Circuit Breaker Panel 12V no meter	921,90
63144G	BEP® 177	NC36L-DCSM	32 Loads Circuit Breaker Panel 12V w/digital meter	2.345,40
63145J	BEP® 177	NC32Y-DCSM	32 Loads Circuit Breaker Panel 12V w/digital meter	3.114,30
64363A	BEP® 177	900-AM	4 Loads Circuit Breaker Panel 12V w/analog Voltmeter	655,00
64364C	BEP® .	901DV	8 Loads vertical Circuit Breaker Panel 12V w/digital Meter	672,40
64365E	BEP® 177	902-DCSM	12 Loads Circuit Breaker Panel 12V w/digital Volts/Amps	1.509,40
65538R	BEP® 177	902NMH	12 Loads Circuit Breaker Panel 12V no meter	728,00
66413Z	BEP® 177	NC32Y-AM	32 Loads Circuit Breaker Panel 12V w/analog meter	2.946,50
POWER DISTRIBUTION & MANAGEMENT				
Accessory/Spare				
23692P	BEP® .	SET-BLANK	Label Sheet Rectangle All Blank-Black	22,40
63254P	BEP® 178	SET-1N	Label Sheet Accessories	23,90
63255S	BEP® 178	SET-2N	Label Sheet Bait Tank Pump	23,90
63256U	BEP® 178	SET-3N	Label Sheet Deck Light	23,90
63257W	BEP® 178	SET-4N	Label Sheet Bilge Alarm	23,90
63258Y	BEP® 178	SET-5N	Label Sheet AC Mains	23,90
63259A	BEP® 178	SET-6N	Label Sheet Accessories	23,90
68191U	BEP® .	SET-9N	Label Set For Circuit Breaker Panels - Set 9	22,40
DISTRIBUTION PANEL				
20861V	BEP® 178	900-ACM2-AM	2 Loads+1 Input AC Circuit Breaker Panel 230V w/analog meter	924,80
20862X	BEP® 178	900-ACM6V-AM	6 Loads+1 Input AC Circuit Breaker Panel 230V w/analog meter	878,50
20863Z	BEP® 178	900-AC2H-ACSM	8 Loads+2 Inputs AC Circuit Breaker Panel 230V w/digital meter	2.415,40
63132Z	BEP® .	900-AC2H-AM	8 Loads+2 Inputs AC Circuit Breaker Panel 230V w/analog meter	1.461,70
64517B	BEP® 178	900-ACM2W	2 Loads+1 Input AC Main Circuit Breaker Panel 230V	568,20
68859D	BEP® 178	900-ACCH	2 Input Selector AC Main Circuit Breaker Panel 230V	542,20
POWER DISTRIBUTION & MANAGEMENT				
CIRCUIT BREAKER				
23602K	BEP® 179	185 120P-01-1	120A heavy duty, switch reset, panel mount	93,00
23603M	BEP® 179	185 135P-01-1	135A heavy duty, switch reset, panel mount	97,60
23604P	BEP® 179	185 150P-01-1	150A heavy duty, switch reset, panel mount	108,40
63146L	BEP® 179	CBS-15A-SP	15 Amp single Pole	39,40
63147N	BEP® 179	CBS-20A-SP	20 Amp single Pole	39,40
63148R	BEP® 179	CBS-25A-SP	25 Amp single Pole	39,40
63149T	BEP® 179	CBS-30A-SP	30 Amp single Pole	39,40
63150B	BEP® 179	CBS-40A-SP	40 Amp single Pole	39,40
63151D	BEP® 179	CBS-15A-DP	15 Amp double Pole	93,20
63152F	BEP® 179	CBS-20A-DP	20 Amp double Pole	93,20
63153H	BEP® .	CBS-25A-DP	20 Amp double Pole	101,70
63154K	BEP® .	CBS-30A-DP	25 Amp double Pole	87,00
63155M	BEP® .	CBS-40A-DP	40 Amp double Pole	101,70
63160E	BEP® 179	184100F-01-1	100A heavy duty, manual reset, surfacel mount	93,00
63162J	BEP® 179	184 100P-01-1	100A heavy duty, manual reset, panel mount	93,00
63163L	BEP® 179	184 150P-01-1	150A heavy duty, manual reset, panel mount	93,00
63166T	BEP® 179	185 100P-01-1	100A heavy duty, switch reset, panel mount	93,00
63260J	BEP® 179	CBS-2.5A-SP	2,5 Amp single Pole	39,40
63261L	BEP® 179	CBS-5A-SP	5 Amp single Pole	39,40
63263R	BEP® 179	CBS-50A-SP-IGP	50 Amp single Pole	39,40
63265V	BEP® 179	CBS-10A-DP	10 Amp double Pole	93,20
63266X	BEP® 179	CBS-30A-TP	30 Amp triple Pole	132,90
63927S	BEP® 179	185 050P-01-1	50A heavy duty, switch reset, panel mount	93,00
63928U	BEP® 179	185 080P-01-1	80A heavy duty, switch reset, panel mount	93,00
65382K	BEP® 179	184 050P-01-1	50A heavy duty, manual reset, panel mount	93,00
65385S	BEP® 179	185 070P-01-1	70A heavy duty, switch reset, panel mount	93,00
SWITCH				
23601H	BEP® .	184 080P-01-1	80A heavy duty, manual reset, panel mount	78,50
63264T	BEP® .	CBS-05A-DP	5 Amp double Pole	72,80
POWER DISTRIBUTION & MANAGEMENT				
Accessory/Spare				
63252K	BEP® 180	LBL-WP	Label Waterproof 900 Panel Set	3,20
DISTRIBUTION PANEL				
63133B	BEP® 180	900-2WP	2 Switches Splash Proof Panel	148,80
63134D	BEP® 180	900-2WPMOM	2 Switches Splash Proof Panel	229,60
63135F	BEP® 180	900-2WPOFO	2 Switches Splash Proof Panel	227,40
63139P	BEP® 180	900-4WP	4 SW Splash Proof Panel, inline fuses, power socket, charcoal	82,50



**UFLEX**  
UFLEX® - A WORLD OF MARINE EQUIPMENT

**PRICE LIST - JULY, 2024**  
**Unit Price (Euro) (VAT excl.)**

p/n	Brand	pg cat24	Model	Description	
63140Y	BEP® 180		900-6WP	6 SW Splash Proof Panel, inline fuses, power socket, charcoal	103,70
64401F	BEP® 180		900-3WPS	3 Switches Splash Proof Panel	88,30
64402H	BEP® 180		900-5WPS	5 SW Splash Proof Panel, inline fuses, power socket, white	103,70
64405P	BEP® 180		900-3WPSW	3 Switches Splash Proof Panel Accessory/Spare	79,30
63136H	BEP® 180		LBL-MIC1	Label Waterproof 900 Panel Set	14,50
63137K	BEP® 180		LBL-MIC2	Label Waterproof 900 Panel Set	12,30
63138M	BEP® 180		LBL-MICSYM	Label Waterproof 900 Panel Set	20,50
				FUSE	
66520A	BEP® 180		5270-BSS	5 Amp ATM Fuse	3,50
66521C	BEP® 180		5271-BSS	10 Amp ATM Fuse	3,50
66522E	BEP® 180		5272-BSS	15 Amp ATM Fuse	3,50
66523G	BEP® 180		5273-BSS	20 Amp ATM Fuse	3,50
66524J	BEP® 180		5274-BSS	30 Amp ATM Fuse	3,50
				POWER DISTRIBUTION & MANAGEMENT	
				Accessory/Spare	
63253M	BEP® 181		SET-1SP	Label Sheet CSP6 Series Switch Panel	23,90
				DISTRIBUTION PANEL	
63141A	BEP® 181		CSP6-PTC	6 Switches Contour Splash Proof Panel PTC fusing	248,70
64375H	BEP® 181		CSP6	6 Switches Contour Splash Proof Panel	139,10
64376K	BEP® 181		CSP6-F	6 Switches Contour Splash Proof Panel w/fuse holders	168,60
				FUSE HOLDER	
63537C	BEP® 181		WAFH-14	Fuse Holder	8,80
				SWITCH	
				Accessory/Spare	
64404M	BEP® 181		SW-M331	Splash proof Cover	3,00
				POWER DISTRIBUTION & MANAGEMENT	
				DISTRIBUTION PANEL	
64366G	BEP® 182		CG2-2W	2 Switches spray proof Panel - black	90,30
64367J	BEP® 182		CG2-2WF	2 Switches spray proof Panel with 1 fuse	120,80
64368L	BEP® 182		CG2-4W	4 Switches spray proof Panel - black	119,20
64369N	BEP® 182		CG2-4WF	4 Switches spray proof Panel with 2 fuses	148,00
64370X	BEP® 182		CG2-6W	6 Switches spray proof Panel - black	143,20
64371Z	BEP® 182		CG2-6WF	6 Switches spray proof Panel with 3 fuses	151,70
64542A	BEP® 182		CG2-4W-W	4 Switches spray proof Panel - white	141,00
64543C	BEP® 182		CG2-6W-W	6 Switches spray proof Panel - white	143,50
64591P	BEP® 182		CG2-2W-W	2 Switches spray proof Panel - white	177,90
				Accessory/Spare	
64403K	BEP® 182		CG2-JB	Joiner for multiple panel installations	34,90
				POWER DISTRIBUTION & MANAGEMENT	
				Accessory/Spare	
64374F	BEP® 183		SET-G2-2	Optional Label Set for G2 Series Panels	18,40
				SWITCH	
20866F	BEP® 183		SW-6064B3P	ON/ON - ON/OFF Replacement Switch	5,40
63666P	BEP® 183		1100-BK	10A Switch - single	36,40
63668U	BEP® 183		1101-BK	10A Switch - dual	41,70
64372B	BEP® 183		SW-CG1	Spare switch for G2 Panels - On/Off	4,50
64750H	BEP® 183		SW-CG2	Spare switch for G2 Panels - Momentary On/Off	20,40
64751K	BEP® 183		SW-CG3	Spare switch for G2 Panels - On/Off/on	4,70
64752M	BEP® 183		SW-CG4	Spare switch for G2 Panels - Momentary On/Off/Momentary On	35,20
				POWER DISTRIBUTION & MANAGEMENT	
				Accessory/Spare	
64383G	BEP® 184		SET-1000	Standard Label Set for 1000 Series Panels	4,50
64384J	BEP® 184		SET-1002	Optional Label Set for 1000 Series Panels	10,10
				DISTRIBUTION PANEL	
24926U	BEP® 184		1000-6W-24V	6 way switch & fuse panel 24V DC	156,30
64379S	BEP® 184		1000-6W-12V	6 way switch & fuse panel 12V DC	146,40
				SWITCH	
65380F	BEP® 184		SW-RVS2	ON-OFF Led Switch	10,70
				POWER DISTRIBUTION & MANAGEMENT	
				Accessory/Spare	
21652R	BEP® 185		80-511-0031-00	Connection Cable for Push Button Switches 80-511 Series	33,60
				DISTRIBUTION PANEL	
				Accessory/Spare	
20876J	BEP® 185		80-511-0009-00	Buzzer with red LED Ring	58,40
20924T	BEP® 185		80-511-0010-00	Buzzer with red LED Ring	58,40
24927W	BEP® 185		80-511-0010-00	Switch Push-Button (On)/Off 12V Green	58,40
				SWITCH	
20872A	BEP® 185		80-511-0001-00	ON/OFF Switch with red LED Ring	56,00
20873C	BEP® 185		80-511-0003-00	ON/OFF Switch with blue LED Ring	56,00
20874E	BEP® 185		80-511-0002-00	Momentary (ON)/OFF with red LED Ring	56,00
20875G	BEP® 185		80-511-0004-00	Momentary (ON)/OFF with blue LED Ring	56,00
20877L	BEP® 185		80-511-0005-00	ON/OFF Switch with red LED Ring	56,00
20878N	BEP® 185		80-511-0007-00	ON/OFF Switch with blue LED Ring	56,00



**UFLEX**  
UFLEX® - A WORLD OF MARINE EQUIPMENT

**PRICE LIST - JULY, 2024**  
**Unit Price (Euro) (VAT excl.)**

p/n	Brand	pg cat24	Model	Description	
20922N	BEP®	185	80-511-0006-00	Momentary (ON)/OFF with red LED Ring	56,00
20923R	BEP®	185	80-511-0008-00	Momentary (ON)/OFF with blue LED Ring	56,00
63930E	BEP®	186	701-KEY	BATTERY MANAGEMENT Accessory/Spare Replacing Knob for 701 Switch	12,90
63142C	BEP®	186	701	Contour Battery Master Switch 275A continuous	47,80
65494X	BEP®	186	701-PM	Panel Mount Contour Battery Master Switch 275A continuous	47,80
63174S	BEP®	187	720	BATTERY MANAGEMENT SWITCH Heavy Duty Battery Switch 600A continuous	165,00
63672J	BEP®	187	700	Easyfit Battery Switch 275A continuous	73,40
63143E	BEP®	188	721	BATTERY MANAGEMENT SWITCH Battery Switch B1 B2 Selector 350A continuous	179,60
64387R	BEP®	188	701-S	Mini Battery Selector Switch 200A continuous	86,70
66163C	BEP®	188	701S-PM	Panel Mount Mini Battery Selector Switch 200A continuous	91,40
66026S	BEP®	189	701-MD	BATTERY MANAGEMENT SWITCH Motor driven remote operated Battery Switch 275A continuous	251,70
66027U	BEP®	189	720-MDO	Motor driven remote operated Battery Switch 500A continuous	416,30
67866V	BEP®	190	701-KEY-EP	BATTERY MANAGEMENT Accessory/Spare Replacing Knob for 701 Switch	13,90
21651N	BEP®	190	80-724-0006-00	SWITCH Remote ON/OFF Key Switch for 701-MD and 720-MDO Switches	191,50
66951E	Czone®	190	80-911-0045-00	MONITORING & INTERFACE Accessory/Spare Wireless remote control and receiver	239,10
63681K	BEP®	.	713	POWER DISTRIBUTION & MANAGEMENT Accessory/Spare Label Set Contour Battery Switch 700 Series	37,30
64389V	BEP®	190	SET-715	Label Set for Battery Switches	23,50
66843B	BEP®	190	80-708-0013-00	BUS BAR & STUD Terminal link kit for 720-MDO	120,10
67996J	BEP®	190	80-708-0017-00	Terminal link kit for 701-MD	111,70
67405F	BEP®	190	80-700-0051-00	CIRCUIT BREAKER Remote Battery Management System	688,50
68857Z	BEP®	190	80-700-0050-00	Remote Battery Management System	685,70
68858B	BEP®	190	80-700-0052-00	Remote Battery Management System	690,90
21374N	BEP®	191	720-MDVSO	BATTERY MANAGEMENT SWITCH High current Remote Operated VSR - 12/24V DC	422,80
66416F	BEP®	191	701-MDVS	High current Remote Operated VSR - 12V DC	337,70
66418K	BEP®	191	701-MDVS-24V	High current Remote Operated VSR - 24V DC	240,30
68152H	BEP®	191	80-701-0018-00	275 Amp VSR - Emergency Parallel only	250,00
68346X	BEP®	191	720-MDO-EP	500 Amp VSR - Emergency Parallel only	438,00
68101P	BEP®	192	710-140A	BATTERY MANAGEMENT CHARGE RELAY Voltage sensitive Relays Dual Sensor 140 Amp 24V	117,50
20588D	PROMARINER®	192	Prosafe FS30	POWER CONVERSION TRANSFORMER & ISOLATOR Galvanic Isolator 30A	583,90
20589F	PROMARINER®	192	Prosafe FS60	Galvanic Isolator 50A single cable, 60A dual cable	797,80
21368U	BEP®	193	719-140A-DVSR	BATTERY MANAGEMENT CHARGE RELAY Dual Battery charging clusters	817,70
22141U	BEP®	193	715-H	PANEL Dual Battery charging clusters / single engine (horiz.)	164,30
65352A	BEP®	193	715-S	Dual Battery charging clusters / twin engine	207,30
68102S	BEP®	193	716-SQ-140A-DVSR	Dual Battery charging clusters	317,60
68103U	BEP®	193	717-140A-DVSR	Dual Battery charging clusters	625,50
68856X	BEP®	.	715-V	Dual Battery charging clusters / single engine (vert.)	158,50
24718L	BEP®	194	80-716-0032-00	BATTERY MANAGEMENT Accessory/Spare Smart Battery hub temperature sensor (15 m)	148,00
24716G	BEP®	194	80-716-0030-00	BATTERY HUB Smart Battery hub twin engine	2.697,60
24717J	BEP®	194	80-716-0031-00	Smart Battery hub triple engine	3.159,20
23124Z	BEP®	196	IS-8MM -1	POWER DISTRIBUTION & MANAGEMENT BUS BAR & STUD Tinned brass insulated Studs 8 mm x 1	12,70
23517V	BEP®	196	IS-6MM -1	Tinned brass insulated Studs 6 mm x 1	5,30
23518X	BEP®	196	IS-6MM -1R	Tinned brass insulated Studs 6 mm x 1	5,30



**UFLEX**  
UFLEX® - A WORLD OF MARINE EQUIPMENT

**PRICE LIST - JULY, 2024**  
**Unit Price (Euro) (VAT excl.)**

p/n	Brand	pg cat24 Model	Description	
23519Z	BEP® 196	IS-8MM -1R	Tinned brass insulated Studs 8 mm x 1	12,70
23520H	BEP® 196	IS-10MM -8MM	Tinned brass insulated Studs 10x1/8x1	22,10
23904C	BEP® 196	IS-10MM -1R	Tinned brass insulated Studs 10 mm x 1	12,90
63687Y	BEP® 196	702	Distribution Bus 200A	46,40
63688A	BEP® 196	703-500A	Distribution Bus 500A	132,50
63689C	BEP® 196	IS-6MM -2	Tinned brass insulated Studs 6 mm x 2	7,50
63690L	BEP® 196	BB-6W-2S	Bus Bar 6 way	17,80
63691N	BEP® 196	BB-12W-2S	Bus Bar 12 way 1 Stud	21,00
63692R	BEP® 196	BB-24W-2S	Bus Bar 24 way 2 input Stud	33,80
64392H	BEP® 196	IS-10MM -1	Tinned brass insulated Studs 10 mm x 1	12,90
64393K	BEP® 196	702SB	Secondary Bus	50,30
65766E	BEP® 196	IS-10MM -2	Tinned brass insulated Studs 10 mm x 2	18,90
68058S	BEP® 196	703-300A	Distribution Bus 300A	116,50
POWER DISTRIBUTION & MANAGEMENT				
FUUSE				
20764X	MASTERVOLT® 197	IP300P/DSP	300A Fuse, ignition protected	36,80
63806D	MASTERVOLT® 197	IP150P/DSP	150A Fuse, ignition protected	36,80
63807F	BEP® 197	IP200P/DSP	200A Fuse, ignition protected	24,70
63808H	BEP® 197	IP250P/DSP	250A Fuse, ignition protected	24,70
63810U	BEP® 197	IP425P/DSP	425A Fuse, ignition protected	24,70
64395P	BEP® 197	IP100P/DSP	100A Fuse, ignition protected	24,70
64407U	BEP® 197	IP500P/DSP	500A Fuse, ignition protected	24,70
66132R	BEP® 197	BFHD-30A	30A Blade Fuse, heavy duty	4,60
66133T	BEP® 197	BFHD-40A	40A Blade Fuse, heavy duty	5,30
66134V	BEP® 197	BFHD-50A	50A Blade Fuse, heavy duty	5,30
66135X	BEP® 197	BFHD-60A	60A Blade Fuse, heavy duty	5,30
66136Z	BEP® 197	BFHD-70A	70A Blade Fuse, heavy duty	5,30
66137B	BEP® 197	BFHD-80A	80A Blade Fuse, heavy duty	7,70
63235K	BEP® 197	704-ANL	ANL Fuse Holder heavy duty	101,20
67406H	BEP® 197	702-MFH	Maxi Fuse Holder	33,00
POWER DISTRIBUTION & MANAGEMENT				
BUS BAR & STUD				
23006T	BEP® 198	BB-LINK	Fuse Holder Link	2,50
24928Y	BEP® 198	80-712-0039-00	ATC 6 way, negative bus bar	29,60
FUUSE				
24695B	BEP® 198	J40A	Fuse ATO/ATC 40A Orange 32VDC	0,80
66018T	BEP® 198	J03A	3 Amp ATC Fuse	1,20
66019V	BEP® 198	J05A	5 Amp ATC Fuse	1,20
66020D	BEP® 198	J7.5A	7,5 Amp ATC Fuse	2,10
66021F	BEP® 198	J10A	10 Amp ATC Fuse	1,20
66022H	BEP® 198	J15A	15 Amp ATC Fuse	0,80
66023K	BEP® 198	J20A	20 Amp ATC Fuse	1,20
66024M	BEP® 198	J25A	25 Amp ATC Fuse	1,20
FUUSE HOLDER				
65569C	BEP® 198	ATC-6W	6 way ATC Fuse Holder, screw terminals, with cover	43,10
66017R	BEP® 198	ATC-6WQC	6 way ATC Fuse Holder, quick connect, with cover	55,50
BATTERY MANAGEMENT				
Accessory/Spare				
21978Y	BEP® 199	770-KEY-EP	Yellow knob fro battery switch	20,30
SWITCH				
69149A	BEP® 199	770-EZ	On/Off Master Switch EZ-Mount 400A continuous	104,70
69150J	BEP® 199	771-S-EZ	Selector Battery Switch EZ-Mount 400A continuous	112,60
69889U	BEP® 199	772-DBC-EZ	Dual Bank Contol Battery Switch EZ-Mount 400A continuous	135,70
69952Y	BEP® 199	770-DP	Double Pole On/Off Master Switch 400A continuous	138,50
69953A	BEP® 199	770-DP-EZ	Double Pole On/Off Master Switch EZ-Mount 400A continuous	134,30
69954C	BEP® 199	771-S	Selector Battery Switch 400A continuous	119,10
69955E	BEP® 199	771-SFD	Selector Battery SW with Alternator SW Disconnect 400A contin.	104,50
POWER DISTRIBUTION & MANAGEMENT				
BUS BAR & STUD				
68864W	BEP® 200	777-Z18W-200	200A Z-Bar - 18 Terminals and 4 Connecting studs	69,70
68865Y	BEP® 200	777-Z10W-200	200A Z-Bar - 15 Terminals and 4 Connecting studs	45,00
POWER DISTRIBUTION & MANAGEMENT				
BUS BAR & STUD				
68860M	BEP® 201	777-BB8S-650	650A Busbar - 8 Connecting studs	229,40
68861P	BEP® 201	777-BB5S-650	650A Busbar - 5 Connecting studs	165,60
68862S	BEP® 201	777-BB3S-650	650A Busbar - 3 Connecting studs	123,10
68863U	BEP® 201	777-BB4S-500	500A Busbar - 4 Connecting studs	112,10
POWER DISTRIBUTION & MANAGEMENT				
BUS BAR & STUD				
69318X	BEP® 202	LB-1	Link Bar 31-34,7 mm	7,80
69319Z	BEP® .	LB-2	Link Bar 35-42,5 mm	9,00
69320H	BEP® 202	LBJ-2	2-way Joiner 46-50 mm	10,80
69321K	BEP® 202	LBZ-1	Link Z-Bar to Z-Bar	3,50



**UFLEX**  
UFLEX® - A WORLD OF MARINE EQUIPMENT

**PRICE LIST - JULY, 2024**  
**Unit Price (Euro) (VAT excl.)**

p/n	Brand	pg cat24	Model	Description	
69322M	BEP® 202		LBZ-2	Link Z-Bar to Busbar or Fuseholder	6,20
69324S	BEP® 202		LBJ-3	3-way Joiner	16,90
69325U	BEP® 202		LBJ-4	4-way Joiner	22,20
69326W	BEP® 202		LBJ-5	5-way Joiner	28,50
69327W	BEP® 202		LBJ-6	6-way Joiner	33,90
POWER DISTRIBUTION & MANAGEMENT					
BUS BAR & STUD					
24929A	BEP® 204		IST-10MM-1S	Dual Insulated Connecting Stud, 4 terminals	20,20
24930J	BEP® 204		IST-10MM-2S	Dual Insulated Connecting Stud, 4 terminals	33,10
68866A	BEP® 204		IST-8MM-1S	Single Insulated Connecting Stud, 4 Terminals	19,80
68867C	BEP® 204		IST-8MM-1SPT	Single Insulated Connecting Stud, 4 Terminals	33,50
68868E	BEP® 204		IST-8MM-2S	Dual Insulated Connecting Stud, 4 terminals	31,90
POWER DISTRIBUTION & MANAGEMENT					
FUSE HOLDER					
68869G	BEP® 205		778ANL	300A ANL Fuseholder	39,30
68870R	BEP® 205		778ANLTP	750A ANL Fuseholder	94,80
68871T	BEP® 205		778ANL2S	750A ANL Fuseholder + 2 additional connecting studs	79,40
POWER DISTRIBUTION & MANAGEMENT					
FUSE					
22186T	BEP® 206		FT-600-B	600 Amp FT Fuse	175,70
23230Y	BEP® 206		FT-225-B	225 Amp FT Fuse	84,70
23231A	BEP® 206		FT-250-B	250 Amp FT Fuse	84,70
23232C	BEP® 206		FT-300-B	300 Amp FT Fuse	84,70
23233E	BEP® 206		FT-350-B	350 Amp FT Fuse	84,70
23234G	BEP® 206		FT-400-B	400 Amp FT Fuse	84,70
23235J	BEP® 206		FT-450-B	450 Amp FT Fuse	137,00
23236L	BEP® 206		FT-500-B	500 Amp FT Fuse	149,70
64394M	BEP® .		IP80P/DSP	Fuse ANL 80A	24,70
FUSE HOLDER					
68872V	BEP® 206		778T2S-400	225-400A Fuseholder	79,40
68873X	BEP® 206		778T2S-600	400-600A Fuseholder	93,20
MONITORING & INTERFACE					
MONITOR					
67407K	BEP® 207		80-600-0021-00	DC System Monitor (DCSM)	919,00
67408M	BEP® 207		80-600-0023-00	AC System Monitor (ACSM)	927,70
MONITORING & INTERFACE					
GAUGE					
63682M	BEP® 208		N816DCV	Voltmeter 8-16V Contour Series	87,50
63683P	BEP® 208		N1632DCV	Voltmeter 16-32V Contour Series	83,90
63684S	BEP® .		N0300ACV	BEP Voltmeter Analog AC 0-300V	62,00
64183Y	BEP® 208		N0150A	Ammeter DC 0-150A 50MV contour Series	74,50
64399A	BEP® 208		N050A	Ammeter DC 0-50A 50MV contour Series	46,80
64400D	BEP® 208		N0100A	Ammeter DC 0-100A 50MV contour Series	51,70
SHUNT					
64178F	BEP® 208		100A-50MV	Ammeter Shunt 100A 50MV Scale	76,50
64515X	BEP® 208		50A-50MV	Ammeter Shunt 50A 50MV Scale	87,50
64516Z	BEP® 208		150A-50MV	Ammeter Shunt 150A 50MV Scale	76,50
SHUNT & AC COIL					
24931L	BEP® 208		711L	Ammeter Shunt Enclosure 150A	130,90
64398W	BEP® .		CT-10-3	Current Transformer AC Digital Meter	34,20
67314C	BEP® 208		AC-VSEN-4	Voltage Transformer supplied with ACSM	164,30
68904F	BEP® 208		CT-HD	Heavy Duty Current Transformer	52,30
MONITORING & INTERFACE					
Accessory/Spare					
66323Y	BEP® 209		TS1-PK	TS1 Programming Kit	276,30
SENSOR					
66322W	BEP® 209		TS1	TS1 Ultrasonic Tank Sender	250,60
MONITORING & INTERFACE					
GAS DETECTOR					
20871Y	BEP® 210		600-GDRV	LPG, Petrol and CNG fume Detector with front mounted Sensor	344,60
63597X	BEP® 210		600-GDL	LPG, Petrol and CNG fume Detector	510,80
64487V	BEP® 210		BL-SL-L	Optional Sensor for 600-GD and 600-GDL Detectos	182,10
68008A	BEP® 210		600-GD	LPG, Petrol and CNG fume Detector	454,50



**UFLEX**

UFLEX® - A WORLD OF MARINE EQUIPMENT

**PRICE LIST - JULY, 2024**  
**Unit Price (Euro) (VAT excl.)**

<i>p/n</i>	<i>Brand</i>	<i>pg cat24</i> Model	<i>Description</i>	
<b>SAFE-T-ALERT™ Smoke &amp; CO alarms</b>				
			SENSOR	
			CO	
<b>20930M</b>	SAFE-T-ALERT™ 212	<b>62-541-MAR-W</b>	CO Alarm 12VDC - white*	<b>129,00</b>
<b>20931P</b>	SAFE-T-ALERT™ 212	<b>62-541-MAR-NC-W</b>	CO Alarm with relay that breaks when in alarm 12VDC - white*	<b>137,00</b>
<b>20932S</b>	SAFE-T-ALERT™ 212	<b>62-541-MAR-NO-W</b>	CO Alarm with relay that makes when in alarm 12VDC - white*	<b>137,00</b>
<b>20933U</b>	SAFE-T-ALERT™ 212	<b>62-542-MAR-W</b>	CO Alarm 12VDC - white*	<b>129,00</b>
<b>20934W</b>	SAFE-T-ALERT™ 212	<b>62-542-MAR-NC-W</b>	CO Alarm with relay that breaks when in alarm 12VDC - white*	<b>137,00</b>
<b>20935Y</b>	SAFE-T-ALERT™ 212	<b>62-542-MAR-NO-W</b>	CO Alarm with relay that makes when in alarm 12VDC - white*	<b>137,00</b>
<b>21265H</b>	SAFE-T-ALERT™ 212	<b>62-541-MAR-B</b>	CO Alarm 12VDC - black*	<b>129,00</b>
<b>21266K</b>	SAFE-T-ALERT™ 212	<b>62-542-MAR-NO-W</b>	CO Alarm with relay that makes when in alarm 24VDC - black*	<b>137,00</b>
<b>21418G</b>	SAFE-T-ALERT™ 212	<b>62-542-MAR-NC-W</b>	CO Alarm with relay that breaks when in alarm 12VDC - black*	<b>137,00</b>
<b>21619T</b>	SAFE-T-ALERT™ 212	<b>62-542-MAR-W</b>	CO Alarm 12VDC - black*	<b>129,00</b>
<b>21635R</b>	SAFE-T-ALERT™ 212	<b>62-541-MAR-NC-B</b>	CO Alarm with relay that breaks when in alarm 12VDC - black*	<b>137,00</b>
<b>21636T</b>	SAFE-T-ALERT™ 212	<b>62-541-MAR-NO-B</b>	CO Alarm with relay that makes when in alarm 12VDC - black*	<b>137,00</b>
<b>23862N</b>	SAFE-T-ALERT™ .	<b>62-542-R-MAR-WT-NC</b>	CO Alarm with relay that breaks when in alarm 12VDC - white*	<b>137,00</b>
			SENSOR	
			CO	
<b>23515R</b>	SAFE-T-ALERT™ 213	<b>SA-340-WT</b>	CO Alarm with relay that makes when in alarm 12VDC - black*	<b>137,00</b>
<b>23516T</b>	SAFE-T-ALERT™ 213	<b>SA-340-BL</b>	CO Alarm with relay that makes when in alarm 12VDC - black*	<b>118,00</b>
			SMOKE	
<b>22567F</b>	SAFE-T-ALERT™ 213	<b>FX-4</b>	CO Alarm 12VDC - white*	<b>106,00</b>
			SENSOR	
			CO	
<b>23524S</b>	SAFE-T-ALERT™ 214	<b>SA-HHCO</b>	Portable CO Monitor	<b>407,00</b>
			SMOKE	
<b>20936A</b>	SAFE-T-ALERT™ 214	<b>SA-886-EN-W</b>	Smoke Alarm - EU Version (meets EN 14604:2009) - white	<b>47,00</b>
<b>22568H</b>	SAFE-T-ALERT™ 214	<b>SA-866 -W</b>	Smoke Alarm - USA Version (UL listed UL217 RV) - white	<b>47,00</b>
<b>22570U</b>	SAFE-T-ALERT™ 214	<b>SA-866-EN-B</b>	Smoke Alarm - EU Version (meets EN 14604:2009) - black	<b>47,00</b>



**UFLEX**  
UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - JULY, 2024

Unit Price (Euro) (VAT excl.)

p/n	Brand	pg cat24	Model	Description	
<b>VICTRON ENERGY® Marine energy management</b>					
				BATTERY CHARGER	
				Accessory/Spare	
23976E	VICTRON ENERGY® 216		Panel	Battery Indicator Panel	23,00
69856C	VICTRON ENERGY® 216		.	M6 Eyelet Connector with Fuse	8,00
69857E	VICTRON ENERGY® 216		Ext 2m	Extension Cable 2m	10,00
69858G	VICTRON ENERGY® 216		Lighter	Cigarette Lighter with Fuse	14,00
69859J	VICTRON ENERGY® 216		Clamps	Clamps with Fuse	13,00
				BLUE POWER SERIES	
69868K	VICTRON ENERGY® 216		6V/12V-1,1 A	Portable Battery Charger IP65 6V/12V-1,1 A	36,00
69869M	VICTRON ENERGY® 216		12V/4A-12V/1A	Portable Battery Charger IP65 12V/4A-12V/1A	53,00
				BLUE SMART SERIES	
21654V	VICTRON ENERGY® 216		12/4 IP65S	Blue Smart Battery Charger 180-265V AC / 45-65 Hz IP65S	81,00
21655X	VICTRON ENERGY® 216		12/5 IP65S	Blue Smart Battery Charger 180-265V AC / 45-65 Hz IP65S	90,00
21656Z	VICTRON ENERGY® 216		12/7 IP65	Portable Battery Charger Blue Smart GX 12/7 IP65	119,00
21657B	VICTRON ENERGY® 216		12/10 IP65	Portable Battery Charger Blue Smart GX 12/10 IP65	140,00
21658D	VICTRON ENERGY® 216		12/15 IP65	Portable Battery Charger Blue Smart GX 12/15 IP65	162,00
21659F	VICTRON ENERGY® 216		24/5 IP65	Portable Battery Charger Blue Smart GX 24/5 IP65	119,00
21660P	VICTRON ENERGY® 216		24/8 IP65	Portable Battery Charger Blue Smart GX 24/8 IP65	162,00
23053C	VICTRON ENERGY® 216		12/25 IP65	Portable Battery Charger Blue Smart GX 12/25 IP65	215,00
23054E	VICTRON ENERGY® 216		24/13 IP65	Portable Battery Charger Blue Smart GX 24/13 IP65	215,00
24989V	VICTRON ENERGY® 216		6/12V-1.1 IP65	Blue Smart Battery Charger 180-265V AC / 45-65 Hz IP65	57,00
				BATTERY CHARGER	
				BLUE SMART SERIES	
21553N	VICTRON ENERGY® 217		12/30 IP22	Blue Smart 12/30 - Battery Charger - Output: 3, IP22	219,00
21661S	VICTRON ENERGY® 217		12/15 IP22	Blue Smart 12/30 - Battery Charger - Output: 1, IP22	135,00
21662U	VICTRON ENERGY® 217		12/15 IP22	Blue Smart 12/30 - Battery Charger - Output: 3, IP22	156,00
21663W	VICTRON ENERGY® 217		12/20 IP22	Blue Smart 12/30 - Battery Charger - Output: 1, IP22	162,00
21664Y	VICTRON ENERGY® 217		12/20 IP22	Blue Smart 12/30 - Battery Charger - Output: 3, IP22	183,00
21665A	VICTRON ENERGY® 217		12/30 IP22	Blue Smart 12/30 - Battery Charger - Output: 1, IP22	195,00
22135Z	VICTRON ENERGY® 217		24/8 IP22	Blue Smart 24/8 - Battery Charger - Output: 1, IP22	135,00
22219F	VICTRON ENERGY® 217		24/16 IP22	Blue Power 24/16 - Battery Charger - Output: 1, IP22	200,00
22258S	VICTRON ENERGY® 217		24/16 IP22	Blue Power 24/16 - Battery Charger - Output: 3, IP22	226,00
23129K	VICTRON ENERGY® 217		24/12 IP22	Blue Smart 24/12 - Battery Charger - Output: 1, IP22	167,00
				BATTERY CHARGER	
				BLUE SMART SERIES	
21378X	VICTRON ENERGY® 218		12/13 IP67	Blue Smart 12/13 - Battery Charger - IP67	133,00
21544M	VICTRON ENERGY® 218		12/7 IP67	Blue Smart 12/7 - Battery Charger - IP67	100,00
21667E	VICTRON ENERGY® 218		12/17 IP67	Blue Smart 12/17 - Battery Charger - IP67	147,00
21668G	VICTRON ENERGY® 218		12/25 IP67	Blue Smart 12/25 - Battery Charger - IP67	190,00
21669J	VICTRON ENERGY® 218		12/25 IP67	Blue Smart 12/25 - Battery Charger - IP67 (1+S)	222,00
21670T	VICTRON ENERGY® 218		24/5 IP67	Blue Smart 24/5 - Battery Charger - IP67	112,00
21671V	VICTRON ENERGY® 218		24/8 IP67	Blue Smart 24/8 - Battery Charger - IP67	147,00
21672X	VICTRON ENERGY® 218		24/12 IP67	Blue Smart 24/12 - Battery Charger - IP67	190,00
21673Z	VICTRON ENERGY® 218		24/12 IP67	Blue Smart 24/12 - Battery Charger - IP67 (1+S)	222,00
21939M	VICTRON ENERGY® .		12/30 IP22 120V	Blue Smart 12/30(3) - Battery Charger - IP22 120V	219,00
				PHOENIX SERIES	
64900A	VICTRON ENERGY® 218		12/30	Phoenix Battery Charger 12/30	497,00
64901C	VICTRON ENERGY® 218		12/50	Phoenix Battery Charger 12/50	663,00
64902E	VICTRON ENERGY® 218		24/16	Phoenix Battery Charger 24/16	497,00
64903G	VICTRON ENERGY® 218		24/25	Phoenix Battery Charger 24/25	663,00
				BATTERY CHARGER	
				PHOENIX SMART SERIES	
22946P	VICTRON ENERGY® 219		12/50 (1+1)	Phoenix Smart IP43 Battery Charger 12/50(1+1)	505,00
23063F	VICTRON ENERGY® 219		12/30 (3)	Phoenix Smart IP43 Battery Charger 12/30(3)	407,00
23064H	VICTRON ENERGY® 219		12/50 (1+1)	Phoenix Smart IP43 Battery Charger 12/50(1+1)	483,00
23068S	VICTRON ENERGY® 219		24/25 (3)	Phoenix Smart Battery Charger 24/25	510,00
23880R	VICTRON ENERGY® 219		12/50 (3)	Phoenix Smart IP43 Battery Charger 12/50(3)	510,00
24943U	VICTRON ENERGY® 219		24/16 (1+1)	Phoenix Smart IP43 Battery Charger 24/16(1+1) 120 - 240 VAC	396,00
24944W	VICTRON ENERGY® 219		24/25 (1+1)	Phoenix Smart IP43 Battery Charger 24/25(1+1) 120 - 240 VAC	505,00
24945Y	VICTRON ENERGY® 219		24/25 (3)	Phoenix Smart IP43 Battery Charger 24/25(3) 120 - 240 VAC	535,00
24990D	VICTRON ENERGY® 219		12/30 (1+1)	Phoenix Smart IP43 Battery Charger 12/30(1+1) 120 - 240 VAC	396,00
24991F	VICTRON ENERGY® 219		12/30 (3)	Phoenix Smart IP43 Battery Charger 12/30(3) 120 - 240 VAC	426,00
24992H	VICTRON ENERGY® 219		12/50 (3)	Phoenix Smart IP43 Battery Charger 12/50(3) 120 - 240 VAC	535,00
				Accessory/Spare	
23069U	VICTRON ENERGY® 219		.	Mains Cord CEE 7/7 for Smart IP43 / Skylla-S Charger 2m	9,00
				BATTERY CHARGER	
				CENTAUR SERIES	
64886K	VICTRON ENERGY® 220		12/20	Centaur Battery Charger 12/20	369,00
64887M	VICTRON ENERGY® 220		12/30	Centaur Battery Charger 12/30	410,00
64888P	VICTRON ENERGY® 220		12/40	Centaur Battery Charger 12/40	503,00
64889S	VICTRON ENERGY® 220		12/50	Centaur Battery Charger 12/50	523,00
64890A	VICTRON ENERGY® 220		12/60	Centaur Battery Charger 12/60	544,00



**UFLEX**  
UFLEX® - A WORLD OF MARINE EQUIPMENT

**PRICE LIST - JULY, 2024**  
**Unit Price (Euro) (VAT excl.)**

p/n	Brand	pg cat24 Model	Description	
64891C	VICTRON ENERGY®	220 12/80	Centaur Battery Charger 12/80	902,00
64892E	VICTRON ENERGY®	220 12/100	Centaur Battery Charger 12/100	1.102,00
64894J	VICTRON ENERGY®	220 24/16	Centaur Battery Charger 24/16	453,00
64895L	VICTRON ENERGY®	220 24/30	Centaur Battery Charger 24/30	634,00
64896N	VICTRON ENERGY®	220 24/40	Centaur Battery Charger 24/40	828,00
64897R	VICTRON ENERGY®	220 24/60	Centaur Battery Charger 24/60	947,00
			BATTERY CHARGER SKYLLA-IP65 SERIES	
23776W	VICTRON ENERGY®	221 12/70 IP65 (1+1)	Skylla IP65 12/70 Battery Charger (two outputs)	810,00
23777Y	VICTRON ENERGY®	221 12/70 IP65 (3)	Skylla IP65 12/70 Battery Charger (three outputs)	892,00
23778A	VICTRON ENERGY®	221 24/35 IP65 (1+1)	Skylla IP65 24/35 Battery Charger (two outputs)	810,00
23779C	VICTRON ENERGY®	221 24/35 IP65 (3)	Skylla IP65 24/35 Battery Charger (three outputs)	892,00
			BATTERY CHARGER SKYLLA-i SERIES	
			Accessory/Spare	
23114W	VICTRON ENERGY®	.	SKYLLA-I ON-OFF cable	25,00
			SKYLLA-TG SERIES	
64904J	VICTRON ENERGY®	222 TG 24/30	Skylla-TG 24/30 Battery Charger	725,00
64905L	VICTRON ENERGY®	222 TG 24/50	Skylla-TG 24/50 Battery Charger	784,00
64906N	VICTRON ENERGY®	222 TG 24/80	Skylla-TG 24/80 Battery Charger	1.286,00
64907R	VICTRON ENERGY®	222 TG 24/100	Skylla-TG 24/100 Battery Charger	1.552,00
64908T	VICTRON ENERGY®	222 TG 24/100	Skylla-TG 24/100 3-phase Battery Charger	2.277,00
66036V	VICTRON ENERGY®	222 TG 24/30 GMDSS	Skylla-TG 24/30 GMDSS Battery Charger	1.107,00
67918M	VICTRON ENERGY®	222 TG 24/50 GMDSS	Skylla-TG 24/50 GMDSS Battery Charger	1.392,00
68895H	VICTRON ENERGY®	222 TG 24/50	Skylla-TG 24/50 3-phase Battery Charger	1.424,00
			REMOTE PANEL/MONITORING	
65007G	VICTRON ENERGY®	222 Skylla CC	Skylla Control Panel	166,00
			VE.NET SERIES	
67598W	VICTRON ENERGY®	222 .	VE.NET GMDSS panel	198,00
			BATTERY CHARGER SKYLLA-i SERIES	
68896K	VICTRON ENERGY®	223 i 24/80 (1+1)	Skylla-TG 48/50 Battery Charger	1.230,00
68897M	VICTRON ENERGY®	223 i 24/80 (3)	Skylla-TG 48/50 Battery Charger	1.435,00
68898P	VICTRON ENERGY®	223 i 24/100 (1+1)	Skylla-TG 48/50 Battery Charger	1.487,00
68899S	VICTRON ENERGY®	223 i 24/100(3)	Skylla-TG 48/50 Battery Charger	1.743,00
			Accessory/Spare	
23207D	VICTRON ENERGY®	.	Adapter Cord 16A/250V-Schuko plug/CEE Coupling	25,00
			INVERTER	
			PHOENIX VE.DIR.SERIES	
20404P	VICTRON ENERGY®	224 12/250 VE.Direct Schuko	Phoenix 12/250 Inverter VE. Direct Schuko outlet	103,00
20405S	VICTRON ENERGY®	224 12/375 VE.Direct Schuko	Phoenix 12/375 Inverter VE. Direct Schuko outlet	133,00
20406U	VICTRON ENERGY®	224 24/250 VE.Direct Schuko	Phoenix 24/250 Inverter VE. Direct Schuko outlet	103,00
20407W	VICTRON ENERGY®	224 24/375 VE.Direct Schuko	Phoenix 24/375 Inverter Schuko VE. Direct outlet	133,00
20809T	VICTRON ENERGY®	224 12/500 VE.Direct Schuko	Phoenix 12/500 Inverter VE. Direct Schuko outlet	166,00
20810B	VICTRON ENERGY®	224 24/500 VE.Direct Schuko	Phoenix 24/500 Inverter Schuko VE. Direct outlet	166,00
21549Y	VICTRON ENERGY®	224 12/800 VE.Direct Schuko	Phoenix 12/800 Inverter VE. Direct Schuko outlet	270,00
21550G	VICTRON ENERGY®	224 24/800 VE.Direct Schuko	Phoenix 24/800 Inverter Schuko VE. Direct outlet	270,00
21802H	VICTRON ENERGY®	224 24/1200 VE.Direct Schuko	Phoenix 24/1200 Inverter Schuko VE. Direct outlet	357,00
21938K	VICTRON ENERGY®	. 12/800 VE.Direct NEMA 120V	Phoenix 12/800 Inverter VE. Direct NEMA outlet 120V	270,00
22852E	VICTRON ENERGY®	224 12/1200 VE.Direct Schuko	Phoenix 12/1200 Inverter VE. Direct Schuko outlet	357,00
			INVERTER	
			PHOENIX SMART SERIES	
22825B	VICTRON ENERGY®	225 12/1600 Smart	Phoenix Smart Inverter 12/1600	574,00
22826D	VICTRON ENERGY®	225 12/2000 Smart	Phoenix Smart Inverter 12/2000	684,00
22827F	VICTRON ENERGY®	225 24/1600 Smart	Phoenix Smart Inverter 24/1600	574,00
22828H	VICTRON ENERGY®	225 24/2000 Smart	Phoenix Smart Inverter 24/2000	684,00
23059R	VICTRON ENERGY®	225 12/3000 Smart	Phoenix Smart Inverter 12/3000	921,00
23060Z	VICTRON ENERGY®	225 24/3000 Smart	Phoenix Smart Inverter 24/3000	921,00
23758U	VICTRON ENERGY®	225 24/5000 Smart	Phoenix Smart Inverter 24/5000	1.695,00
			INVERTER	
			PHOENIX SERIES	
23714X	VICTRON ENERGY®	. C24/2000	Phoenix C 24/2000 Inverter VE.Bus	711,00
25253X	VICTRON ENERGY®	. C4/500 VE.Direct IEC	Phoenix Inverter 24/500 230V VE.Direct IEC	166,00
64918W	VICTRON ENERGY®	226 C12/1200	Phoenix C 12/1200 Inverter	418,00
64919Y	VICTRON ENERGY®	226 C12/1600	Phoenix C 12/1600 Inverter	588,00
64922L	VICTRON ENERGY®	226 C24/1600	Phoenix C 24/1600 Inverter	588,00
64923N	VICTRON ENERGY®	226 24/3000	Phoenix 24/3000 Inverter	1.020,00
66037X	VICTRON ENERGY®	226 12/3000	Phoenix 12/3000 Inverter	1.020,00
66244C	VICTRON ENERGY®	226 24/5000	Phoenix 24/5000 Inverter	1.778,00
66407E	VICTRON ENERGY®	226 C12/2000	Phoenix C 12/2000 Inverter	711,00
68893D	VICTRON ENERGY®	. 12/1200 Schuko	Inverter Phoenix 12/1200 Schuko outlet	289,00
			REMOTE PANEL/MONITORING	
65006E	VICTRON ENERGY®	226 .	Phoenix Charger Control Panel	80,00
			INVERTER/BATTERY CHARGER	



**UFLEX**  
UFLEX® - A WORLD OF MARINE EQUIPMENT

**PRICE LIST - JULY, 2024**  
**Unit Price (Euro) (VAT excl.)**

p/n	Brand	pg cat24 Model	Description	
			<b>QUATTRO SERIES</b>	
66097S	VICTRON ENERGY®	227 24/5000/120-100-100	Quattro 24/5000/120-100-100 Inverter /Charger	2.673,00
67338T	VICTRON ENERGY®	227 24/8000/200-100-100	Quattro 24/8000/200-100-100 Inverter /Charger	3.374,00
67437V	VICTRON ENERGY®	227 12/5000/220-100-100	Quattro 12/5000/220-100-100 Inverter /Charger	3.167,00
68973B	VICTRON ENERGY®	. 48/10000/140-100-100 230V VE.Bus	Quattro 48/10000/140-100/100 230V VE.Bus Inverter /Charger	2.782,00
69355D	VICTRON ENERGY®	227 12/3000/120-50-30	Quattro 12/3000/120-50-30 Inverter /Charger	2.034,00
69356F	VICTRON ENERGY®	227 24/3000/70-50-30	Quattro 24/3000/70-50-30 Inverter /Charger	1.951,00
			<b>INVERTER/BATTERY CHARGER</b>	
			<b>MULTIPLUS SERIES</b>	
20813H	VICTRON ENERGY®	228 12/500/20-16	Phoenix MultiPlus 12/500/20-16 Inverter/Charger	397,00
21554R	VICTRON ENERGY®	228 24/500/10-16	Phoenix MultiPlus 24/500/10-16 Inverter/Charger	357,00
21623H	VICTRON ENERGY®	228 12/800/35-16	Phoenix MultiPlus 12/800/35-16 Inverter/Charger	520,00
21624K	VICTRON ENERGY®	228 24/800/16-16	Phoenix MultiPlus 24/800/16-16 Inverter/Charger	468,00
21711E	VICTRON ENERGY®	228 12/1200/50-16	Phoenix MultiPlus 12/1200/50-16 Inverter/Charger	726,00
21712G	VICTRON ENERGY®	228 24/1200/25-16	Phoenix MultiPlus 24/1200/25-16 Inverter/Charger	654,00
21869T	VICTRON ENERGY®	228 12/2000/80-32	Phoenix MultiPlus 12/2000/80-32 Inverter/Charger	1.092,00
21870B	VICTRON ENERGY®	228 24/2000/50-32	Phoenix MultiPlus 24/2000/50-32 Inverter/Charger	874,00
23061B	VICTRON ENERGY®	228 12/1600/70-16	Phoenix MultiPlus 12/1600/70-16 Inverter /Charger	824,00
23062D	VICTRON ENERGY®	228 24/1600/40-16	Phoenix MultiPlus 24/1600/40-16Inverter /Charger	742,00
23814B	VICTRON ENERGY®	. 12/2000/80-50 120V	MultiPlus Compact 12/2000/80-50 120V VE.Bus	920,00
69175B	VICTRON ENERGY®	. 48/5000/70-100	Phoenix MultiPlus 48/5000/70-100 Inverter/Charger	1.239,00
69178H	VICTRON ENERGY®	. 24/3000/70-50	Phoenix MultiPlus 24/3000/70-50 Inverter /Charger	1.363,00
69189N	VICTRON ENERGY®	. C24/2000/50-30	Phoenix MultiPlus C24/2000/50-30 Inverter /Charger	1.022,00
69359M	VICTRON ENERGY®	. C12/1200/50-16	Phoenix MultiPlus C12/1200/50-16 Inverter /Charger	749,00
69360W	VICTRON ENERGY®	. C12/1600/70-16	Phoenix MultiPlus C12/1600/70-16 Inverter /Charger	840,00
69361Y	VICTRON ENERGY®	. C12/2000/80-30	Phoenix MultiPlus C12/2000/80-30 Inverter /Charger	1.136,00
69362A	VICTRON ENERGY®	. 12/3000/120-16	Phoenix MultiPlus 12/3000/120-16 Inverter /Charger	1.404,00
69363C	VICTRON ENERGY®	. 12/3000/120-50	Phoenix MultiPlus 12/3000/120-50 Inverter /Charger	1.515,00
69365G	VICTRON ENERGY®	. C24/1600/40-16	Phoenix MultiPlus C24/1600/40-16Inverter /Charger	798,00
69366J	VICTRON ENERGY®	. 24/3000/70-16	Phoenix MultiPlus 24/3000/70-16 Inverter /Charger	1.263,00
69367L	VICTRON ENERGY®	. 24/5000/120-100	Phoenix MultiPlus 24/5000/120-100 Inverter /Charger	2.227,00
69876J	VICTRON ENERGY®	. C24/1200/25-16	Phoenix MultiPlus C24/1200/25-16 Inverter /Charger	712,00
			<b>REMOTE PANEL/MONITORING</b>	
			<b>GX SERIES</b>	
68999W	VICTRON ENERGY®	228 Color Control GX	Color Control GX	462,00
			<b>INVERTER/BATTERY CHARGER</b>	
			<b>MULTIPLUS-II SERIES</b>	
21871D	VICTRON ENERGY®	229 12/3000/120-32	Phoenix MultiPlus-II 12/3000/120-32 Inverter/Charger	1.372,00
21872F	VICTRON ENERGY®	229 24/5000/120-50	Phoenix MultiPlus-II 24/5000/120-5 Inverter/Charger	2.184,00
21874K	VICTRON ENERGY®	. 48/8000/110-100	Phoenix MultiPlus-II 48/8000/110-100 Inverter/Charger	1.719,00
21875M	VICTRON ENERGY®	. 48/10000/140-100	Phoenix MultiPlus-II 48/10000/140-100 Inverter/Charger	2.053,00
23276Z	VICTRON ENERGY®	229 24/3000/70-32	Phoenix MultiPlus-II 24/3000/70-32 Inverter/Charger	1.043,00
25803G	VICTRON ENERGY®	. 12/5000/220-50 230V	Phoenix MultiPlus-II 12/5000/220-50 230V Inverter/Charger	2.184,00
			<b>DC/DC CONVERTER</b>	
			<b>ORION NON ISOLATED SERIES</b>	
20395S	VICTRON ENERGY®	. .	50A Buck-Boost DC/DC converter	718,00
22972R	VICTRON ENERGY®	. .	100A Buck-Boost DC/DC converter	1.256,00
23080F	VICTRON ENERGY®	230 IP67 12/24-50	Orion IP67 12/24-50 Converter	292,00
23081H	VICTRON ENERGY®	230 IP67 24/12-100	Orion IP67 24/12-100 Converter	243,00
25612Z	VICTRON ENERGY®	. .	50A (700W) Smart Buck-boost DC/DC converter	350,00
64956E	VICTRON ENERGY®	230 12/24-10	Orion 12/24-10 Converter	66,00
68027E	VICTRON ENERGY®	230 24/12-25	Orion 24/12-25 Converter	73,00
68107C	VICTRON ENERGY®	230 24/12-940	Orion 24/12-40 Converter	99,00
68126G	VICTRON ENERGY®	230 12/24-8	Orion 12/24-8 Converter	57,00
68222C	VICTRON ENERGY®	230 24/12-70	Orion 24/12-70 Converter	133,00
68882Y	VICTRON ENERGY®	230 12/24-20	Orion 12/24-20 Converter	150,00
69893J	VICTRON ENERGY®	230 24/12-5 IP67	Orion IP67 24/12-5 Converter	23,00
69894L	VICTRON ENERGY®	230 24/12-10 IP67	Orion IP67 24/12-10 Converter	37,00
69895N	VICTRON ENERGY®	230 24/12-20 IP67	Orion IP67 24/12-20 Converter	48,00
			<b>DC/DC CONVERTER</b>	
			<b>ORION ISOLATED SERIES</b>	
20073T	VICTRON ENERGY®	231 Tr 24/24-5	Orion-Tr 24/24-5 Converter	68,00
20396U	VICTRON ENERGY®	231 Tr 12/12-9	Orion-Tr 12/12-9 Converter	68,00
20398Y	VICTRON ENERGY®	231 Tr 12/24-5	Orion-Tr 12/24-5 Converter	68,00
20399A	VICTRON ENERGY®	231 Tr 24/12-9	Orion-Tr 24/12-9 Converter	68,00
20976N	VICTRON ENERGY®	231 Tr 24/24-12	Orion-Tr 24/24-12 Converter	122,00
21588J	VICTRON ENERGY®	231 Tr 12/12-18	Orion-Tr 12/12-18 Converter	122,00
21681Y	VICTRON ENERGY®	231 Tr 12/24-10	Orion-Tr 12/24-10 Converter	122,00
21682A	VICTRON ENERGY®	231 Tr 24/12-20	Orion-Tr 24/12-20 Converter	122,00
22823X	VICTRON ENERGY®	231 Tr 24/12-30 IS	Orion-Tr 24/12-30 Converter	215,00
22903V	VICTRON ENERGY®	231 Tr 12/24-15	Orion-Tr 2/24-15 Converter	215,00
23082K	VICTRON ENERGY®	231 Tr 12/12-30	Orion-Tr 12/12-30 Converter	215,00
64968M	VICTRON ENERGY®	231 Tr 24/24-17	Orion-Tr 24/24-17 Converter	215,00
			<b>ORION NON ISOLATED SERIES</b>	



**UFLEX**  
UFLEX® - A WORLD OF MARINE EQUIPMENT

**PRICE LIST - JULY, 2024**  
**Unit Price (Euro) (VAT excl.)**

p/n	Brand	pg cat24 Model	Description	
20179K	VICTRON ENERGY®	231 Tr 24/12-10	Orion-Tr 24/12-10 Converter	35,00
20391H	VICTRON ENERGY®	231 Tr 24/12-5	Orion-Tr 24/12-5 Converter	16,00
20392K	VICTRON ENERGY®	231 Tr 24/12-15	Orion-Tr 24/12-15 Converter	40,00
20393M	VICTRON ENERGY®	231 Tr 24/12-20	Orion-Tr 24/12-20 Converter	45,00
			DC/DC CONVERTER	
			ORION ISOLATED SERIES	
20493S	VICTRON ENERGY®	. Tr 48/12-9	Orion-Tr 48/12-9 Converter	68,00
23149S	VICTRON ENERGY®	232 Tr Smart 12/12-30	Orion-Tr 12/12-30 Converter	261,00
23151C	VICTRON ENERGY®	232 Tr Smart 12/24-15	Orion-Tr 12/24-15 Converter	261,00
23155L	VICTRON ENERGY®	232 Tr Smart 24/24-17	Orion-Tr 24/24-17 Converter	261,00
23162H	VICTRON ENERGY®	232 Tr Smart 24/12-30	Orion-Tr 24/12-30 Converter	261,00
23260H	VICTRON ENERGY®	232 Tr Smart 12/12-18	Orion-Tr 12/12-18 Converter	171,00
23261K	VICTRON ENERGY®	232 Tr Smart 12/24-10	Orion-Tr 12/24-10 Converter	171,00
23262M	VICTRON ENERGY®	232 Tr Smart 12/12-20	Orion-Tr 12/12-20 Converter	171,00
23263P	VICTRON ENERGY®	232 Tr Smart 24/24-12	Orion-Tr 24/24-12 Converter	171,00
			ORION NON ISOLATED SERIES	
23150A	VICTRON ENERGY®	232 Tr Smart 12/12-30	Orion-Tr 12/12-30 Converter	230,00
23152E	VICTRON ENERGY®	232 Tr Smart 12/24-15	Orion-Tr 12/24-15 Converter	230,00
23156N	VICTRON ENERGY®	232 Tr Smart 24/24-17	Orion-Tr 24/24-17 Converter	230,00
23525U	VICTRON ENERGY®	232 Tr Smart 24/12-30	Orion-Tr 24/12-30 Converter	230,00
			ISOLATION TRANSFORMER	
23078V	VICTRON ENERGY®	233 VDI-64	64A Galvanic Isolators	326,00
64969P	VICTRON ENERGY®	233 2000W 115/230 V	2000W 115/230 VAC Isolation Transformer	424,00
64970Y	VICTRON ENERGY®	233 3600W 115/230 V	3600W 115/230 VAC Isolation Transformer	638,00
64972C	VICTRON ENERGY®	233 7000W 230 V	7000W 230 VAC Isolation Transformer	871,00
68349D	VICTRON ENERGY®	233 32A	120/240V 32A Autotransformers	481,00
68883A	VICTRON ENERGY®	233 100A	120/240V 100A Autotransformers	543,00
68884C	VICTRON ENERGY®	233 VDI-16	16A Galvanic Isolators	117,00
69851S	VICTRON ENERGY®	233 VDI-32	32A Galvanic Isolators	266,00
69852U	VICTRON ENERGY®	233 3600W Auto 115/230V	3600W 230 VAC Isolation Transf., auto input voltage detection	674,00
			BATTERY ISOLATION/PROTECTION	
			DIODE	
20945B	VICTRON ENERGY®	. Argo BCD-402	BCD 402 2 batteries 40A (combiner diode)	39,00
22042S	VICTRON ENERGY®	. Argo 80-2SC	80-2SC 2 batteries 80A	42,00
64984K	VICTRON ENERGY®	234 100-3AC	Argo 100-3AC 3 Isolator - Battery 100A	72,00
64985M	VICTRON ENERGY®	234 120-2AC	Argo 120-2AC 2 Isolator - Battery 120A	81,00
64986P	VICTRON ENERGY®	234 140-3AC	Argo 140-3AC 3 Isolator - Battery 140A	102,00
64987S	VICTRON ENERGY®	234 160-2AC	Argo 160-2AC 2 Isolator - Battery 160A	96,00
64988U	VICTRON ENERGY®	234 180-3AC	Argo 180-3AC 3 Isolator - Battery 180A	117,00
65198T	VICTRON ENERGY®	. Argo BCD-802	BCD 802 2 batteries 80A (combiner diode)	48,00
67435R	VICTRON ENERGY®	234 80-2AC	Argo 80-2AC 2 Isolator - Battery 80A	53,00
			FET	
64989W	VICTRON ENERGY®	234 100/2-FET	Argo-1002 FET 2 Isolator - Battery 100A	107,00
64990E	VICTRON ENERGY®	234 100/3-FET	Argo-1003 FET 3 Isolator - Battery 100A	123,00
64991G	VICTRON ENERGY®	234 200/2-FET	Argo-2002 FET 2 Isolator - Battery 200A	128,00
64992J	VICTRON ENERGY®	234 200/3-FET	Argo-2003 FET 3 Isolator - Battery 200A	150,00
			BATTERY MONITOR	
21396Z	VICTRON ENERGY®	234 BMV 712 Smart	2 Battery Monitor 9-90 VDC - Cables, shunt and bluetooth included	169,00
21989D	VICTRON ENERGY®	234 Smart Shunt	500A-50mV Smart Shunt IP65	107,00
22017T	VICTRON ENERGY®	234 Smart Shunt	2000A-50mV Smart Shunt, IP65	241,00
23352N	VICTRON ENERGY®	234 Smart Shunt	500A-50mV Smart Shunt	107,00
23678W	VICTRON ENERGY®	234 Smart Shunt	1000A-50mV Smart Shunt	177,00
24988T	VICTRON ENERGY®	234 Smart Shunt	2000A-50mV Smart Shunt	241,00
25489D	VICTRON ENERGY®	234 Smart Shunt	1000A-50mV Smart Shunt, IP65	177,00
69112A	VICTRON ENERGY®	234 BMV 700	1 Battery Monitor 9-90 VDC - Connection cables and shunt included	118,00
69151L	VICTRON ENERGY®	234 BMV 702	2 Battery Monitor 9-90 VDC - Connection cables and shunt included	147,00
69159D	VICTRON ENERGY®	234 BMV 702 Black	2 Battery Monitor 9-90 VDC - Connection cables and shunt included - black	147,00
			Accessory/Spare	
69160M	VICTRON ENERGY®	234 Temp Sensor	BMV 702 Temperature Sensor	33,00
			BUSBAR	
23788D	VICTRON ENERGY®	. .	Busbar 600A 8P +cover	216,00
			Accessory/Spare	
25703C	VICTRON ENERGY®	. .	Dual Terminal Stud M8-linked set (1 red/1 black)	23,00
			FUSEHOLDER & FUSE	
20834S	VICTRON ENERGY®	. .	Modular fuse holder for MEGA-fuse	38,00
23388L	VICTRON ENERGY®	. .	MEGA-fuse 250A/32V	16,00
23611L	VICTRON ENERGY®	. .	Busbar to connect 6 fuse holders 20834S	48,00
23790P	VICTRON ENERGY®	. .	MEGA-fuse 400A/32V	25,00
23791S	VICTRON ENERGY®	. .	MEGA-fuse 300A/32V	16,00
23792U	VICTRON ENERGY®	. .	MEGA-fuse 100A/32V	16,00
24621V	VICTRON ENERGY®	. .	MEGA-fuse 200A/32V	16,00
24882A	VICTRON ENERGY®	. .	ANL-fuse 500A/80V for 48V products (5 pcs)	10,00
25166C	VICTRON ENERGY®	. .	MEGA Fuse 60A/32V	16,00
25167E	VICTRON ENERGY®	. .	MEGA Fuse 80A/32V	16,00



**UFLEX**  
UFLEX® - A WORLD OF MARINE EQUIPMENT

**PRICE LIST - JULY, 2024**  
**Unit Price (Euro) (VAT excl.)**

p/n	Brand	pg cat24	Model	Description	
25168G	VICTRON ENERGY®	.	.	MEGA Fuse 225A/32V	16,00
25169J	VICTRON ENERGY®	.	.	MEGA Fuse 500A/32V	27,00
66854G	VICTRON ENERGY®	.	.	MEGA-fuse 125A/32V	16,00
69006B	VICTRON ENERGY®	.	.	Fuse holder for MEGA-fuse	12,00
69992L	VICTRON ENERGY®	.	.	MEGA-fuse 150A/32V	16,00
25813K	VICTRON ENERGY®	.	.	ANL-fuse 400A/80V (package of 5 pcs)	33,00
25812H	VICTRON ENERGY®	.	.	ANL-fuse 300A/80V (package of 5 pcs)	33,00
				SHUNT	
69986S	VICTRON ENERGY®	.	.	Shunt 1000A/50mV-0,5 / 2xM10	79,00
				BATTERY ISOLATION/PROTECTION	
22835E	VICTRON ENERGY®	235	BP-65 Smart	Battery Protection 65A, 6-35 VDC	58,00
22836G	VICTRON ENERGY®	235	BP-100 Smart	Battery Protection 100A, 6-35 VDC	76,00
22837J	VICTRON ENERGY®	235	BP-220 Smart	Battery Protection 220A, 6-35 VDC	113,00
69853W	VICTRON ENERGY®	235	BP-65	Battery Protection 65A, 6-35 VDC	39,00
69854Y	VICTRON ENERGY®	235	BP-100	Battery Protection 100A, 6-35 VDC	57,00
69855A	VICTRON ENERGY®	235	BP-220	Battery Protection 220A, 6-35 VDC	94,00
				CYRIX SERIES	
21316Y	VICTRON ENERGY®	.	Cyrix-Li-charge 12/24V-120A	Cyrix-Li-charge 12/24V-120A intelligent charge relay	81,00
22029A	VICTRON ENERGY®	.	Cyrix-Li-ct 12/24-120	Cyrix-Li-ct 12/24V-120A intelligent Li-ion battery combiner	81,00
22562V	VICTRON ENERGY®	.	Cyrix-Li-load 12/24-120	Cyrix-Li-load 12/24V-120A intelligent load relay	70,00
22563X	VICTRON ENERGY®	.	Cyrix-Li-load 12/24-230	Cyrix-Li-load 12/24V-230A intelligent load relay	173,00
23688Z	VICTRON ENERGY®	.	Cyrix-Li-charge 12/24V-230A	Cyrix-Li-charge 12/24V-230A intelligent charge relay	173,00
67064F	VICTRON ENERGY®	235	Cyrix-i 12/24V-400A	Cyrix-i 12/24V-400A intelligent battery combiner	275,00
68956B	VICTRON ENERGY®	235	Cyrix-ct 12/24-120	Cyrix-ct 12/24V-120A intelligent battery combiner	52,00
69357H	VICTRON ENERGY®	235	Cyrix-ct 12/24-230	Cyrix-ct 12/24V-230A intelligent battery combiner	129,00
				Accessory/Spare	
21864G	VICTRON ENERGY®	.	.	Power Inlet stainless steel with cover 32A/250Vac (2p/3w)	131,00
22411X	VICTRON ENERGY®	.	.	Plug 32A/250Vac (2p/3w) for Power Inlet 32A	108,00
23205Z	VICTRON ENERGY®	.	.	Shore power Inlet 16A	101,00
23206B	VICTRON ENERGY®	.	.	Shore power cable 16A -15m	179,00
				CABLES	
20412N	VICTRON ENERGY®	.	UTP-0,3 RJ45	Cable RJ45 UTP 0,3 m	9,00
20413R	VICTRON ENERGY®	236	UTP-35 RJ45	Cable RJ45 UTP 3 m	13,00
20414T	VICTRON ENERGY®	236	VE. Direct cable 0,9	VE. Direct cable - 0,9 m (CCGX to BMV70x)	15,00
21021C	VICTRON ENERGY®	236	VE. Direct cable 3	VE.Direct Bluetooth Smart dongle	16,00
21329H	VICTRON ENERGY®	236	MK3/USB	Converter USB/MK.3b	73,00
22621J	VICTRON ENERGY®	.	.	VE.Direct Cable 0,9m (one side Right Angle conn)	15,00
23491D	VICTRON ENERGY®	.	.	VE.Direct non-inverting remote on-off cable	20,00
23728J	VICTRON ENERGY®	.	.	CAN USB interface	546,00
25560G	VICTRON ENERGY®	.	UTP-10 RJ12	Cable RJ12 UTP 10 m	28,00
25561J	VICTRON ENERGY®	.	UTP-1,8 RJ12	Cable RJ12 UTP 1,8 m	9,00
25562L	VICTRON ENERGY®	.	UTP- 0,9 RJ12	Cable RJ12 UTP 0,9 m	9,00
60555ZA	VICTRON ENERGY®	.	VE.CAN Term	twin VE.CAN terminators	10,00
65010V	VICTRON ENERGY®	236	UTP-5 RJ45	Cable RJ45 UTP 5 m	17,00
65011X	VICTRON ENERGY®	236	UTP-10 RJ45	Cable RJ45 UTP 10 m	20,00
65012Z	VICTRON ENERGY®	236	UTP-15 RJ45	Cable RJ45 UTP 15 m	28,00
65013B	VICTRON ENERGY®	236	UTP-20 RJ45	Cable RJ45 UTP 20 m	33,00
65015F	VICTRON ENERGY®	236	UTP-30 RJ45	Cable RJ45 UTP 30 m	39,00
65018M	VICTRON ENERGY®	236	RS232/MK.2b	Connection Kit RS232/MK.2b Victron Interface	58,00
65019P	VICTRON ENERGY®	236	USB/RS232	Converter USB/RS232	31,00
67082H	VICTRON ENERGY®	236	MK2/USB	Converter kit USB/MK.2b	83,00
67776U	VICTRON ENERGY®	236	UTP-1,8 RJ45	Cable RJ45 UTP 0,9 m	11,00
69266E	VICTRON ENERGY®	236	VE. Direct cable 1,8	VE. Direct cable - 1,8 m (CCGX to BMV70x)	15,00
69278M	VICTRON ENERGY®	236	VE. Direct cable 0,3	VE. Direct cable - 0,3 m (CCGX to BMV70x)	15,00
69479Y	VICTRON ENERGY®	236	VE. Direct cable 5	VE. Direct cable - 5 m (CCGX to BMV70x)	18,00
69543E	VICTRON ENERGY®	236	VE. Direct cable 10	VE. Direct cable - 10 m (CCGX to BMV70x)	21,00
69718P	VICTRON ENERGY®	.	UTP-0,9 RJ45	Cable RJ45 UTP 1,8 m	9,00
69934W	VICTRON ENERGY®	.	.	VE.Direct to USB interface	30,00
				PV MODULE	
23727G	VICTRON ENERGY®	.	.	115W-12V Mono 1015x668x30mm series 4a	109,00
				Accessory/Spare	
25509G	VICTRON ENERGY®	.	.	Solarcable length=5m 6sqmm with connector	29,00
				REMOTE PANEL/MONITORING	
21941Y	VICTRON ENERGY®	236	Global Link 520	VE.Direct remote monitoring system	231,00
23003L	VICTRON ENERGY®	236	.	Phoenix Inverter VE.Direct Remote Control Panel	22,00
23783T	VICTRON ENERGY®	.	GX LTE 4G-E	4G modem for GX series	213,00
65008J	VICTRON ENERGY®	236	.	On-Off Switch Battery Charger	122,00
65009L	VICTRON ENERGY®	236	Battery Alarm GX	Battery Alarm Panel	62,00
66202K	VICTRON ENERGY®	236	.	Phoenix Inverter Control Panel	93,00
66717W	VICTRON ENERGY®	236	DMC 200/200A	Digital Multi Control 200/200A	142,00
67920Y	VICTRON ENERGY®	236	DMC 200/200A GX	Digital Multi Control 200/200A GX	125,00
68885E	VICTRON ENERGY®	236	Skylla-i GX	Skylla-i Control GX Panel	139,00
69545E	VICTRON ENERGY®	236	VE. Direct Bluetooth Dongle	Dongle Bluetooth for remote monitoring data	42,00
				GX SERIES	


**UFLEX**

UFLEX® - A WORLD OF MARINE EQUIPMENT

**PRICE LIST - JULY, 2024**
**Unit Price (Euro) (VAT excl.)**

p/n	Brand	pg cat24 Model	Description	
21977W	VICTRON ENERGY®	236	<b>GX Touch 70</b>	7" Display for Cerbo GX
23264S	VICTRON ENERGY®	236	<b>Cerbo GX</b>	Monitoring Center
23265U	VICTRON ENERGY®	236	<b>GX Touch 50</b>	5" Display for Cerbo GX
25081U	VICTRON ENERGY®	236	<b>Cerbo-S GX</b>	Monitoring Center (less inputs)
69536H	VICTRON ENERGY®	236	<b>WiFi Module Simple</b>	WiFi Module simple for Color Control Panel GX
69537K	VICTRON ENERGY®	236	<b>Wifi Long Range Module</b>	WiFi Long Range Module for Color Control Panel GX
66138D	VICTRON ENERGY®	236	.	TRANSFER SWITCH Filax Transfer Switch CE 50 Hz (up to 3500W) shore/inverter
21402R	VICTRON ENERGY®	237	<b>AGM 12/100</b>	12V/100Ah AGM Super Cycle Battery
21403T	VICTRON ENERGY®	237	<b>AGM 12/170</b>	12V/170Ah AGM Super Cycle Battery
21404V	VICTRON ENERGY®	237	<b>AGM 12/230</b>	12V/230Ah AGM Super Cycle Battery
21583Y	VICTRON ENERGY®	237	<b>AGM 12/60</b>	12V/60Ah AGM Super Cycle Battery
21584A	VICTRON ENERGY®	237	<b>AGM 12/125</b>	12V/125Ah AGM Super Cycle Battery
21324X	VICTRON ENERGY®	.	<b>Meter ET112</b>	GX SERIES Single phase energy sender - max 100A
25403P	VICTRON ENERGY®	237	.	Ekrano GX BATTERY AGM
21161V	VICTRON ENERGY®	.	<b>AGM 12/200</b>	12V/200Ah AGM Telecomm Battery
22049G	VICTRON ENERGY®	.	<b>AGM 12/165</b>	12V/165Ah AGM Deep Cycle Battery
65022C	VICTRON ENERGY®	238	<b>AGM 12/60</b>	12V/60-55Ah AGM Deep Cycle Battery
65024G	VICTRON ENERGY®	238	<b>AGM 12/90</b>	12V/90-80Ah AGM Deep Cycle Battery
65025J	VICTRON ENERGY®	238	<b>AGM 12/130</b>	12V/130-120Ah AGM Deep Cycle Battery
65026L	VICTRON ENERGY®	238	<b>AGM 12/165</b>	12V/165-150Ah AGM Deep Cycle Battery
65027N	VICTRON ENERGY®	238	<b>AGM 12/220</b>	12V/220-200Ah AGM Deep Cycle Battery
65645S	VICTRON ENERGY®	238	<b>AGM 12/110</b>	12V/110-100Ah AGM Deep Cycle Battery
24905K	VICTRON ENERGY®	.	<b>AGM 12/400</b>	12V/240Ah AGM Deep Cycle Battery (M8) GEL
22887A	VICTRON ENERGY®	238	<b>GEL 12/265 (M8)</b>	12V/265-230Ah GEL Deep Cycle Battery
65028R	VICTRON ENERGY®	238	<b>GEL 12/60</b>	12V/60-55Ah GEL Deep Cycle Battery
65029T	VICTRON ENERGY®	238	<b>GEL 12/66</b>	12V/66-60Ah GEL Deep Cycle Battery
65030B	VICTRON ENERGY®	238	<b>GEL 12/90</b>	12V/90-80Ah GEL Deep Cycle Battery
65031D	VICTRON ENERGY®	238	<b>GEL 12/130</b>	12V/130-120Ah GEL Deep Cycle Battery
65032F	VICTRON ENERGY®	238	<b>GEL 12/165</b>	12V/165-150Ah GEL Deep Cycle Battery
65033H	VICTRON ENERGY®	238	<b>GEL 12/220</b>	12V/220-200Ah GEL Deep Cycle Battery
65646U	VICTRON ENERGY®	238	<b>GEL 12/110</b>	12V/110-100Ah GEL Deep Cycle Battery
21906W	VICTRON ENERGY®	.	<b>12,8/100</b>	LITHIUM ION 12,8V 100Ah Lithium Battery - SuperPack
22840X	VICTRON ENERGY®	239	<b>12,8/60</b>	12,8V 60Ah Lithium Battery - SuperPack
22842B	VICTRON ENERGY®	239	<b>12,8/200</b>	12,8V 200Ah Lithium Battery - SuperPack
23097Z	VICTRON ENERGY®	239	<b>12,8/20</b>	12,8V 20Ah Lithium Battery - SuperPack
23098B	VICTRON ENERGY®	239	<b>25,6/50</b>	25,6V 50Ah Lithium Battery - SuperPack
22260C	VICTRON ENERGY®	240	<b>LFP-SMART 12,8/100</b>	Lithium- Ion Battery 12,8V 100Ah - Smart
22262G	VICTRON ENERGY®	240	<b>LFP-SMART 12,8/330</b>	Lithium- Ion Battery 12,8V 330Ah - Smart
23903A	VICTRON ENERGY®	240	<b>LFP-SMART 25,6/200</b>	Lithium- Ion Battery 25,6V 200Ah - Smart
24767A	VICTRON ENERGY®	240	<b>LFP-SMART 25,6/100</b>	Lithium- Ion Battery 25,6V 100Ah - Smart
24840H	VICTRON ENERGY®	.	<b>LFP-SMART 12,8/50</b>	Lithium- Ion Battery 12,8V 50Ah - Smart
68766W	VICTRON ENERGY®	240	<b>LFP-SMART 12,8/200</b>	Lithium- Ion Battery 12,8V 200Ah - Smart
22839N	VICTRON ENERGY®	240	<b>SmallBMS</b>	BATTERY MANAGEMENT SmallBMS
25209U	VICTRON ENERGY®	.	<b>SolidSwitch 104</b>	Accessory/Spare Relay for regulat. SolidSwitch 104
68886G	VICTRON ENERGY®	240	.	3 pole male to female cable 1,00 m (3.3') - 2 cables/box
68887J	VICTRON ENERGY®	240	.	3 pole male to female cable 2,00 m (6.6') - 2 cables/box
68888L	VICTRON ENERGY®	240	.	3 pole male to female cable 3,00 m (9.8') - 2 cables/box
68889N	VICTRON ENERGY®	240	.	3 pole male to female cable 5,00 m (16.4') - 2 cables/box
69016E	VICTRON ENERGY®	240	<b>VE.BUS BMS</b>	Lithium Battery Protection System
21860Y	VICTRON ENERGY®	241	<b>SMART BMS 12/200</b>	BATTERY MANAGEMENT Accessory/Spare Battery Management System 12/200
23527Y	VICTRON ENERGY®	241	<b>SMART BMS CL 12/200</b>	Smart (Battery Management System) CL 12/200
25080S	VICTRON ENERGY®	242	<b>VE.Bus BMS V2</b>	BATTERY MANAGEMENT Accessory/Spare Monitoring System VE.BUS BMS V2
22366V	VICTRON ENERGY®	242	.	DC DISTRIBUTION LYNX SERIES Lynx Distributor (M8)
23412E	VICTRON ENERGY®	242	.	Lynx Power In (M8)

**UFLEX**

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - JULY, 2024  
Unit Price (Euro) (VAT excl.)

p/n	Brand	pg cat24	Model	Description	
23741A	VICTRON ENERGY®	242	.	Lynx Shunt VE.Can (M8)	379,00
25157B	VICTRON ENERGY®	242	<b>BMS 500</b>	Lynx Smart BMS 500 (M8)	968,00
25582T	VICTRON ENERGY®	.	.	Lynx Smart BMS 500 (M10)	1.333,00
25583V	VICTRON ENERGY®	.	.	Lynx Distributor (M10)	236,00
25789S	VICTRON ENERGY®	.	.	Lynx Power In (M10)	172,00
BATTERY ISOLATION/PROTECTION					
69369R	VICTRON ENERGY®	243	<b>Battery Balancer</b>	Battery Balancer for 12V DC Series Connected Batteries	52,00
CHARGE CONTROLLER SMARTSOLAR SERIES					
21674B	VICTRON ENERGY®	244	<b>75/10</b>	SmartSolar MPPT Charge Controller 75/10	66,00
21675D	VICTRON ENERGY®	244	<b>75/15</b>	SmartSolar MPPT Charge Controller 75/15	72,00
21678K	VICTRON ENERGY®	244	<b>100/30</b>	SmartSolar MPPT Charge Controller 100/30	137,00
21679M	VICTRON ENERGY®	244	<b>100/50</b>	SmartSolar MPPT Charge Controller 100/50	197,00
21680W	VICTRON ENERGY®	244	<b>150/35</b>	SmartSolar MPPT Charge Controller 150/35	197,00
21867N	VICTRON ENERGY®	.	<b>150/45</b>	SmartSolar MPPT Charge Controller 150/45	233,00
22254H	VICTRON ENERGY®	.	<b>150/60-TR</b>	SmartSolar MPPT Charge Controller 150/60-TR	375,00
22315B	VICTRON ENERGY®	.	<b>150/70-MC4 VE.Can</b>	SmartSolar MPPT Charge Controller 150/70-MC4 VE.Can	443,00
22316D	VICTRON ENERGY®	.	<b>250/60-TR</b>	SmartSolar MPPT Charge Controller 250/60-TR	443,00
22401U	VICTRON ENERGY®	244	<b>100/15</b>	SmartSolar MPPT Charge Controller 100/15	84,00
23016W	VICTRON ENERGY®	244	<b>100/20</b>	SmartSolar MPPT Charge Controller 100/20 - up to 48V	96,00
23255R	VICTRON ENERGY®	.	<b>150/85-TR VE.Can</b>	SmartSolar MPPT Charge Controller 150/70-TR VE.Can	483,00
23512J	VICTRON ENERGY®	.	<b>150/100-MC4 VE.Can</b>	SmartSolar MPPT Charge Controller 50/100-MC4 VE.Can	562,00
REMOTE PANEL/MONITORING					
23018A	VICTRON ENERGY®	.	<b>SBS-10M</b>	Smart Battery Sense long range (up to 10m)	42,00
CHARGE CONTROLLER BLUESOLAR SERIES					
68399V	VICTRON ENERGY®	.	<b>75/15</b>	BlueSolar MPPT Charge Controller 75/15 12/24V	54,00
69368N	VICTRON ENERGY®	245	<b>12/24 - 20</b>	BlueSolar PWM-PRO Charge Controller 12/24-20	51,00
69446G	VICTRON ENERGY®	245	<b>12/24 - 10</b>	BlueSolar PWM-PRO Charge Controller 12/24-10	29,00
69452B	VICTRON ENERGY®	245	<b>12/24 - 30</b>	BlueSolar PWM-PRO Charge Controller 12/24-30	81,00
Accessory/Spare					
69450X	VICTRON ENERGY®	245	.	Remote panel for BlueSolar PWM-Pro Charge Controller	44,00



**UFLEX**

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - JULY, 2024  
Unit Price (Euro) (VAT excl.)

<i>p/n</i>	<i>Brand</i>	<i>pg cat24</i>	<i>Model</i>	<i>Description</i>	
<b>WAKESPEED® Charge regulators</b>					
				Accessory/Spare	
<b>25300D</b>	WAKESPEED® 248		<b>WS500/PH-CAN</b>	WS500/PH-CAN wiring harness	<b>242,70</b>
<b>25301F</b>	WAKESPEED® 248	.		Battery Temperature Sensor, cable length 6m	<b>97,00</b>
<b>25302H</b>	WAKESPEED® 248	.		WS to VE cable	<b>60,90</b>
<b>25306S</b>	WAKESPEED® 248		<b>WS500/NEG-CAN</b>	WS500/NEG-CAN wiring harness	<b>266,80</b>
<b>25351X</b>	WAKESPEED® 248		<b>500A/50mV</b>	500A/50mV Shunt	<b>110,80</b>
				CHARGE CONTROLLER	
<b>25299Y</b>	WAKESPEED® 248		<b>WS500</b>	WS500 Advanced Alternator Regulator	<b>1.456,30</b>

**UFLEX**

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - JULY, 2024  
Unit Price (Euro) (VAT excl.)

p/n	Brand	pg cat24	Model	Description	
<b>FAAM® Batteries</b>					
BATTERY					
CYCLES SERIES					
23105V	FAAM® 250		<b>60A22</b>	12V 60 AH/20H CYCLES Battery	<b>196,00</b>
23106X	FAAM® 250		<b>70A32</b>	12V 70 AH/20H CYCLES Battery	<b>207,00</b>
23107Z	FAAM® 250		<b>80A42</b>	12V 80 AH/20H CYCLES Battery	<b>222,00</b>
23367C	FAAM® 250		<b>00A52</b>	12V 100 AH/20H CYCLES Battery	<b>274,00</b>
SMART SERIES					
23110M	FAAM® 250		<b>66061</b>	12V 160 AH/20H SMART Battery	<b>279,90</b>
23111P	FAAM® 250		<b>72061</b>	12V 220 AH/20H SMART Battery	<b>349,00</b>
START SERIES					
23102N	FAAM® 250		<b>62R22</b>	12V 62 Ah/20H START Battery	<b>101,00</b>
23103R	FAAM® 250		<b>80R42</b>	12V 80 AH/20H START Battery	<b>146,00</b>
23104T	FAAM® 250		<b>00R52</b>	12V 100 AH/20H START Battery	<b>162,00</b>


**UFLEX**

UFLEX® - A WORLD OF MARINE EQUIPMENT

**PRICE LIST - JULY, 2024**
**Unit Price (Euro) (VAT excl.)**

p/n	Brand	pg cat24	Model	Description	
<b>UFLEX® Renewable energy</b>					
				Accessory/Spare	
64098H	SUNWARE®	252	30106022	2 middle clips kit	11,00
64099K	SUNWARE®	252	30106014	4 side clips kit	21,00
64100R	SUNWARE®	252	30101015	Waterproof connector (m) 2x1,5	23,00
64101T	SUNWARE®	252	30102015	Waterproof connector (f) 2x1,5	26,00
64102V	SUNWARE®	252	30103015	Waterproof plug for connectors and flange	11,00
64103X	SUNWARE®	252	30104012	4 pole Bulkhead Connector	19,00
64104Z	SUNWARE®	252	30104015	Bulkhead kit	15,00
				PV MODULE	
				20 SERIES	
21010X	SUNWARE®	252	SW-20163	25 Wp rated Power - 12V DC - cm 48,1 x 42,6 x 0,6	456,00
21296V	SUNWARE®	252	SW-20165	50 Wp rated Power - 24V DC - cm 48,1 x 7,72 x 0,6	718,00
21364K	SUNWARE®	252	SW-20185	100 Wp rated Power - 24V DC - cm 68,9 x 101,2 x 0,6	965,00
21735V	SUNWARE®	252	SW-20164	38 Wp rated Power - 12V DC - cm 48,1 x 59,9 x 0,6	541,00
22112L	SUNWARE®	252	SW-20143	14 Wp rated Power - 12V DC - cm 24,3 x 46,8 x 0,6	320,00
22113N	SUNWARE®	252	SW-20144	20 Wp rated Power - 12V DC - cm 27,3 x 63,4 x 0,6	366,00
22114R	SUNWARE®	252	SW-20145	25 Wp rated Power - 12V DC - cm 27,3 x 80,7 x 0,6	429,00
22115T	SUNWARE®	252	SW-20146	38 Wp rated Power - 12V DC - cm 27,3 x 115,4 x 0,6	486,00
22116V	SUNWARE®	252	SW-20166	75 Wp rated Power - 24V DC - cm 48,1 x 111,9 x 0,6	849,00
				40 SERIES	
600100A	SUNWARE®	252	SW-40143	14 Wp rated Power - 12V DC - cm 24,3 x 46,8 x 0,6	320,00
600101C	SUNWARE®	252	SW-40144	20 Wp rated Power - 12V DC - cm 27,3 x 63,4 x 0,6	366,00
600102E	SUNWARE®	252	SW-40145	25 Wp rated Power - 12V DC - cm 27,3 x 80,7 x 0,6	429,00
600103G	SUNWARE®	252	SW-40146	38 Wp rated Power - 12V DC - cm 27,3 x 115,4 x 0,6	486,00
600104J	SUNWARE®	252	SW-40163	25 Wp rated Power - 12V DC - cm 48,1 x 42,6 x 0,6	456,00
600105L	SUNWARE®	252	SW-40164	38 Wp rated Power - 12V DC - cm 48,1 x 59,9 x 0,6	541,00
600106N	SUNWARE®	252	SW-40165	50 Wp rated Power - 24V DC - cm 48,1 x 7,72 x 0,6	718,00
600107R	SUNWARE®	252	SW-40166	75 Wp rated Power - 24V DC - cm 48,1 x 111,9 x 0,6	849,00
600109V	SUNWARE®	252	SW-40185	100 Wp rated Power - 24V DC - cm 68,9 x 101,2 x 0,6	965,00
				PV MODULE	
23005R	WAAREE®	253	WLW-50W	Solar panel 50W	187,00
				PV MODULE	
23051Y	WAAREE®	.	WM-110	Solar panel 110W	382,00
23364W	XUNZEL®	254	HD 50W	Solar panel 50W	188,00
25289V	XUNZEL®	254	HD 120W	Solar panel 120W	355,00
				PV MODULE	
21387Y	UFLEX®	255	UFX005MM	Mono-crystalline Solar Panel 5W	13,20
21742SA	UFLEX®	255	UFX160PM	Poly-crystalline Solar Panel 160W	163,90
21865J	UFLEX®	255	UFX140MM	Mono-crystalline Solar Panel 140W	165,70
22908FA	UFLEX®	255	UFX180MM 4mmq	Mono-crystalline Solar Panel 180W w/cable 4mmq section	194,20
23532RA	UFLEX®	255	UFX285PM	285W Poly-Crystalline Solar Panel - 60 cells	257,50
69572MA	UFLEX®	255	UFX010PM	Poly-crystalline Solar Panel 10W	21,10
69573PA	UFLEX®	255	UFX020PM	Poly-crystalline Solar Panel 20W	33,70
69574SA	UFLEX®	255	UFX040PM	Poly-crystalline Solar Panel 40W	54,50
69576WA	UFLEX®	255	UFX060PM	Poly-crystalline Solar Panel 60W	73,30
69577YA	UFLEX®	255	UFX080PM	Poly-crystalline Solar Panel 80W	97,70
69578AA	UFLEX®	255	UFX100PM	Poly-crystalline Solar Panel 100W	101,40
69578AB	UFLEX®	255	UFX100MM	Mono-crystalline Solar Panel 100W	112,50
				PV MODULE	
24950R	EURENER®	256	MEPV400UP	Mono-crystalline Solar Panel 400W ULTRA PREMIUM	346,60
24951T	EURENER®	.	MEPV375HC	Mono-crystalline Solar Panel 375W (120 HalfCut)	290,30
25266G	EURENER®	256	MEPV410HC-108	Mono-crystalline Solar Panel 410W (108 HalfCut)	288,90
25267J	EURENER®	256	MEPV500HC	Mono-crystalline Solar Panel 500W HalfCut	340,80
				CHARGE CONTROLLER	
				ProStar™ PWM Solar Charge Controller	
61737A	MORNINGSTAR®	257	PS-30M	ProStar 12V/24V DC - 30A with LVD and Monitor	282,00
62643W	MORNINGSTAR®	257	PS-15M	ProStar 12V/24V DC - 15A with LVD and Monitor	232,70
				SunSaver™ PWM Solar Charge Controllers	
20970A	MORNINGSTAR®	257	SS-20L-24V	SunSaver 24V DC - 20A with LVD	161,70
61192X	MORNINGSTAR®	257	SS-10L-12V	SunSaver 12V DC - 10A with LVD	110,50
61213E	MORNINGSTAR®	257	SS-6L-12V	SunSaver 12V DC DC - 6A with LVD	90,70
61415B	MORNINGSTAR®	257	SS-10-12V	SunSaver 12V DC - 10A	88,80
61734U	MORNINGSTAR®	257	SS-20L-12V	SunSaver 12V DC - 20A with LVD	151,90
61938L	MORNINGSTAR®	257	SS-10L-24V	SunSaver 24V DC - 10A with LVD	122,30
				CHARGE CONTROLLER	
				SunSaver Duo™ PWM Solar Charge Controller	
66129C	MORNINGSTAR®	258	SSD-25RM	SunSaver 24V DC - 10A with LVD	240,60
				CHARGE CONTROLLER	
				EcoBoost™ MPPT Solar Charge Controllers	
22264L	MORNINGSTAR®	259	EB-MPPT-20M	EcoBoost MPPT 20A (12/24V) with meter	280,00
22265N	MORNINGSTAR®	259	EB-MPPT-30M	EcoBoost MPPT 30A (12/24V) with meter	378,60
22266R	MORNINGSTAR®	259	EB-MPPT-40M	EcoBoost MPPT 40A (12/24V) with meter	479,10

**UFLEX**

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - JULY, 2024

Unit Price (Euro) (VAT excl.)

p/n	Brand	pg cat24	Model	Description	
22296A	MORNINGSTAR®	259	EB-MPPT-20	EcoBoost MPPT 20A (12/24V)	197,20
22297C	MORNINGSTAR®	259	EB-MPPT-30	EcoBoost MPPT 30A (12/24V)	274,10
22298E	MORNINGSTAR®	259	EB-MPPT-40	EcoBoost MPPT 40A (12/24V)	358,90
				<b>CHARGE CONTROLLER</b>	
				EcoPulse™ PWM Solar Charge Controllers	
21419J	MORNINGSTAR®	260	EC-10	EcoPulse 10A (12/24V)	84,80
21420T	MORNINGSTAR®	260	EC-10M	EcoPulse 10A (12/24V) with Monitor	124,30
21421V	MORNINGSTAR®	260	EC-20	EcoPulse 20A (12/24V)	96,70
21422X	MORNINGSTAR®	260	EC-20M	EcoPulse 20A (12/24V) with Monitor	159,70
21423Z	MORNINGSTAR®	260	EC-30	EcoPulse 30A (12/24V)	128,20
21424B	MORNINGSTAR®	260	EC-30M	EcoPulse 30A (12/24V) with Monitor	191,30
				<b>WIND GENERATOR</b>	
				Accessory/Spare	
68485M	SILENTWIND®	261	3BK	Three Blade Spare Kit	520,00
				<b>AIR MARINE UNITS</b>	
63034Z	PRIMUS WINDPOWER®	261	AirX Marine 12V	AirX Marine Wind Generator 12V DC	2.141,00
63035B	PRIMUS WINDPOWER®	261	AirX Marine 24V	AirX Marine Wind Generator 24V DC	2.141,00
68070F	PRIMUS WINDPOWER®	261	1-ARBM-15-12	Air Breeze Wind Generator 12V DC	2.141,00
68071H	PRIMUS WINDPOWER®	261	1-ARBM-15-24	Air Breeze Wind Generator 24V DC	2.141,00
				<b>WIND GENERATOR</b>	
20381EA	SILENTWIND®	262	SLW-400-12	12V 420W Silentwind Generator with Charge Regulator	2.795,00
20382GA	SILENTWIND®	262	SLW-400-24	24V 450W Silentwind Generator with Charge Regulator	2.860,00
20383JA	SILENTWIND®	262	SLW-400-48	48V 500W Silentwind Generator with Charge Regulator	2.925,00
				Accessory/Spare	
20384L	SILENTWIND®	262	Hybrid 1000 12V	Hybrid Spare Charge Regulator for Silentwind™ 12V	802,00
20385N	SILENTWIND®	262	Hybrid 1000 24V	Hybrid Spare Charge Regulator for Silentwind™ 24V	802,00
20386R	SILENTWIND®	262	Hybrid WWS 06-48	Hybrid Spare Charge Regulator for Silentwind™ 48V	869,00
68689E	SILENTWIND®	262	Pole	Reinforced Pole	665,00
68690N	SILENTWIND®	262	Pole Kit	Pole Mounting kit	512,00
				<b>WIND GENERATOR</b>	
65726S	SUPERWIND®	263	SW350-12V	Superwind 350W - 12V wind generator	3.895,00
65727U	SUPERWIND®	263	SW350-24V	Superwind 350W - 24V wind generator	3.895,00
				Accessory/Spare	
65730G	SUPERWIND®	263	SW	Stop Switch	131,00
65731J	SUPERWIND®	263	Mnt Kit	Installation Kit	636,00
				<b>CHARGE CONTROLLER</b>	
65728W	SUPERWIND®	263	SCR 12V	12V Charge controller	778,00
65729Y	SUPERWIND®	263	SCR 24V	24V Charge controller	778,00
				<b>WIND GENERATOR</b>	
69771U	LEADING EDGE®	264	LE-v150 12V kit	12V DC Wind Generator Kit	2.860,00
69772W	LEADING EDGE®	264	LE-v150 24V kit	24V DC Wind Generator Kit	2.860,00
				Wind turbines - LE-v50 and LE-v50 Extreme	
68641Z	LEADING EDGE®	264	GA-LETU-010B	LE-v50 Turbine (12V / 24V / 48V)	1.869,00
68642B	LEADING EDGE®	264	GA-LETU-010B	LE-v50 Turbine (12V / 24V / 48V)	1.869,00


**UFLEX**

UFLEX® - A WORLD OF MARINE EQUIPMENT

**PRICE LIST - JULY, 2024**
**Unit Price (Euro) (VAT excl.)**

p/n	Brand	pg cat24 Model	Description	
<b>ENEON® Marine generators</b>				
DIESEL GENERATOR				
EM SERIES				
24705B	ENEON® 267	<b>EM320 - 3,20 KW</b>	3000 rpm - 230V/50Hz - single phase - silenced	<b>9.880,00</b>
24706D	ENEON® 267	<b>EM600 - 6,0 KW</b>	3000 rpm - 230V/50Hz - single phase - silenced	<b>14.250,00</b>
24707F	ENEON® 267	<b>EM900 - 9,0 KW</b>	3000 rpm - 230V/50Hz - single phase - silenced	<b>16.630,00</b>
DIESEL GENERATOR				
EML SERIES				
24708H	ENEON® 268	<b>EML740 - 7,40 KW</b>	1500 rpm - 230V/50Hz - single phase - silenced	<b>20.590,00</b>
24709K	ENEON® 268	<b>EML970 - 9,70 KW</b>	1500 rpm - 230V/50Hz - single phase - silenced	<b>21.590,00</b>
25421S	ENEON® 268	<b>EML1200 - 12,0 KW</b>	1500 rpm - 230V/50Hz - single phase - silenced	<b>22.790,00</b>
DIESEL GENERATOR				
EML SERIES				
25422U	ENEON® 269	<b>EML1800 - 18,0 KW</b>	1500 rpm - 230V/50Hz - single phase - silenced	<b>25.990,00</b>
25423W	ENEON® 269	<b>EML2500 - 25,0 KW</b>	1500 rpm - 230V/50Hz - single phase - silenced	<b>30.990,00</b>
DIESEL GENERATOR				
EML SERIES				
25425A	ENEON® 270	<b>EML3900 - 39,0 KW</b>	1500 rpm - 230V/50Hz - single phase - silenced	<b>35.980,00</b>
DIESEL GENERATOR				
ETL SERIES				
24713A	ENEON® 271	<b>ETL2590 - 25,90 KVA</b>	1500 rpm - 230V/50Hz - V+N - silenced	<b>27.160,00</b>
24714C	ENEON® 271	<b>ETL3200 - 32,0 KVA</b>	1500 rpm - 230V/50Hz - V+N - silenced	<b>31.980,00</b>
25426C	ENEON® 271	<b>ETL1500 - 15,0 KVA</b>	1500 rpm - 230V/50Hz - V+N - silenced	<b>23.990,00</b>
25428G	ENEON® 271	<b>ETL4700 - 47,0 KVA</b>	1500 rpm - 230V/50Hz - V+N - silenced	<b>41.980,00</b>
Accessory/Spare				
22629B	ENEON® 272	.	Sea/Water kit : EM600 - EM900	<b>335,30</b>
22657G	ENEON® 272	.	Siphon Breaker - All models	<b>23,50</b>
22662Z	ENEON® 272	.	Sea/Water kit : EM320	<b>335,30</b>
22663B	ENEON® 272	.	Sea/Water kit : EML740 - EML2500 and ETL2590	<b>369,60</b>
22664D	ENEON® 272	.	Sea/Water kit : ETL3200 - ETL3950	<b>598,00</b>
25675A	ENEON® .	.	Sea/Water kit : EM320 - EM600 - EM900	<b>145,00</b>
25676C	ENEON® .	.	Sea/Water kit : EML series (740/970/1200/1800) and ETL series (1500/2590)	<b>156,00</b>
EXHAUST HOSE				
22630K	ENEON® 272	.	1 m + 2 m exhaust hose kit 40 mm int. dia. : EM Series	<b>413,00</b>
22631M	ENEON® 272	.	Separator for exhaust hose 40 mm int Ø - EM Series	<b>67,10</b>
22665F	ENEON® 272	.	3 m exhaust hose kit 50 mm int. dia. : EML740 - EML970	<b>486,00</b>
22666H	ENEON® 272	.	3 m exhaust hose kit 60 mm int. dia.: EML1330 - EML2500 and ETL2590	<b>586,00</b>
22667K	ENEON® 272	.	3 m exhaust hose kit 90 mm int. dia. - ETL3200 - ETL3950	<b>814,00</b>
22669P	ENEON® 272	.	Separator for exhaust hose 60 mm int. dia. - EML1330 - EML2500 and ETL2590	<b>461,00</b>
24601N	ENEON® .	.	Separator for exhaust hose 90 mm int. dia. - ETL3200	<b>1.017,00</b>
25076B	ENEON® .	.	Exhaust system - hose 40/50 mm int Ø - EM Series	<b>75,10</b>
25681V	ENEON® .	.	PREMIUM exhaust kit - Ø int. 40 mm - series EM/EML740	<b>1.316,00</b>
25682X	ENEON® .	.	PREMIUM exhaust kit - Ø int. 50 mm - EML970	<b>1.449,00</b>
25683Z	ENEON® .	.	PREMIUM exhaust kit - Ø int. 60 mm - rest of EML series	<b>1.633,00</b>
25684B	ENEON® .	.	PREMIUM exhaust kit - Ø int. 76 mm - EML 3900/ETL series	<b>1.686,00</b>
MAINTENANCE KIT				
Accessory/Spare				
22703L	ENEON® .	.	Ordinary maintenance kit: EM600-EM900	<b>419,00</b>
22704N	ENEON® .	.	Ordinary maintenance kit: EML740 - EML970	<b>551,00</b>
22705R	ENEON® .	.	Ordinary maintenance kit: EML 1330	<b>634,00</b>
22706T	ENEON® .	.	Ordinary maintenance kit: EML2000 - EML2500	<b>670,00</b>
22707V	ENEON® .	.	Ordinary maintenance kit: ETL2590	<b>694,00</b>
22708X	ENEON® .	.	Ordinary maintenance kit: ETL3200 - ETL3950	<b>766,00</b>
22734Y	ENEON® .	.	Capacitor Kit (Includes 5 capacitors) - EM300 - EM320 -EM600	<b>102,00</b>
23716B	ENEON® .	.	Ordinary maintenance kit: EM320	<b>455,00</b>
Accessory/Spare				
23723Y	ENEON® 273	<b>SP/NAJ DN 40</b>	Smooth cover rubber hose Ø 40, 20 m coil	<b>597,50</b>
23724A	ENEON® 273	<b>SP/NAJ DN 50</b>	Smooth cover rubber hose Ø 50, 20 m coil	<b>654,30</b>
23725C	ENEON® 273	<b>SP/NAJ DN 60</b>	Smooth cover rubber hose Ø 60, 20 m coil	<b>707,50</b>
23726E	ENEON® 273	<b>SP/CAJ DN 90</b>	Hardwall corrugated rubber hose Ø 90, 20 m coil	<b>1.311,40</b>
Accessory/Spare				
25127S	ENEON® 274	<b>EOB®-3000</b>	EOB®-3000 Control Panel, with cables for remote control	<b>897,00</b>
Accessory/Spare				
21389C	ENEON® .	<b>EOB®</b>	EOB® Control Panel 12V	<b>598,00</b>
24811A	ENEON® 275	<b>EOB®-1500 rem</b>	Remote EOB®-1500 Control Panel kit with cable	<b>1.029,00</b>
25126P	ENEON® 275	<b>EOB®-1500</b>	EOB®-1500 Control Panel	<b>897,00</b>

**UFLEX**

UFLEX® - A WORLD OF MARINE EQUIPMENT

**PRICE LIST - JULY, 2024**  
**Unit Price (Euro) (VAT excl.)**

<i>p/n</i>	<i>Brand</i>	<i>pg cat24</i> Model	<i>Description</i>	
<b>WESTERBEKE® Gasoline generators</b>				
			GASOLINE GENERATOR MULTIPOINT EFI SERIES	
<b>25464L</b>	WESTERBEKE® 278	<b>3.5 MCGA-512</b>	3,5kW - 2500 rpm - 230V/50Hz - single phase - Multiport EFI	<b>16.170,00</b>
<b>25465N</b>	WESTERBEKE® 278	<b>6.2 MCGA-514</b>	6,2 kW - 1500 rpm - 230V/50Hz - single phase - Multiport EFI	<b>21.300,00</b>
<b>25466R</b>	WESTERBEKE® 278	<b>7.6 MCGA-514</b>	7,6 kW - 1500 rpm - 230V/50Hz - single phase - Multiport EFI	<b>23.290,00</b>



**UFLEX**  
UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - JULY, 2024

Unit Price (Euro) (VAT excl.)

p/n	Brand	pg cat24 Model	Description	
<b>BALMAR® DC Charging solutions</b>				
60-SERIES				
20555M	BALMAR® 280	60-100-DV	Alternator, 60 Series, 100 A, 12V, SaddleMT 3.15", DualPul	741,40
20556P	BALMAR® 280	60-100-K6	Alternator, 60 Series, 100 A, 12V, SaddleMT 3.15", K6Pul	741,40
20557S	BALMAR® 280	60-100-SV	Alternator, 60 Series, 100 A, 12V, SaddleMT 3.15", SinglePul	741,40
20561G	BALMAR® 280	60-120-DV	Alternator, 60 Series, 120 A, 12V, SaddleMT 3.15", DualPul	826,10
20562J	BALMAR® 280	60-120-J10	Alternator, 60 Series, 120 A, 12V, SaddleMT 3.15", J10Pul	826,10
20563L	BALMAR® 280	60-120-K6	Alternator, 60 Series, 120 A, 12V, SaddleMT 3.15", K6Pul	826,10
20567V	BALMAR® 280	60-24-70-DV	Alternator, 60 Series, 70 A, 24V, SaddleMT 3.15", DualPul	915,90
20568X	BALMAR® 280	60-24-70-J10	Alternator, 60 Series, 70 A, 24V, SaddleMT 3.15", J10Pul	915,90
20569Z	BALMAR® 280	60-24-70-K6	Alternator, 60 Series, 70 A, 24V, SaddleMT 3.15", K6Pul	915,90
23885B	BALMAR® .	60-YP-MC-100-SV	KIT, 60 Series 100a SaddleMT Alternator, MC Regulator, TSensors, SingPul	1.263,20
621-SERIES				
20552F	BALMAR® 280	621-100-DV	Alternator, 621 Series, 100 A, 12V, Single FT 1-2", DualPul	741,40
20553H	BALMAR® 280	621-100-K6	Alternator, 621 Series, 100 A, 12V, Single FT 1-2", K6Pul	741,40
20554K	BALMAR® 280	621-100-SV	Alternator, 621 Series, 100 A, 12V, Single FT 1-2", SinglePul	741,40
20558U	BALMAR® 280	621-120-DV	Alternator, 621 Series, 120 A, 12V, Single FT 1-2", DualPul	826,10
20559W	BALMAR® 280	621-120-J10	Alternator, 621 Series, 120 A, 12V, Single FT 1-2", J10Pul	826,10
20560E	BALMAR® 280	621-120-K6	Alternator, 621 Series, 120 A, 12V, Single FT 1-2", K6Pul	826,10
20564N	BALMAR® 280	621-24-70-DV	Alternator, 621 Series, 70 A, 24V, Single FT 1-2", DualPul	915,90
20565R	BALMAR® 280	621-24-70-J10	Alternator, 621 Series, 70 A, 24V, Single FT 1-2", J10Pul	915,90
20566T	BALMAR® 280	621-24-70-K6	Alternator, 621 Series, 70 A, 24V, Single FT 1-2", K6Pul	915,90
94-SERIES				
20584V	BALMAR® 281	94LY-12-210-IG	Alternator, 94 Series, 210 A, 12V, Yanmar 6LY MT w/hardware	2.240,00
20585X	BALMAR® 281	94LY-24-140-IG	Alternator, 94 Series, 140 A, 24V, Yanmar 6LY MT w/hardware	2.240,00
95-SERIES				
22019X	BALMAR® .	9504-24-140-IG	Alternator, 95 Series, 140 A, 24V, dual ft 4", dual Pul KIT	2.097,00
25210C	BALMAR® 281	XT-DF-24-90-K6-KIT	KIT, XT 90A, 24V DF Alternator ,MC Regulator, TSensors, K6Pul	1.727,90
25277M	BALMAR® 281	XT-DF-170-K6-KIT	KIT, XT 170A DF Alternator ,MC Regulator, TSensors, K6Pul	1.666,70
25282E	BALMAR® 281	XT-DF-250-K6-KIT	KIT, XT 250A DualFT Alternator, MC Regulator, TSensors, K6Pul	1.972,10
25283G	BALMAR® 281	XT-DF4-250-K6-KIT	KIT, XT 250A DualFT4in Alternator, MC Regulator, TSensors, K6Pul	1.972,10
25284J	BALMAR® 281	XT-SF-170-K6-KIT	KIT, XT 170A SF Alternator ,MC Regulator, TSensors, K6Pul	1.666,70
25285L	BALMAR® 281	XT-SF-24-90-K6-KIT	KIT, XT 90A, 24V SF Alternator ,MC Regulator, TSensors, K6Pul	1.727,90
25286N	BALMAR® 281	XT-SF-250-K6-KIT	KIT, XT 250A SingleFT Alternator, MC Regulator, TSensors, K6Pul	1.972,10
XT-SERIES				
20570H	BALMAR® 281	XT-SF-170-DV	Alternator, XT Series, 170 A, 12V, Single FT 1-2", DualPul	1.060,50
20571K	BALMAR® 281	XT-SF-170-J10	Alternator, XT Series, 170 A, 12V, Single FT 1-2", J10Pul	1.060,50
20572M	BALMAR® 281	XT-SF-170-K6	Alternator, XT Series, 170 A, 12V, Single FT 1-2", K6Pul	1.060,50
20573P	BALMAR® 281	XT-DF-170-DV	Alternator, XT Series, 170 A, 12V, Dual FT 3.15", DualPul	1.060,50
20575U	BALMAR® 281	XT-DF-170-J10	Alternator, XT Series, 170 A, 12V, Dual FT 3.15", J10Pul	1.060,50
20576W	BALMAR® 281	XT-DF-170-K6	Alternator, XT Series, 170 A, 12V, Dual FT 3.15", K6Pul	1.060,50
24844S	BALMAR® 281	XT-DF-250-J10	Alternator, XT Series, 250 A, 12V, Single FT 1-2", J10Pul	1.301,50
24932N	BALMAR® 281	XT-DF-250-DV	Alternator, XT Series, 250 A, 12V, Dual FT 3.15", DualPul	1.301,50
24933R	BALMAR® 281	XT-DF-250-K6	Alternator, XT Series, 250 A, 12V, Dual FT 3.15", K6Pul	1.301,50
24934T	BALMAR® 281	XT-SF-250-DV	Alternator, XT Series, 250 A, 12V, Single FT 1-2", DualPul	1.301,50
24935V	BALMAR® 281	XT-SF-250-J10	Alternator, XT Series, 250 A, 12V, Single FT 1-2", J10Pul	1.301,50
24936X	BALMAR® 281	XT-SF-250-K6	Alternator, XT Series, 250 A, 12V, Single FT 1-2", K6Pul	1.301,50
25328C	BALMAR® .	XT-CR-170-K6	Alternator, XT Series, 170A, 12V, DF, 3.15in, K6Pul	1.060,50
25356H	BALMAR® 281	XT-DF4-250-K6	Alternator, XT Series, 250A, 12V, DualFT, 4in, K6Pul	1.301,50
97EHD-SERIES				
20593W	BALMAR® 282	97EHD-190-24-IG	Alternator, 97EHD Series, 190 A, 24V, SaddleMT 4", DualPul	5.764,30
97XD-SERIES				
25495Y	BALMAR® 282	97XD-12-240-IG	Alternator, 97XD Series, 240A, 12V, SaddleMT, 4in, K6Pul, IsoGrd	2.335,00
25496A	BALMAR® 282	97XD-24-120-IG	Alternator, 97XD Series, 120A, 24V, SaddleMT, 4in, K6Pul, IsoGrd	2.019,70
25497C	BALMAR® 282	97XD-24-190	Alternator, 97XD Series, 190A, 24V, SaddleMT, 4in, K6Pul, CaseGrd	4.142,90
98-SERIES				
20594Y	BALMAR® 282	98-12-310-IG-BL	Alternator 98, 310 A, 12V, SaddleMT 4", DualPul, Brushless	6.211,30
20595A	BALMAR® 282	98-24-220-IG-BL	Alternator 98, 220 A, 24V, SaddleMT 4", DualPul, Brushless	6.211,30
96-SERIES				
21948N	BALMAR® 283	96-48-60-K6	Alternator, 96-Series, 60 A, 48V, dual FT 4", K6Pul	4.315,90
21949R	BALMAR® 283	96-48-60-K6-IG	Alternator, 96-Series, 60 A, 48V, dual FT 4", K6Pul	4.735,00
21950Z	BALMAR® 283	96-48-100-K8	Alternator, 96-Series, 100 A, 48V, dual FT 4", K8Pul	4.315,90
21951B	BALMAR® 283	96-48-100-K8-IG	Alternator, 96-Series, 100 A, 48V, dual FT 4", K8Pul	4.735,00
REGULATOR				
21952D	BALMAR® 283	MC-620-H	Charge controller, 12V	720,80
REGULATOR				
20480G	BALMAR® 284	MC-624-H	Regulator, MC624 Multi-stage, 24V, w/Harness	623,70
20596C	BALMAR® 284	ARS-5-H	Regulator, ARS Multi-stage, 12V, w/Harness	425,60
21931V	BALMAR® 284	MC-618-H	Regulator, Multi-stage, 12V, w/Harness	530,20
21957P	BALMAR® 284	MC-612-DUAL-H	Dual battery/alternator temp. sensor - 1,4m cable	639,30
SENSOR				
24845U	BALMAR® 284	APM-12	Alternator rotection Module, 12VDC	130,20


**UFLEX**

UFLEX® - A WORLD OF MARINE EQUIPMENT

**PRICE LIST - JULY, 2024**  
 Unit Price (Euro) (VAT excl.)

p/n	Brand	pg cat24	Model	Description	
24874B	BALMAR®	284	APM-24	Alternator rotection Module, 24VDC	144,60
25486X	BALMAR®	284	APM-48	Alternator rotection Module, 48VDC	215,50
				Accessory/Spare	
20793E	BALMAR®	285	UBB	Universal Adjustment Arm	115,70
				PULLEY	
20483N	BALMAR®	.	5552	Pulley Ø 70 mm (2.7"), Poly-V 6 nervature (22mm)	142,10
20794G	BALMAR®	.	1316	Pulley Ø 60 mm (2.4"), Poly-V 6 nervature (17mm)	89,40
20795J	BALMAR®	.	1318	Pulley Ø 50 mm (1.9"), Poly-V 6 nervature (17mm)	89,40
22803R	BALMAR®	.	48-YSP-4JH-B	Pulley Kit, Yanmar 4JH4-HTE -TE -DTE	715,60
24002P	BALMAR®	.	48-VSP-D2-A	Pulley Kit, Volvo D2-55A, B, C, D, E, F	786,60
25177H	BALMAR®	.	48-AM-200	Pulley, AltMount	220,40
25237Z	BALMAR®	.	48-AM-38	Pulley, AltMount	104,20
				REGULATOR	
20791A	BALMAR®	285	DDC-12/24	Digital Duo Charge Battery Combiner	374,20
20792C	BALMAR®	285	CFII-12/24	Twin Engine Charging Balancer	358,60
				SENSOR	
20481J	BALMAR®	285	MC-TS-A	Alternator Temperature Sensor, 1,4 m ( 54") length cable	62,10
20482L	BALMAR®	285	MC-TS-B	Battery Temperature Sensor, 6 m (20 ft) length cable	77,70
21958S	BALMAR®	285	MC-TS-B30	Battery temp. sensor - 9m cable	86,60
				GATEWAY	
25375M	BALMAR®	.	SG2-0300	Gateway, SG200, Bluetooth	96,30
				MONITOR	
21953F	BALMAR®	286	SG205	Kit battery monitor	319,80
21954H	BALMAR®	286	SG210	Kit battery monitor	480,40
21955K	BALMAR®	286	SG2-0403	Opt Smart Link cable - 5 m	95,50
21956M	BALMAR®	.	SG2-0404	Connecting cable Regulator MC-618	56,30
23070C	BALMAR®	286	SG200	SG200 Battery Monitor	400,10
24924P	BALMAR®	286	SG2-0400	Com Cable, SG200, 10m	106,00





**UFLEX**  
UFLEX® - A WORLD OF MARINE EQUIPMENT

**PRICE LIST - JULY, 2024**  
**Unit Price (Euro) (VAT excl.)**

p/n	Brand	pg cat24 Model	Description	
<b>HALYARD® Silencers &amp; exhaust systems</b>				
SILENCER				
LIFT/ MOULDED				
25405U	HALYARD® 291	<b>H025130</b>	Moulded Silencer Side In/Top Out 41mm, not Lloyds approved	<b>501,00</b>
25406W	HALYARD® 291	<b>H025131</b>	Moulded Silencer Side In/Top Out 51mm, not Lloyds approved	<b>508,00</b>
25407Y	HALYARD® 291	<b>H025855</b>	Moulded Silencer Side In/Top Out 60mm, not Lloyds approved	<b>508,00</b>
25408A	HALYARD® 291	<b>H025133</b>	Moulded Silencer Side In/Top Out 76mm, not Lloyds approved	<b>522,00</b>
25409C	HALYARD® 291	<b>H025134</b>	Moulded Silencer Top In/Top Out 51mm, not Lloyds approved	<b>507,00</b>
25410L	HALYARD® 291	<b>H025860</b>	Moulded Silencer Top In/Top Out 60mm, not Lloyds approved	<b>508,00</b>
25411N	HALYARD® 291	<b>H025135</b>	Moulded Silencer Top In/Top Out 76mm, not Lloyds approved	<b>522,00</b>
25805L	HALYARD® .	<b>H026566</b>	Moulded Silencer Top In/Top Out 89mm, not Lloyds approved	<b>638,00</b>
25804J	HALYARD® .	<b>H026567</b>	Moulded Silencer Side In/Top Out 89mm, not Lloyds approved	<b>638,00</b>
WATER SEPARATOR				
MOULDED SERIES				
66902R	HALYARD® 294	<b>MS4025</b>	For exhaust hose 40 mm int. dia. (1.62")	<b>381,00</b>
WATER SEPARATOR				
MOULDED SERIES				
65842U	HALYARD® 295	<b>MS7505</b>	Water Separator 75 mm (3")	<b>326,00</b>
66708V	HALYARD® 295	<b>MS5020</b>	Water Separator 45 mm (1 ¾")	<b>371,00</b>
66709X	HALYARD® 295	<b>MS5030</b>	Water Separator 60 mm (2 ½")	<b>371,00</b>
66710F	HALYARD® 295	<b>MS5005</b>	Water Separator 45 mm (1 ¾")	<b>142,40</b>
66711H	HALYARD® 295	<b>MS5015</b>	For exhaust hose 60 mm int. dia. (2 ½")	<b>371,00</b>
66812P	HALYARD® 295	<b>MS5010</b>	For exhaust hose 50 mm int. dia. (2")	<b>371,00</b>
66882M	HALYARD® 295	<b>MS5025</b>	Water Separator 50 mm (2")	<b>336,00</b>
66884S	HALYARD® 295	<b>MS7510</b>	90° Water Separator 75 mm (3")	<b>451,00</b>
WATER SEPARATOR				
GRP MIDSIZE				
22777T	HALYARD® 296	<b>HFS060</b>	6.0" Midsize general separator	<b>2.016,00</b>
22905Z	HALYARD® 296	<b>HFS020</b>	2.0" Midsize general separator	<b>1.311,00</b>
65568A	HALYARD® 296	<b>HFS040</b>	4.0" Midsize general separator	<b>1.534,00</b>
65843W	HALYARD® 296	<b>HFS025</b>	2.5" Midsize general separator	<b>1.379,00</b>
65844Y	HALYARD® 296	<b>HFS030</b>	3.0" Midsize general separator	<b>1.494,00</b>
65845A	HALYARD® 296	<b>HFS035</b>	3.5" Midsize general separator	<b>1.501,00</b>
69724J	HALYARD® 296	<b>HFS050</b>	5.0" Midsize general separator	<b>1.770,00</b>
WATER SEPARATOR				
GRP MID-ENGINE				
25412R	HALYARD® 297	<b>HWS030</b>	76mm Water Separator Round	<b>1.476,00</b>
65846C	HALYARD® 297	<b>HWS035</b>	3.5" Water Separator round	<b>1.508,00</b>
65847E	HALYARD® 297	<b>HWS040</b>	4.0" Water Separator round	<b>1.527,00</b>
65848G	HALYARD® 297	<b>HWS050</b>	5.0" Water Separator round	<b>1.791,00</b>
65849J	HALYARD® 297	<b>HWS060</b>	6.0" Water Separator round	<b>1.854,00</b>
SILENCER				
LIFT / GRP SIDE				
65850T	HALYARD® 298	<b>HTT005</b>	1.50" Top IN/Top OUT lift silencer	<b>659,00</b>
65852X	HALYARD® 298	<b>HTT025</b>	1.62" Top IN/Top OUT lift silencer	<b>661,00</b>
65853Z	HALYARD® 298	<b>HTT030</b>	1.62" Top IN/Top OUT lift silencer	<b>691,00</b>
65854B	HALYARD® 298	<b>HTT040</b>	1.77" Top IN/Top OUT lift silencer	<b>662,00</b>
65855D	HALYARD® 298	<b>HTT045</b>	1.77" Top IN/Top OUT lift silencer	<b>690,00</b>
65856F	HALYARD® 298	<b>HTT055</b>	2.00" Top IN/Top OUT lift silencer	<b>668,00</b>
65857H	HALYARD® 298	<b>HTT065</b>	2.00" Top IN/Top OUT lift silencer	<b>769,00</b>
65858K	HALYARD® 298	<b>HTT070</b>	2.00" Top IN/Top OUT lift silencer	<b>918,00</b>
65896U	HALYARD® 298	<b>HTT085</b>	2.38" Top IN/Top OUT lift silencer	<b>774,00</b>
65897W	HALYARD® 298	<b>HTT090</b>	2.50" Top IN/Top OUT lift silencer	<b>784,00</b>
65898Y	HALYARD® 298	<b>HTT110</b>	3.00" Top IN/Top OUT lift silencer	<b>787,00</b>
65899A	HALYARD® 298	<b>HTT115</b>	3.50" Top IN/Top OUT lift silencer	<b>939,00</b>
65900F	HALYARD® 298	<b>HTT120</b>	4.00" Top IN/Top OUT lift silencer	<b>946,00</b>
65901H	HALYARD® 298	<b>HTT125</b>	5.00" Top IN/Top OUT lift silencer	<b>1.276,00</b>
65902K	HALYARD® 298	<b>HTT130</b>	6.00" Top IN/Top OUT lift silencer	<b>1.318,00</b>
SILENCER				
LIFT / GRP SIDE				
65769L	HALYARD® 299	<b>HST110</b>	2.00" side/top lift silencer	<b>698,00</b>
65770V	HALYARD® 299	<b>HST215</b>	4.00" side/top lift silencer	<b>896,00</b>
65793H	HALYARD® 299	<b>HST210</b>	3.50" side/top lift silencer	<b>1.014,00</b>
65903M	HALYARD® 299	<b>HST005</b>	1.50" side/top lift silencer	<b>664,00</b>
65904P	HALYARD® 299	<b>HST010</b>	1.50" side/top lift silencer	<b>687,00</b>
65905S	HALYARD® 299	<b>HST025</b>	1.62" side/top lift silencer	<b>613,00</b>
65906U	HALYARD® 299	<b>HST035</b>	1.62" side/top lift silencer	<b>765,00</b>
65907W	HALYARD® 299	<b>HST055</b>	1.75" side/top lift silencer	<b>691,00</b>
65908Y	HALYARD® 299	<b>HST105</b>	2.00" side/top lift silencer	<b>693,00</b>
65909A	HALYARD® 299	<b>HST115</b>	2.00" side/top lift silencer	<b>989,00</b>
65910J	HALYARD® 299	<b>HST145</b>	2.38" side/top lift silencer	<b>992,00</b>
65911L	HALYARD® 299	<b>HST150</b>	2.38" side/top lift silencer	<b>776,00</b>
65912N	HALYARD® 299	<b>HST165</b>	2.50" side/top lift silencer	<b>782,00</b>



**UFLEX**  
UFLEX® - A WORLD OF MARINE EQUIPMENT

**PRICE LIST - JULY, 2024**  
**Unit Price (Euro) (VAT excl.)**

p/n	Brand	pg cat24 Model	Description	
65913R	HALYARD®	299 HST200	3.00" side/top lift silencer	737,00
65914T	HALYARD®	299 HST205	3.00" side/top lift silencer	842,00
65915V	HALYARD®	299 HST220	5.00" side/top lift silencer	1.277,00
65916X	HALYARD®	299 HST225	5.00" side/top lift silencer	1.072,00
65917Z	HALYARD®	299 HST230	6.00" side/top lift silencer	1.314,00
65918B	HALYARD®	299 HST235	6" in 8" out side/top lift silencer	1.377,00
65919D	HALYARD®	299 HST240	8.00" side/top lift silencer	1.758,00
SILENCER				
LIFT				
65929G	HALYARD®	300 HEE005	1.50" side/side lift silencer	577,00
65930R	HALYARD®	300 HEE010	1.62" side/side lift silencer	579,00
65931T	HALYARD®	300 HEE020	1.77" side/side lift silencer	582,00
65932V	HALYARD®	300 HEE035	2.00" side/side lift silencer	597,00
65933X	HALYARD®	300 HEE040	2.00" side/side lift silencer	727,00
65934Z	HALYARD®	300 HEE045	2.00" side/side lift silencer	587,00
65935B	HALYARD®	300 HEE060	2.38" side/side lift silencer	692,00
65936D	HALYARD®	300 HEE065	2.38" side/side lift silencer	738,00
65937F	HALYARD®	300 HEE070	2.50" side/side lift silencer	755,00
65938H	HALYARD®	300 HEE080	3.00" side/side lift silencer	762,00
65939K	HALYARD®	300 HEE090	3.50" side/side lift silencer	787,00
65940U	HALYARD®	300 HEE095	4.00" side/side lift silencer	1.065,00
65941W	HALYARD®	300 HEE100	4.50" side/side lift silencer	1.108,00
65942Y	HALYARD®	300 HEE105	5.00" side/side lift silencer	1.186,00
LIFT/ GRP ANGLE				
65920M	HALYARD®	300 HAT015	2.38" angled in lift silencer	825,00
65921P	HALYARD®	300 HAT020	3.00" angled in lift silencer	841,00
65922S	HALYARD®	300 HAT025	3.50" angled in lift silencer	1.048,00
65923U	HALYARD®	300 HAT030	3.50" angled in lift silencer	848,00
65924W	HALYARD®	300 HAT035	4.00" angled in lift silencer	1.174,00
65925Y	HALYARD®	300 HAT040	4.00" angled in lift silencer	1.052,00
65926A	HALYARD®	300 HAT043	4.50" angled in lift silencer	1.204,00
65927C	HALYARD®	300 HAT045	5.00" angled in lift silencer	1.219,00
65928E	HALYARD®	300 HAT050	6.00" angled in lift silencer	1.417,00
SILENCER				
GRP DUAL CHAMBER				
65964J	HALYARD®	301 HDC025	4.00" Dual Chamber lift silencer	1.984,00
65965L	HALYARD®	301 HDC035	5.00" Dual Chamber lift silencer	2.164,00
65966N	HALYARD®	301 HDC040	5" in 6" out Dual Chamber lift silencer	2.249,00
65967R	HALYARD®	301 HDC045	6.00" Dual Chamber lift silencer	2.281,00
65968T	HALYARD®	301 HDC050	6" in 8" out Dual Chamber lift silencer	2.359,00
65969V	HALYARD®	301 HDC055	8" Dual Chamber lift silencer	3.162,00
65970D	HALYARD®	301 HDC060	8" Dual Chamber lift silencer	3.744,00
65971F	HALYARD®	301 HDC065	10.00" In-line oval silencer	3.975,00
65972H	HALYARD®	301 HDC070	12.00" In-line oval silencer	4.092,00
GRP OVAL BODY				
65956K	HALYARD®	301 HILO005	5.00" In-line oval silencer	2.009,00
65957M	HALYARD®	301 HILO006	5" in 6" out In-line oval silencer	2.077,00
65958P	HALYARD®	301 HILO010	6.00" In-line oval silencer	2.071,00
65959S	HALYARD®	301 HILO012	6" in 8" out In-line oval silencer	2.757,00
65960A	HALYARD®	301 HILO015	8.00" In-line oval silencer	2.809,00
65961C	HALYARD®	301 HILO016	8" in 10" out In-line oval silencer	3.063,00
65962E	HALYARD®	301 HILO020	3.00" In-line oval silencer	4.055,00
GRP ROUND BODY				
65943A	HALYARD®	301 HILR003	2.38" In-line round silencer	872,00
65944C	HALYARD®	301 HILR005	3.00" In-line round silencer	998,00
65945E	HALYARD®	301 HILR010	3.50" In-line round silencer	1.039,00
65946G	HALYARD®	301 HILR015	4.00" In-line round silencer	1.342,00
65947J	HALYARD®	301 HILR020	4.50" In-line round silencer	1.411,00
65948L	HALYARD®	301 HILR025	5.00" In-line round silencer	1.442,00
65949N	HALYARD®	301 HILR030	5" in 6" out In-line round silencer	1.858,00
65950X	HALYARD®	301 HILR035	6.00" In-line round silencer	1.807,00
65951Z	HALYARD®	301 HILR040	6" in 8" out In-line round silencer	2.452,00
65952B	HALYARD®	301 HILR045	8.00" In-line round silencer	2.526,00
65954F	HALYARD®	301 HILR050	10" In-line round silencer	3.079,00
65955H	HALYARD®	301 HILR055	12" In-line round silencer	3.703,00
HOSE CLAMP				
STAINLESS STEEL				
21829E	HALYARD®	302 HCSS4751	Hose Clamp 47-51mm W4 S/S	14,00
23291V	HALYARD®	302 HCSS7985	Hose Clamp 79-85mm W4 S/S	21,00
24904H	HALYARD®	302 HCSS211227	Hose Clamp 211-227mm	23,00
24922K	HALYARD®	302 HCSS262278	Hose Clamp 262-278mm	25,00
24937Z	HALYARD®	302 HCSS5559	Hose Clamp 55-59mm W4 S/S	14,00
24938B	HALYARD®	302 HCSS6873	Hose Clamp 68-73mm W4 S/S	20,00
24939D	HALYARD®	302 HCSS126134	Hose Clamp 126-134mm	21,00



**UFLEX**  
UFLEX® - A WORLD OF MARINE EQUIPMENT

**PRICE LIST - JULY, 2024**  
**Unit Price (Euro) (VAT excl.)**

p/n	Brand	pg cat24 Model	Description	
24940M	HALYARD®	302 HCSS159167	Hose Clamp 159-167mm	31,00
24941P	HALYARD®	302 HCSS316332	Hose Clamp 316-332mm	30,00
25196M	HALYARD®	. HCSS165173	Hose Clamp 165 - 173mm	22,00
68207G	HALYARD®	302 HCSS97104	Hose Clamp 97-104mm W4 S/S EXHAUST FLEXIBLE BELLOW	23,00
21713J	HALYARD®	. CB2355	Double Silicon Bellow Ø int. 356 mm, 400mm long	1.290,00
25413T	HALYARD®	303 CB1051	Silicon Bellow Ø int. 51 mm	186,00
66618U	HALYARD®	. CB2152	Double Silicon Bellow Ø int. 152 mm, 350mm long	576,00
67075L	HALYARD®	303 CB1127	Silicon Bellow Ø int. 76 mm	321,00
67076N	HALYARD®	303 CB1152	Silicon Bellow Ø int. 76 mm	357,00
67336N	HALYARD®	303 CB1102	Silicon Bellow Ø int. 102 mm	297,00
67515N	HALYARD®	303 CB1076	Silicon Bellow Ø int. 76 mm	221,00
67516R	HALYARD®	303 CB1090	Silicon Bellow Ø int. 90 mm	214,00
67517T	HALYARD®	303 CB1203	Silicon Bellow Ø int. 203 mm	422,00
67518V	HALYARD®	303 CB1254	Silicon Bellow Ø int. 254 mm	491,00
67520F	HALYARD®	303 CB2305	Double Silicon Bellow Ø int. 305 mm, 350mm long	1.029,00
25777J	HALYARD®	. CB2127	Double Silicon Bellow Ø int. 127 mm, 360mm long EXHAUST HOSE GRP	513,00
25517F	HALYARD®	. HT010	GRP Exhaust Hose int. Ø 38 mm (1,5") - 1,2m	109,00
66103H	HALYARD®	. HT055	GRP Exhaust Hose int. Ø 76 mm (3") - 3m	329,00
68051B	HALYARD®	. HT030 (1m)	GRP Exhaust Hose int. Ø 51 mm (2") - 1m	83,00
68052D	HALYARD®	. HT065 (1m)	GRP Exhaust Hose int. Ø 102 mm (4") - 1m SILICONE	139,00
21809Y	HALYARD®	303 SS152	Silicone Exhaust Hose int. Ø 152 mm (6") - per metre	789,00
24889R	HALYARD®	303 SS203	Silicone Exhaust Hose int. Ø 203 mm (8") - per metre	1.088,00
24890Z	HALYARD®	303 SS254	Silicone Exhaust Hose int. Ø 254 mm (10") - per metre	1.215,00
24978P	HALYARD®	303 SS38	Silicone Exhaust Hose int. Ø 38 mm (1,5") - per metre	497,00
24979S	HALYARD®	303 SS41	Silicone Exhaust Hose int. Ø 41 mm (1,6") - per metre	502,00
24980A	HALYARD®	303 SS44	Silicone Exhaust Hose int. Ø 45 mm (1,8") - per metre	507,00
24981C	HALYARD®	303 SS51	Silicone Exhaust Hose int. Ø 51 mm (2") - per metre	518,00
24982E	HALYARD®	303 SS60	Silicone Exhaust Hose int. Ø 60 mm (2,3") - per metre	533,00
24984J	HALYARD®	303 SS76	Silicone Exhaust Hose int. Ø 76 mm (3") - per metre	560,00
24985L	HALYARD®	303 SS89	Silicone Exhaust Hose int. Ø 89 mm (3,5") - per metre	582,00
24986N	HALYARD®	303 SS102	Silicone Exhaust Hose int. Ø 102 mm (4") - per metre	685,00
66665D	HALYARD®	303 SS63	Silicone Exhaust Hose int. Ø 63,5 mm (2,5") - per metre	538,00
69418B	HALYARD®	303 SS127	Silicone Exhaust Hose int. Ø 127 mm (5") - per metre STANDARD	737,00
21959U	HALYARD®	303 2HS32	Nitrile exhaust hose - Lloyds approved - int. Ø 32 mm - per metre	52,00
66239K	HALYARD®	303 2HS51	Supreme Exhaust Hose int. Ø 51 mm - per metre	76,00
66240U	HALYARD®	303 2HS127	Supreme Exhaust Hose int. Ø 127 mm - per metre	146,00
66342C	HALYARD®	303 2HS38	Supreme Exhaust Hose int. Ø 38 mm - per metre	56,00
66343E	HALYARD®	303 2HS41	Supreme Exhaust Hose int. Ø 40 mm - per metre	60,00
66344G	HALYARD®	303 2HS44	Supreme Exhaust Hose int. Ø 44 mm - per metre	69,00
66345J	HALYARD®	303 2HS60	Supreme Exhaust Hose int. Ø 60 mm - per metre	88,00
66346L	HALYARD®	303 2HS63	Supreme Exhaust Hose int. Ø 63,5 mm - per metre	90,00
66347N	HALYARD®	303 2HS76	Supreme Exhaust Hose int. Ø 76 mm - per metre	104,00
66348R	HALYARD®	303 2HS89	Supreme Exhaust Hose int. Ø 89 mm - per metre	114,00
66349T	HALYARD®	303 2HS102	Supreme Exhaust Hose int. Ø 102 mm - per metre	128,00
66351D	HALYARD®	303 2HS152	Supreme Exhaust Hose int. Ø 152 mm - per metre ULTRA FLEXIBLE	181,00
21962G	HALYARD®	. HFX203	Nitrile exhaust hose - Lloyds approved - int. Ø 203 mm - per metre Accessory/Spare	417,00
22084J	HALYARD®	. HJ060	89mm OD x 250mm Connector GRP ADAPTOR GRP	60,00
25275H	HALYARD®	. HA095	127mm to 152mm GRP Adaptor	346,00
25737W	HALYARD®	. HA055	76mm to 89mm Adaptor GRP BEND	224,00
66367V	HALYARD®	. CBR450065	FLEXIBLE 45° EPDM 45° EPDM Bend Ø int. 127 mm	423,00
65795M	HALYARD®	. CBR90060	FLEXIBLE 90° EPDM 90° EPDM Bend Ø int. 102 mm	366,00
66117V	HALYARD®	. CBR90065	90° EPDM Bend Ø int. 127 mm FLEXIBLE 90° SILICONE	428,00
25292H	HALYARD®	. CB90075	90° Silicone Bend Ø int. 203 mm GRP 180°	1.385,00
21172A	HALYARD®	304 H45050	45° GRP Bend Ø int. 76 mm	157,00
21173C	HALYARD®	304 H180050	180° GRP Bend Ø int. 76 mm	324,00
21352C	HALYARD®	304 H45080	45° GRP Bend Ø int. 203 mm	429,00
21696M	HALYARD®	304 H45060	45° GRP Bend Ø int. 102 mm	177,00
21697P	HALYARD®	304 H45070	45° GRP Bend Ø int. 127 mm	241,00
21698S	HALYARD®	304 H90060	90° GRP Bend Ø int. 102 mm	257,00
21699U	HALYARD®	304 H180060	180° GRP Bend Ø int. 102 mm	372,00



**UFLEX**  
UFLEX® - A WORLD OF MARINE EQUIPMENT

**PRICE LIST - JULY, 2024**  
**Unit Price (Euro) (VAT excl.)**

p/n	Brand	pg cat24 Model	Description	
21700Z	HALYARD® 304	<b>H180075</b>	180° GRP Bend Ø int. 152 mm	<b>547,00</b>
22085L	HALYARD® .	<b>H180060</b>	45° GRP Bend Ø int. 89 mm	<b>372,00</b>
65711C	HALYARD® 304	<b>H45075</b>	45° GRP Bend Ø int. 152 mm	<b>269,00</b>
66123P	HALYARD® 304	<b>H90075</b>	90° GRP Bend Ø int. 152 mm	<b>374,00</b>
66624N	HALYARD® 304	<b>H90070</b>	90° GRP Bend Ø int. 127 mm	<b>333,00</b>
67210P	HALYARD® 304	<b>H90050</b>	90° GRP Bend Ø int. 76 mm	<b>227,00</b>
68450S	HALYARD® 304	<b>H90055</b>	90° GRP Bend Ø int. 89 mm	<b>245,00</b>
			<b>EXHAUST THROUGH HULL</b>	
66684H	HALYARD® 305	<b>HF030</b>	Exhaust Thru-Hull Flapper Ø 152 mm (6.0")	<b>1.300,00</b>
66685K	HALYARD® 305	<b>HF025</b>	Exhaust Thru-Hull Flapper Ø 127 mm (5.0")	<b>1.247,00</b>
66885U	HALYARD® 305	<b>HF004</b>	Exhaust Thru-Hull Flapper Ø 45 mm (1.75")	<b>599,00</b>
66886W	HALYARD® 305	<b>HF005</b>	Exhaust Thru-Hull Flapper Ø 51 mm (2.0")	<b>624,00</b>
66887Y	HALYARD® 305	<b>HF006</b>	Exhaust Thru-Hull Flapper Ø 60 mm (2.38")	<b>637,00</b>
66890L	HALYARD® 305	<b>HF010</b>	Exhaust Thru-Hull Flapper Ø 76 mm (3.0")	<b>701,00</b>
66891N	HALYARD® 305	<b>HF015</b>	Exhaust Thru-Hull Flapper Ø 90 mm (3.5")	<b>825,00</b>
66892R	HALYARD® 305	<b>HF020</b>	Exhaust Thru-Hull Flapper Ø 102 mm (4.0")	<b>1.016,00</b>
66893T	HALYARD® 305	<b>HF035</b>	Exhaust Thru-Hull Flapper Ø 203 mm (8.0")	<b>1.473,00</b>
			<b>NOISE INSULATION MATERIAL</b>	
25414V	HALYARD® 308	<b>S3019</b>	Halcoustic 25mm (1") 2.4 sq metre Packs	<b>231,00</b>
25415X	HALYARD® 308	<b>S5019</b>	Halcoustic 25mm (1") 2.4 sq metre Packs - self adhesive	<b>216,00</b>
66383T	HALYARD® 308	<b>S3002</b>	12 mm (1/2") Maritex faced material - total 2,4sqm	<b>278,00</b>
66384V	HALYARD® 308	<b>S3004</b>	12 mm (1/2") Sealglass faced material - total 2,4sqm	<b>256,00</b>
66385X	HALYARD® 308	<b>S3003</b>	12 mm (1/2") Re-inforced silver polyester - total 2,4sqm	<b>242,00</b>
66386Z	HALYARD® 308	<b>S5002</b>	12 mm (1/2") Maritex faced material - total 2,4sqm - self adhesive	<b>325,00</b>
66387B	HALYARD® 308	<b>S5004</b>	12 mm (1/2") Sealglass faced material - total 2,4sqm - self adhesive	<b>305,00</b>
66388D	HALYARD® 308	<b>S5003</b>	12 mm (1/2") Re-inforced silver polyester - total 2,4sqm, self adhesive	<b>293,00</b>
			<b>NOISE INSULATION MATERIAL</b>	
21964L	HALYARD® 309	<b>S4026A</b>	50m x 50mm (164"x2") Maritex tape	<b>116,00</b>
66007M	HALYARD® 309	<b>S3017</b>	32 mm (1 1/2") Maritex faced material - total 2,4sqm	<b>374,00</b>
66008P	HALYARD® 309	<b>S4025</b>	5m x 50mm (16"x2") Maritex tape	<b>37,00</b>
66389F	HALYARD® 309	<b>S3015</b>	32 mm (1 1/2") Sealglass faced material - total 2,4sqm	<b>351,00</b>
66390P	HALYARD® 309	<b>S3016</b>	32 mm (1 1/2") Re-inforced silver polyester - total 2,4sqm	<b>321,00</b>
66391S	HALYARD® 309	<b>S5017</b>	32 mm (1 1/2") Maritex faced material - total 2,4sqm - self adhesive	<b>420,00</b>
66392U	HALYARD® 309	<b>S5015</b>	32 mm (1 1/2") Sealglass faced material - total 2,4sqm - self adhesive	<b>396,00</b>
66393W	HALYARD® 309	<b>S5016</b>	32 mm (1 1/2") Re-inforced silver polyester - total 2,4sqm, self adhesive	<b>370,00</b>
66394Y	HALYARD® 309	<b>S3039</b>	45 mm (1 3/4") Maritex faced material - total 1,2sqm	<b>293,00</b>
66395A	HALYARD® 309	<b>S3037</b>	45 mm (1 3/4") Sealglass faced material - total 1,2sqm	<b>271,00</b>
66396C	HALYARD® 309	<b>S3038</b>	45 mm (1 3/4") Re-inforced silver polyester - total 1,2sqm	<b>247,00</b>
66397E	HALYARD® 309	<b>S5039</b>	45 mm (1 3/4") Maritex faced material - total 1,2sqm - self adhesive	<b>310,00</b>
66398G	HALYARD® 309	<b>S5037</b>	45 mm (1 3/4") Sealglass faced material - total 1,2sqm - self adhesive	<b>299,00</b>
66399J	HALYARD® 309	<b>S5038</b>	45 mm (1 3/4") Re-inforced silver polyester - total 1,2sqm, self adhesive	<b>267,00</b>
66400P	HALYARD® 309	<b>S4025A</b>	20m x 50mm (65"x2") Sealglass tape	<b>119,00</b>
66402U	HALYARD® 309	<b>S4036</b>	50m x 50mm (164"x2") Re-inforced silver polyester tape	<b>21,00</b>
			<b>TEMPERATURE EXHAUST ALERT SYSTEM</b>	
21853B	HALYARD® .	<b>H000445</b>	Twin Engine Helm Display	<b>109,50</b>
23964X	HALYARD® 310	<b>AS125</b>	Single engine, single station with removable sensor and 16m cable	<b>771,00</b>
23966B	HALYARD® 310	<b>AS145</b>	Single engine, dual station with removable sensors and 16m cable	<b>1.086,00</b>
23968F	HALYARD® 310	<b>AS225</b>	Twin engine, single station with removable sensor and 16m cable	<b>1.155,00</b>
23970S	HALYARD® 310	<b>AS245</b>	Twin engine, dual station with removable sensors and 16m cable	<b>1.469,00</b>



**UFLEX**  
UFLEX® - A WORLD OF MARINE EQUIPMENT

**PRICE LIST - JULY, 2024**  
**Unit Price (Euro) (VAT excl.)**

p/n	Brand	pg cat24 Model	Description	
<b>VELAIR® Marine air conditioning systems</b>				
<b>COMPACT SERIES</b>				
20379UW	VELAIR® 313	<b>Compact 7 WIFI</b>	Capacity: 7000 BTU/h - Surface Control Panel included	<b>2.290,00</b>
<b>VSD COMPACT SERIES</b>				
24765WW	VELAIR® 314	<b>Compact i21 VSD new</b>	Range: 7000-21000 BTU/h - Thermostat with WiFi included, 230V	<b>4.298,00</b>
24831GU	VELAIR® 314	<b>Compact i10 VSD SMART</b>	Range: 4000-10000 BTU/h - Thermostat with WiFi included - 115V	<b>3.553,00</b>
24831GW	VELAIR® 314	<b>Compact i10 VSD SMART</b>	Range: 4000-10000 BTU/h - Thermostat with WiFi included - 230V	<b>3.553,00</b>
24832JU	VELAIR® 314	<b>Compact i16 VSD SMART</b>	Range: 6500-16000 BTU/h - Thermostat with WiFi included - 115V	<b>3.854,00</b>
24832JW	VELAIR® 314	<b>Compact i16 VSD SMART</b>	Range: 6500-16000 BTU/h - Thermostat with WiFi included - 230V	<b>3.854,00</b>
69750KU	VELAIR® .	<b>Compact i16 VSD</b>	Range: 6000-16000 BTU/h - Thermostat with WiFi included - 115V	<b>3.546,00</b>
69752PU	VELAIR® .	<b>Compact i10 VSD</b>	Range: 4000-10000 BTU/h - Thermostat with WiFi included - 115V	<b>3.266,00</b>
69752PW	VELAIR® .	<b>Compact i10 VSD</b>	Range: 4000-10000 BTU/h - Thermostat with WiFi included, 230V	<b>3.195,00</b>
<b>VSD CHILLER</b>				
69338D	VELAIR® 316	<b>Chiller i42 VSD</b>	Capacity range: 18.000 - 42.000 BTU/h	<b>8.415,00</b>
69339F	VELAIR® 316	<b>Chiller i62 VSD</b>	Capacity range: 30.000 - 62.000 BTU/h	<b>10.251,00</b>
<b>Accessory/Spare</b>				
24600L	VELAIR® 317	<b>VFC-DSP</b>	Digital Thermostat for Fancoil room temperature	<b>248,50</b>
<b>FANCOIL SERIES</b>				
23398P	VELAIR® 317	<b>V5</b>	Cooling Capacity: 5000 BTU/h	<b>972,40</b>
23399S	VELAIR® 317	<b>V12</b>	Cooling Capacity: 12000 BTU/h	<b>1.090,30</b>
23729L	VELAIR® 317	<b>V20</b>	Cooling Capacity: 20000 BTU/h	<b>1.827,00</b>
<b>CENTRIFUGAL PUMP</b>				
<b>SEAWATER</b>				
25021Z	VELAIR® .	<b>PMD-371 3/4</b>	Seawater centrifugal Pump 25 l/min (5.5 GPM), M 3/4" conn.	<b>298,40</b>
63570A	VELAIR® 318	<b>PMD-371</b>	Seawater centrifugal Pump 25 l/min (5.5 GPM), 17mm conn.	<b>286,30</b>
69696G	VELAIR® 318	<b>PMD-421</b>	Seawater centrifugal Pump 35 l/min (9.2 GPM) - 3/4" thread	<b>411,10</b>
69886M	VELAIR® 318	<b>PMD-221</b>	Seawater centrifugal Pump 15 l/min (4.0 GPM) - 3/4" thread	<b>264,90</b>
<b>SELF PRIMING PUMP</b>				
<b>SEAWATER</b>				
20345A	VELAIR® 318	<b>PMD-1521GPG2</b>	Self Priming Seawater Pump 5-20 l/min (1.3-9.0 GPM)	<b>609,00</b>
20349J	VELAIR® 318	<b>PMD-641</b>	Self Priming Seawater Pump 5-20 l/min (1.3-9.0 GPM)	<b>499,40</b>
63799K	VELAIR® 318	<b>5513-1E01</b>	Self Priming Seawater Pump 5-20 l/min (1.3-9.0 GPM)	<b>371,50</b>
<b>SEAWATER PUMP</b>				
22746F	VELAIR® 319	<b>PM500</b>	Seawater centrifugal Pump 32 l/min (8.5 GPM) - 115V/60Hz	<b>665,70</b>
23042X	VELAIR® 319	<b>PM1000</b>	Seawater centrifugal Pump 65 l/min (17.0 GPM)	<b>716,20</b>
<b>Accessory/Spare</b>				
20346C	VELAIR® 320	.	Manifold 3/4"Mx3/4"F with 3 outlets sphere valve	<b>17,70</b>
23988M	VELAIR® 320	<b>Kit Temp Sensor</b>	Retrofit temperature kit with sensor and 10 m cable	<b>87,50</b>
24646M	VELAIR® 320	.	Sea water intake 3/4"	<b>16,70</b>
24647P	VELAIR® 320	.	Scupper 1"	<b>37,60</b>
24684W	VELAIR® 320	<b>BH KIT-3/4</b>	3/4" Bulkhead Kit	<b>215,60</b>
69431T	VELAIR® 320	.	Sea water intake 1/2"	<b>25,00</b>
69469V	VELAIR® 320	.	Sea water intake 1"	<b>37,90</b>
69475P	VELAIR® 320	<b>BH KIT-1/2</b>	1/2" Bulkhead Kit	<b>158,10</b>
69488Z	VELAIR® 320	<b>BH KIT-1</b>	1" Bulkhead Kit	<b>207,50</b>
69646R	VELAIR® 320	.	Scupper 3/4"	<b>26,40</b>
<b>HOSE</b>				
69532Z	VELAIR® 320	<b>Hose 16</b>	16 mm int. Ø Transparent Reinforced Hose - per meter	<b>4,10</b>
69645N	VELAIR® 320	<b>Hose 20</b>	20 mm int. Ø Transparent Reinforced Hose - per meter	<b>5,60</b>
<b>RELAY BOX</b>				
23391ZV	VELAIR® 320	.	Relay box 1 pump /2 units 230 V	<b>217,80</b>
23392BV	VELAIR® 320	.	Relay box 1 pump /3-6 units 230 V	<b>340,00</b>
23415LV	VELAIR® 320	.	Relay box 1 pump /2 units 115V	<b>252,90</b>
23416NV	VELAIR® 320	.	Relay box 1 pump /3-6 units 115 V	<b>425,40</b>
<b>Accessory/Spare</b>				
20348G	VELAIR® 321	.	Cap for manifold 3/4"- male	<b>3,50</b>
20450X	VELAIR® 321	.	Pressure Gauge	<b>22,70</b>
20473K	VELAIR® 321	.	Hose adaptor 1" 25mm	<b>6,30</b>
21304R	VELAIR® 321	.	Cap for manifold 3/4"- female	<b>2,40</b>
21354G	VELAIR® 321	.	Valve 1/2"	<b>16,70</b>
21355J	VELAIR® 321	.	Hose adaptor 1/2" 20mm	<b>3,80</b>
24648S	VELAIR® 321	.	Valve 3/4"	<b>22,00</b>
24649U	VELAIR® 321	.	Filter 3/4"	<b>129,20</b>
24650C	VELAIR® 321	.	Tee 1"	<b>13,20</b>
24651E	VELAIR® 321	.	Tee 3/4"	<b>8,70</b>
24653J	VELAIR® 321	.	Hose adaptor 3/4" 25mm	<b>5,50</b>
24654L	VELAIR® 321	.	Hose adaptor 3/4" 20mm	<b>4,90</b>
24655N	VELAIR® 321	.	Hose adaptor 3/4" 16mm	<b>4,60</b>
24658V	VELAIR® 321	.	Hose adaptor 3/4" 16mm	<b>5,20</b>
24659X	VELAIR® 321	.	Hose adaptor 1/2" 20mm	<b>4,00</b>
24660F	VELAIR® 321	.	Hose adaptor 1/2" 16mm	<b>4,00</b>
24661H	VELAIR® 321	.	Dual nipple 3/4"	<b>4,20</b>
24662K	VELAIR® 321	.	Dual nipple 1/2"	<b>3,00</b>



**UFLEX**  
UFLEX® - A WORLD OF MARINE EQUIPMENT

**PRICE LIST - JULY, 2024**  
**Unit Price (Euro) (VAT excl.)**

p/n	Brand	pg cat24	Model	Description	
24663M	VELAIR®	321	.	Reduced dual nipple 1 1/4" to 1"	7,80
24664P	VELAIR®	321	.	Reduced dual nipple 1" to 3/4"	4,70
24665S	VELAIR®	321	.	Reduced dual nipple 1" to 1/2"	5,60
24667W	VELAIR®	321	.	Expansion chamber 5 liters	84,50
24668Y	VELAIR®	321	.	Manifold 1" 2 ways	23,90
24669A	VELAIR®	321	.	Manifold 1" 3 ways	65,30
24670J	VELAIR®	321	.	Cap 1"	5,60
24671L	VELAIR®	321	.	Cap 1"	5,70
24674T	VELAIR®	321	.	Deaerator	371,30
62202N	VELAIR®	.	HA4P	Adapter 100mm	30,10
62203R	VELAIR®	.	HA5	Adapter 125mm	18,80
69430R	VELAIR®	321	.	Hose adaptor 1/2" 16mm	3,90
69433X	VELAIR®	321	.	Filter 1/2"	129,20
69468T	VELAIR®	321	.	Hose adaptor 1" 20mm	7,40
69470D	VELAIR®	321	.	Filter 1"	143,50
69471F	VELAIR®	321	.	Valve 1"	31,00
69472H	VELAIR®	321	.	Dual nipple 1"	5,90
69474M	VELAIR®	321	.	Hose adaptor 3/4" 20mm	5,50
69638S	VELAIR®	321	.	Hose adaptor 1" 25mm	6,90
69733K	VELAIR®	321	.	Reduced dual nipple 1" to 1/2"	4,10
				<b>EXPANSION TANK</b>	
24007A	VELAIR®	321	.	Expansion chamber 8 liters	206,50
				<b>HOSE</b>	
24681PM	VELAIR®	321	.	insulated hose fresh water-glycole DNi 16 - per meter	29,80
24682SM	VELAIR®	321	.	insulated hose fresh water-glycole DNi 25 - per meter	36,40
24693XM	VELAIR®	321	.	insulated hose fresh water-glycole Dni 20 - per meter	32,70
				<b>Accessory/Spare</b>	
25566V	VELAIR®	.	.	Air restrictor 125/100	24,40
25567X	VELAIR®	.	.	Female air connection 125	36,50
25573S	VELAIR®	.	.	Air restrictor 100/80	19,90
25574U	VELAIR®	.	.	Air restrictor 125/80	24,40
25575W	VELAIR®	.	.	Air restrictor 150/125	24,40
25576Y	VELAIR®	.	.	Air restrictor 150/100	24,40
25577A	VELAIR®	.	.	Air restrictor 150/80	24,40
25580N	VELAIR®	.	.	Female air connection 100	33,10
25581R	VELAIR®	.	.	Female air connection 150	45,90
				<b>DIVIDER</b>	
25564R	VELAIR®	.	.	Y Divider mm 125IN - 125/125 OUT	111,30
25565T	VELAIR®	.	.	T Divider mm 125IN - 125/125 OUT	166,90
25569B	VELAIR®	.	.	Y Divider mm 100IN - 100/100 OUT	95,60
25570K	VELAIR®	.	.	Y Divider mm 150IN - 150/150 OUT	121,70
25571M	VELAIR®	.	.	T Divider mm 100IN - 100/100 OUT	149,50
25572P	VELAIR®	.	.	T Divider mm 150IN - 150/150 OUT	194,70
62226D	VELAIR®	322	HT544	Divider T, 125 mm (5") Inlet - 100/100 (4",4") Outlets	180,70
62227F	VELAIR®	322	HT655	Divider T, 150 mm (6") Inlet - 125/125 (5",5") Outlets	180,70
62419R	VELAIR®	322	AT444	T Adapter mm 100IN - 100/100 OUT	180,70
62420Z	VELAIR®	322	AT544	T Adapter mm 125IN - 100/100 OUT	180,70
62421B	VELAIR®	322	AT554	T Adapter mm 125IN - 125/100 OUT	180,70
62422D	VELAIR®	322	AT555	T Adapter mm 125IN - 125/125 OUT	180,70
62423F	VELAIR®	322	AT654	T Adapter mm 150IN - 125/100 OUT	180,70
62424H	VELAIR®	322	AY444	Y Adapter mm 100IN - 100/100 OUT	180,70
62425K	VELAIR®	322	AY544	Y Adapter mm 125IN - 100/100 OUT	180,70
62426M	VELAIR®	322	AY554	Y Adapter mm 125IN - 125/100 OUT	180,70
62427P	VELAIR®	322	AY555	Y Adapter mm 125IN - 125/125 OUT	180,70
62428S	VELAIR®	322	AY654	Y Adapter mm 150IN - 125/100 OUT	180,70
62875U	VELAIR®	322	AY644	Y Adapter mm 150IN - 100/100 OUT	180,70
63107A	VELAIR®	322	HT644	Divider T, 150 mm (6") Inlet - 100/100 (4",4") Outlets	180,70
63546D	VELAIR®	322	AY655	Y Adapter mm 150IN - 125/125 OUT	180,70
63899P	VELAIR®	322	AT644	T Adapter mm 150IN - 100/100 OUT	180,70
63904D	VELAIR®	322	HT554	Divider T, 125 mm (5") Inlet - 125/100 (5",4") Outlets	180,70
63905F	VELAIR®	322	HT555	Divider T, 125 mm (5") Inlet - 125/125 (5",5") Outlets	180,70
63906H	VELAIR®	322	HT654	Divider T, 150 mm (6") Inlet - 125/100 (5",4") Outlets	180,70
63907K	VELAIR®	322	HT665	Divider T, 150 mm (6") Inlet - 150/125 (6",5") Outlets	180,70
63908M	VELAIR®	322	HT666	Divider T, 150 mm (6") Inlet - 150/150 (6",6") Outlets	180,70
				<b>Accessory/Spare</b>	
61651P	VELAIR®	323	HR3	Hose Ring, round 80 mm (3")	41,80
62204T	VELAIR®	323	.	Hose Ring, round 100 mm (4")	27,90
62205V	VELAIR®	323	HR5	Hose Ring, round 125 mm (5")	30,10
62206X	VELAIR®	323	HRO4	Hose Ring, oval 100 mm (4")	27,50
62207Z	VELAIR®	323	HRO5	Hose Ring, oval 125 mm (5")	30,10
62208B	VELAIR®	323	HRO6	Hose Ring, oval 150 mm (6")	32,70
63912C	VELAIR®	323	HR6	Hose Ring, round 150 mm (6")	32,70
				<b>DIVIDER</b>	
61344O	VELAIR®	323	HY664	Divider Y, 150 mm (6") Inlet - 150/100 (6",4") Outlets	180,70



**UFLEX**  
UFLEX® - A WORLD OF MARINE EQUIPMENT

**PRICE LIST - JULY, 2024**  
**Unit Price (Euro) (VAT excl.)**

p/n	Brand	pg cat24	Model	Description	
62220R	VELAIR®	323	HY544	Divider Y, 125 mm (5") Inlet - 100/100 (4",4") Outlets	180,70
62221T	VELAIR®	323	HY554	Divider Y, 125 mm (5") Inlet - 125/100 (5",4") Outlets	180,70
62222V	VELAIR®	323	HY644	Divider Y, 150 mm (6") Inlet - 100/100 (4",4") Outlets	180,70
62223X	VELAIR®	323	HY654	Divider Y, 150 mm (6") Inlet - 125/100 (5",4") Outlets	180,70
63910Y	VELAIR®	323	HY555	Divider Y, 125 mm (5") Inlet - 125/125 (5",5") Outlets	180,70
				PLENUM	
61331J	VELAIR®	323	TB-12X04	Transition Box 300x100 mm (12x4")	87,60
62216A	VELAIR®	323	TB-06x04	Transition Box 150x100 mm (6x4")	70,60
62217C	VELAIR®	323	TB-08x04	Transition Box 200x100 mm (8x4")	70,60
62218E	VELAIR®	323	TB-10x04	Transition Box 250x100 mm (10x4")	70,60
62531J	VELAIR®	323	TB-08x06	Transition Box 200x150 mm (8x6")	70,60
62555Z	VELAIR®	323	TB-08x08	Transition Box 200x200 mm (8x8")	64,20
62576H	VELAIR®	323	TB-10x06	Transition Box 250x150 mm (10x6")	87,60
63918R	VELAIR®	323	TB-16X04	Transition Box 400x100 mm (16x4")	87,60
64252R	VELAIR®	323	TB-04x04-040B	Transition Box 100x100 mm (4x4"), 100 (4") ring back	64,10
64253T	VELAIR®	323	TB-06x04-040B	Transition Box 150x100 mm (6x4"), 100 (4") ring back	70,60
64254V	VELAIR®	323	TB-08x04-040B	Transition Box 200x100 mm (8x4"), 100 (4") ring back	70,60
64255X	VELAIR®	323	TB-08x04-050B	Transition Box 200x100 mm (8x4"), 125 (5") ring back	70,60
64256Z	VELAIR®	323	TB-10x04-050B	Transition Box 250x100 mm (10x4"), 125 (5") ring back	92,90
69534D	VELAIR®	323	TB-04x04	Transition Box 100x100 mm (4"x4")	24,80
				Accessory/Spare	
20471F	VELAIR®	324	KN-636	Reinforced aluminum tape - h 50mm	21,90
20648V	VELAIR®	324	.	Round Damper Vent Adaptor 5" to 4"	16,60
69616F	VELAIR®	324	RR3-4R	Round Damper Vent Adaptor 3" to 4"	21,00
				GRILL	
21213M	VELAIR®	324	.	75 mm (3") Lockable Round Damper Vent , Off, black	66,80
25467T	VELAIR®	324	.	100 mm (4") Round Damper Vent , Off, black	17,30
25468V	VELAIR®	324	.	100 mm (4") Round Damper Vent , Off, white	17,30
62209D	VELAIR®	.	RND DAMP4" B	100 mm (4") Round Damper Vent , Off, black	45,20
62210M	VELAIR®	.	RND DAMP4" W	100 mm (4") Round Damper Vent , Off, white	45,20
69428E	VELAIR®	324	9751-060-01 W	100 mm (4") Round Grille , white	7,70
69615D	VELAIR®	324	3GL-W3	76 mm (3") Round Damper Vent , Off, white - Global Style	78,60
				HOSE	
600116SS	VELAIR®	324	T I.26-82	80 mm (3") int.Ø,insulated, flexible duct - 10m	122,90
67112PP	VELAIR®	324	T I.26-102	100 mm (4") int.Ø, insulated, flexible duct - 10m	108,50
67113SS	VELAIR®	324	T I.26-152	150 mm (6") int.Ø, insulated, flexible duct - 10m	141,10
69139XX	VELAIR®	324	T I.26-127	125 mm (5") int.Ø, insulated, flexible duct - 10m	126,10
				PLENUM	
61336O	VELAIR®	324	TB-12x04-05OS	Transition Box 300x100 mm (12x4"), 100 (4") ring side	99,40
64257B	VELAIR®	324	TB-08x04-04OS	Transition Box 200x100 mm (8x4"), 100 (4") ring side	99,40
64258D	VELAIR®	324	TB-08x04-05OS	Transition Box 200x100 mm (8x4"), 125 (5") ring side	99,40
64259F	VELAIR®	324	TB-10x04-04OS	Transition Box 250x100 mm (10x4"), 100 (4") ring side	99,40
64260P	VELAIR®	324	TB-10x04-05OS	Transition Box 250x100 mm (10x4"), 100 (4") ring side	99,40
64261S	VELAIR®	324	TB-04x04-04RE	Transition Box 100x100 mm (4x4"), 100 (4") ring end	99,40
64262U	VELAIR®	324	TB-06x04-04RE	Transition Box 150x100 mm (6x4"), 100 (4") ring end	99,40
64263W	VELAIR®	324	TB-08x04-04RE	Transition Box 200x100 mm (8x4"), 100 (4") ring end	99,40
64264Y	VELAIR®	324	TB-10x04-04RE	Transition Box 250x100 mm (10x4"), 100 (4") ring end	105,90
64265A	VELAIR®	324	TB-10x06-05RE	Transition Box 250x150 mm (10x6"), 125 (5") ring end	130,80
				GRILL	
20651H	VELAIR®	325	AA 4705	Aluminum 4 way Supply Grille, 475x55 mm (18x2")	92,80
20652K	VELAIR®	325	AA 2905	Aluminum 4 way Supply Grille, 297x53 mm (12x2")	70,30
20864B	VELAIR®	325	AB2515	White Aluminum Return Air Grille 250x150 mm (10x6")	177,80
20865D	VELAIR®	325	AB4025	White Aluminum Return Air Grille 400x250 mm (16x10")	235,00
21319E	VELAIR®	325	NOVAA 2-2 3010	Aluminum 4 way Supply Grille, 300x100 mm (12x4")	41,80
22187V	VELAIR®	325	VHT30x10	Teak 4 way Supply Grille, 300x100 mm (12x4")	177,80
61380Z	VELAIR®	325	NOVA-R 3030	Aluminum Return Air Grille 300x300 mm (12x12")	75,10
61381A	VELAIR®	325	NOVA-R 4040	Aluminum Return Air Grille 400x400 mm (16x16")	104,30
61652S	VELAIR®	325	VHT25x10	Teak 4 way Supply Grille, 250x100 mm (10x4")	141,60
61653U	VELAIR®	325	VHT25x15	Teak 4 way Supply Grille, 250x150 mm (10x6")	146,00
62532L	VELAIR®	325	NOVAA 2-2 2015	Aluminum 4 way Supply Grille, 200x150 mm (8x6")	40,40
63074M	VELAIR®	325	NOVAA 2-2 2020	Aluminum 4 way Supply Grille, 200x200 mm (8x8")	42,70
64195F	VELAIR®	325	VHT10x10	Teak 4 way Supply Grille, 100x100 mm (4x4")	111,50
64361W	VELAIR®	325	VHT25x25	Teak 4 way Supply Grille, 250x250 mm (10x10")	189,90
64534B	VELAIR®	325	VHT15x10	Teak 4 way Supply Grille, 150x100 mm (6x4")	138,10
64535D	VELAIR®	325	VHT20x10	Teak 4 way Supply Grille, 200x100 mm (8x4")	132,60
64536F	VELAIR®	325	VHT20x15	Teak 4 way Supply Grille, 200x150 mm (8x6")	140,60
66706R	VELAIR®	325	NOVA-R 6015	Aluminum Return Air Grille 600x150 mm (24x6")	94,80
69021X	VELAIR®	325	NOVAA 2-2 2510	Aluminum 4 way Supply Grille, 250x100 mm (10x4")	41,80
69022Z	VELAIR®	325	NOVAA 2-2 1510	Aluminum 4 way Supply Grille, 150x100 mm (6x4")	34,80
69023B	VELAIR®	325	NOVAA 2-2 2010	Aluminum 4 way Supply Grille, 200x100 mm (8x4")	34,80
69421P	VELAIR®	325	NOVAA 2-2 2515	Aluminum 4 way Supply Grille, 250x150 mm (10x6")	50,10
69422S	VELAIR®	325	NOVA-R 3020	Aluminum Return Air Grille 300x200 mm (12x8")	59,80
69423U	VELAIR®	325	NOVA-R 4025	Aluminum Return Air Grille 400x250 mm (16x10")	83,50
69466N	VELAIR®	325	NOVAA 2-2 1010	Aluminum 4 way Supply Grille, 100x100 mm (4x4")	34,80

**UFLEX**

UFLEX® - A WORLD OF MARINE EQUIPMENT

**PRICE LIST - JULY, 2024**  
**Unit Price (Euro) (VAT excl.)**

<i>p/n</i>	<i>Brand</i>	<i>pg cat24</i> Model	<i>Description</i>	
69490K	VELAIR® 325	<b>NOVA-R 2515</b>	Aluminum Return Air Grille 250x150 mm (10x6")	<b>51,50</b>
69494U	VELAIR® 325	<b>TA2515</b>	Teak Return Air Grille 250x150 mm (10x6")	<b>171,80</b>
69497A	VELAIR® 325	<b>TA3020</b>	Teak Return Air Grille 300x200 mm (12x8")	<b>207,90</b>
69498C	VELAIR® 325	<b>TA4025</b>	Teak Return Air Grille 400x250 mm (16x10")	<b>247,10</b>
69605A	VELAIR® 325	<b>AB3020</b>	White Aluminum Return Air Grille 300x200 mm (12x8")	<b>220,00</b>
			GRILL	
20881B	VELAIR® 326	<b>BS2010</b>	Black Aluminum Supply Air Grille 200x100 (8x4")	<b>96,50</b>
22791L	VELAIR® 326	<b>WS3010</b>	White Aluminum Supply Air Grille 300x100 (12x4")	<b>138,60</b>
62539B	VELAIR® 326	<b>WS2015</b>	White Aluminum Supply Air Grille 200x100 (8x6")	<b>135,60</b>
69492P	VELAIR® 326	<b>TC1010</b>	Teak Supply Damper Vent 100x100 (4x4")	<b>138,60</b>
69493S	VELAIR® 326	<b>TC2010</b>	Teak Supply Damper Vent 200x100 (8x4")	<b>174,80</b>
69506Y	VELAIR® 326	<b>TC2515</b>	Teak Supply Damper Vent 250x150 (10x6")	<b>214,00</b>
69533B	VELAIR® 326	<b>WC1010</b>	White Aluminum Supply Damper Vents 100x100 (4x4")	<b>129,60</b>
69630Z	VELAIR® 326	<b>BS2510</b>	Black Aluminum Supply Air Grille 250x100 (10x4")	<b>102,50</b>
69631B	VELAIR® 326	<b>BS4010</b>	Black Aluminum Supply Air Grille 400x100 (16x4")	<b>120,60</b>
69910F	VELAIR® 326	<b>TC2510</b>	Teak Supply Damper Vent 250x100 (10x4")	<b>189,90</b>
69914P	VELAIR® 326	<b>WS1010</b>	White Aluminum Supply Air Grille 100x100 (4x4")	<b>117,50</b>
69915S	VELAIR® 326	<b>WS2010</b>	White Aluminum Supply Air Grille 200x100 (8x4")	<b>123,60</b>
69916U	VELAIR® 326	<b>WS2510</b>	White Aluminum Supply Air Grille 250x100 (10x4")	<b>129,60</b>
69917W	VELAIR® 326	<b>WC2010</b>	White Aluminum Supply Damper Vents 200x100 (8x4")	<b>153,70</b>
69918Y	VELAIR® 326	<b>WC2510</b>	White Aluminum Supply Damper Vents 250x100 (10x4")	<b>144,70</b>



**UFLEX**

UFLEX® - A WORLD OF MARINE EQUIPMENT

**PRICE LIST - JULY, 2024**  
**Unit Price (Euro) (VAT excl.)**

<i>p/n</i>	<i>Brand</i>	<i>pg cat24</i> Model	<i>Description</i>	
<b>WALLAS® Diesel heaters</b>				
			<b>DIESEL HEATER</b>	
<b>22095P</b>	WALLAS® 328	<b>30GB</b>	Heater Power 1000-3200 W, 61-103 mc/h	<b>2.244,00</b>
<b>22750W</b>	WALLAS® 328	<b>22GB</b>	Heater Power 1000-2500 W, 51-79 mc/h	<b>1.918,00</b>
<b>22751Y</b>	WALLAS® 328	<b>50 Spartan Air</b>	Heater Power 1500-4500 W	<b>2.782,00</b>
			Accessory/Spare	
<b>69227U</b>	WALLAS® 329	<b>2460</b>	Deck Lead-Through	<b>254,20</b>
<b>69228W</b>	WALLAS® 329	<b>2467</b>	Hull Lead-Through	<b>160,60</b>
<b>69238Z</b>	WALLAS® 329	<b>4430</b>	Remote Control (Optional)	<b>560,10</b>
			<b>BLOWER LID</b>	
<b>21471L</b>	WALLAS® .	<b>220D</b>	85DP Heater Lid	<b>586,10</b>


**UFLEX**

UFLEX® - A WORLD OF MARINE EQUIPMENT

**PRICE LIST - JULY, 2024**  
 Unit Price (Euro) (VAT excl.)

p/n	Brand	pg cat24 Model	Description	
<b>SHOCKWAVE® Marine suspension seating</b>				
			Accessory/Spare	
25750M	SHOCKWAVE® .	<b>SW-05489</b>	Slide	<b>915,00</b>
25751P	SHOCKWAVE® .	<b>SW-05592</b>	Swivel	<b>1.230,00</b>
25752S	SHOCKWAVE® .	<b>SW-05488</b>	Swivel slide	<b>1.615,00</b>
25753U	SHOCKWAVE® .	<b>SW-01983</b>	Shock pump with gauge	<b>71,00</b>
25754W	SHOCKWAVE® .	<b>SW-01688</b>	Cup holder with aluminum bracket	<b>111,00</b>
25755Y	SHOCKWAVE® .	<b>SW-08290</b>	Adapter plate kit (5"x 12" Seat Bolt pattern)	<b>146,00</b>
25757C	SHOCKWAVE® .	<b>SW-07507</b>	Bulkhead mount adjustable footrest	<b>1.820,00</b>
25761T	SHOCKWAVE® .	<b>SW-07251</b>	6" riser box	<b>567,00</b>
25762V	SHOCKWAVE® .	<b>SW-07920</b>	9" riser box	<b>567,00</b>
<b>COMMANDER SEAT</b>				
25743R	SHOCKWAVE® .	<b>SW-04920-B</b>	Commander seat - ONYX, black	<b>3.088,00</b>
25744T	SHOCKWAVE® .	<b>SW-04920-HD</b>	Commander seat - HEAVY DUTY, black	<b>3.188,00</b>
25745V	SHOCKWAVE® .	<b>SW-04920-W</b>	Commander seat - STORM, white	<b>3.339,00</b>
25746X	SHOCKWAVE® .	<b>SW-06328-B</b>	Commander seat - HIGH BACK ONYX, black	<b>3.954,00</b>
<b>S5 JOCKEY SEAT</b>				
25747Z	SHOCKWAVE® .	<b>SW-S5-2400</b>	S5 Jockey suspension seat	<b>4.506,00</b>
<b>Accessory/Spare</b>				
25748B	SHOCKWAVE® .	<b>SW-04732</b>	S5 Jockey grab rail front, wide	<b>364,00</b>
25749D	SHOCKWAVE® .	<b>SW-05476</b>	S5 Jockey grab rail rear, wide	<b>302,00</b>
<b>S5 SENTINEL</b>				
25741L	SHOCKWAVE® .	<b>SW-07823-B</b>	S5 Sentinel suspension module, black	<b>1.757,00</b>
25742N	SHOCKWAVE® .	<b>SW-07823-W</b>	S5 Sentinel suspension module, white	<b>1.757,00</b>

## **SALE CONDITIONS:**

1. Purchase orders: The Seller only accepts written orders sent by letter, fax or e-mail. The orders have to clearly indicate item code, description and quantity requested.  
prices, unless different notice by the Buyer, at the earliest convenience on Ex works basis or together with a new order.

2. Shipments: Goods are delivered Ex works Seller's warehouses. Goods always travel at the Buyer's risk.

3. Returns and claims: Return of goods must be authorised by the Seller and shipped, freight costs at Buyer's charge, to Seller's warehouses within 30 days from purchase date. Returned items must be accompanied by a delivery note clearly indicating number and date of Seller's delivery note /commercial invoice as well as the reason for the returning.

In case of Buyer's request for substitution due to order mistakes, the Seller reserves the right to debit 20% of the goods value (with a minimum amount of € 10,00) for handling operations. The Buyer will be also charged accordingly at cost, should the product require further interventions.

The Seller does not accept claims for replacements after 8 days from delivery of goods.

4. Term of Payment: Payment terms will be established by the Seller on receipt of orders.

5. Place of jurisdiction: The Court of Genoa will have exclusive jurisdiction for any possible dispute.  
purchase order

**General Sales conditions: this price list is valid from JULY 2024 and will be applied to all the purchase orders received after that date.**

UFLEX S.r.l.

Via Milite Ignoto 8A

16012 Busalla (GE) - Italia

T +39 010 96201 F +39 010 9620333

[uf.marine.sales@ultraflexgroup.it](mailto:uf.marine.sales@ultraflexgroup.it)

[www.uflex.it/en](http://www.uflex.it/en)