



price list marine october 2025


UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST
OCTOBER, 2025
INDEX

<i>Brand</i>	<i>Catalogue 26 Section</i>	<i>Catalogue 25 pages</i>	<i>Price List pages</i>
UCS®	Hatch lifters	7-10	3
UFLEX®	Gas springs	11-16	4-5
SHOCKWAVE®	Marine suspension seating	17-24	6
UFLEX®	Electro-mechanical Trim Tabs	25-36	7
AQUATIC AV®	Waterproof marine A/V systems	37-46	8
RITCHIE®	Magnetic compasses	47-60	9-10
VERATRON®	ViewLine & sensors	61-81	11-17
VERATRON®	Digital Devices, sensors & accessories	82-120	18-22
UFLEX®	Marine analog instruments	121-128	23-25
PENTAIR®	Fresh water & bilge pumps, filters and blowers	129-140	26-27
UFLEX®	Electric pumps & blowers	141-160	28-31
MARINCO®	Shore power systems, spotlights, horns & wipers	161-178	32-35
BEP®	Battery management, power distribution panels, connectors	179-214	36-40
SAFE-T-ALERT™ - FIREBOY®	Smoke & CO alarms	215-218	41
VICTRON ENERGY®	Marine energy management	219-250	42-48
WAKESPEED®	Charge regulators	251-252	49
	Batteries	253-254	50
UFLEX®	Renewable energy	255-266	51-52
ENEON®	Marine generators	267-278	53-54
WESTERBEKE®	Gasoline generators	279-280	55
BALMAR®	DC Charging solutions	281-288	56-57
HALYARD®	Marine air conditioning systems	289-312	58-61
VELAIR®	Marine air conditioning systems	313-330	62-65
	SALE CONDITIONS		66



UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025

Unit Price (Euro) (VAT excl.)

pg
cat

26

Model

p/n

Brand

Description

UCS® Hatch lifters

				AV SERIES	
40583F	UCS®	8	AV 4524	Actuator complete with bracket - stroke 450 mm (18") - 24V	726,00
40585K	UCS®	8	AV 6024	Actuator complete with bracket - stroke 600 mm (24") - 24V	750,00
40672E	UCS®	8	AV 3024	Actuator complete with bracket - stroke 300 mm (12") - 24V	703,00
40671CN	UCS®	8	AV 3012 new	Actuator complete with bracket - stroke 300 mm (12") - 12V	703,00
40582DN	UCS®	8	AV 4512 new	Actuator complete with bracket - stroke 450 mm (18") - 12V	726,00
40584HN	UCS®	8	AV 6012 new	Actuator complete with bracket- stroke 600 mm (24") - 12V	750,00
				MOUNTING BRACKET	
80382I	UCS®	8	BR/AV	Spare mounting bracket for AV Series actuators	77,40
				RELAY BOX	
40738Y	UCS®	8	RB 12	Relay box 12V for AV Series actuators	181,00
40742C	UCS®	8	RB 24	Relay box 24V for AV Series actuators	181,00
				SWITCH	
69116J	UFLEX®	8	SW20	Single pole momentary switch	48,10
				MOUNTING BRACKET	
35697P	UCS®	9	BR/UL	Spare mounting bracket for ULYSSES Series actuators	38,70
				ULYSSES SERIES	
40924Q	UCS®	9	ULYSSES 1812	Actuator complete with bracket - stroke 180 mm (7") - 12V	397,00
40925R	UCS®	9	ULYSSES 3012	Actuator complete with bracket - stroke 300 mm (12") - 12V	408,00
40926S	UCS®	9	ULYSSES 1824	Actuator complete with bracket - stroke 180 mm (7") - 24V	397,00
40927T	UCS®	9	ULYSSES 3024	Actuator complete with bracket - stroke 300 mm (12") - 24V	408,00


UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025

Unit Price (Euro) (VAT excl.)

p/n	Brand	pg cat 26	Model	Description	
UFLEX® Gas springs					
90565L	UFLEX®	13	PVC 380-600	PVC bag package for 380-600 mm gas springs length	2,30
90574M	UFLEX®	13	PVC 380	PVC bag package for gas springs up to 380mm length	2,20
Accessory/Spare					
U SERIES					
64312G	UFLEX®	13	U95-5	Total length 257 mm, stroke 95 mm, output force 5 kg	19,30
64313J	UFLEX®	13	U95-10	Total length 257 mm, stroke 95 mm, output force 10 kg	19,30
64314L	UFLEX®	13	U95-20	Total length 257 mm, stroke 95 mm, output force 20 kg	19,30
64315N	UFLEX®	13	U140-10	Total length 365 mm, stroke 142 mm, output force 10 kg	21,60
64316R	UFLEX®	13	U140-20	Total length 365 mm, stroke 142 mm, output force 20 kg	21,60
64317T	UFLEX®	13	U140-30	Total length 365 mm, stroke 142 mm, output force 30 kg	21,60
64318V	UFLEX®	13	U235-10	Total length 550 mm, stroke 234 mm, output force 10 kg	26,70
64319X	UFLEX®	13	U235-20	Total length 550 mm, stroke 234 mm, output force 20 kg	26,70
64320F	UFLEX®	13	U235-30	Total length 550 mm, stroke 234 mm, output force 30 kg	26,70
64321H	UFLEX®	13	U235-40	Total length 550 mm, stroke 234 mm, output force 40 kg	26,70
64322K	UFLEX®	13	U260-20	Total length 600 mm, stroke 262 mm, output force 20 kg	28,70
64323M	UFLEX®	13	U260-30	Total length 600 mm, stroke 262 mm, output force 30 kg	28,70
64324P	UFLEX®	13	U260-40	Total length 600 mm, stroke 262 mm, output force 40 kg	28,70
65297V	UFLEX®	13	U300-30	Total length 683 mm, stroke 300 mm, output force 30 kg	36,90
65298X	UFLEX®	13	U300-40	Total length 683 mm, stroke 300 mm, output force 40 kg	36,90
65299Z	UFLEX®	13	U300-50	Total length 683 mm, stroke 300 mm, output force 50 kg	36,90
66427LA	UFLEX®	13	U150-20	Total length 375 mm, stroke 150 mm, output force 20 kg	19,50
23237N	UFLEX®	.	U405-20	Total length ... mm, stroke 405 mm, output force 20 kg	18,80
23238R	UFLEX®	.	U405-30	Total length ... mm, stroke 405 mm, output force 30 kg	18,80
23239T	UFLEX®	.	U405-35	Total length ... mm, stroke 405 mm, output force 35 kg	18,80
A/M PACKAGE					
64412L	UFLEX®	13	U95-5-b	Total length 257 mm, stroke 95 mm, output force 5 kg	21,90
64413N	UFLEX®	13	U95-10-b	Total length 257 mm, stroke 95 mm, output force 10 kg	21,90
64414R	UFLEX®	13	U95-20-b	Total length 257 mm, stroke 95 mm, output force 20 kg	21,90
64415T	UFLEX®	13	U140-10-b	Total length 365 mm, stroke 142 mm, output force 10 kg	24,20
64416V	UFLEX®	13	U140-20-b	Total length 365 mm, stroke 142 mm, output force 20 kg	24,20
64417X	UFLEX®	13	U140-30-b	Total length 365 mm, stroke 142 mm, output force 30 kg	24,20
64418Z	UFLEX®	13	U235-10-b	Total length 550 mm, stroke 234 mm, output force 10 kg	29,30
64419B	UFLEX®	13	U235-20-b	Total length 550 mm, stroke 234 mm, output force 20 kg	29,30
64420K	UFLEX®	13	U235-30-b	Total length 550 mm, stroke 234 mm, output force 30 kg	29,30
64421M	UFLEX®	13	U235-40-b	Total length 550 mm, stroke 234 mm, output force 40 kg	29,30
64422P	UFLEX®	13	U260-20-b	Total length 600 mm, stroke 262 mm, output force 20 kg	31,40
64423S	UFLEX®	13	U260-30-b	Total length 600 mm, stroke 262 mm, output force 30 kg	31,40
64424U	UFLEX®	13	U260-40-b	Total length 600 mm, stroke 262 mm, output force 40 kg	31,40
65300E	UFLEX®	13	U300-30-b	Total length 683 mm, stroke 300 mm, output force 30 kg	40,00
65301G	UFLEX®	13	U300-40-b	Total length 683 mm, stroke 300 mm, output force 40 kg	40,00
65302J	UFLEX®	13	U300-50-b	Total length 683 mm, stroke 300 mm, output force 50 kg	40,00
END FITTING					
66510X	UFLEX®	14	KB01	2 ball joint fitting kit for UB Series gas springs	4,10
UB SERIES					
66423C	UFLEX®	.	UB120-10	Total length 315 mm, stroke 120 mm, output force 10 kg	17,70
66425GA	UFLEX®	14	UB120-30	Total length 315 mm, stroke 120 mm, output force 30 kg	19,50
66426J	UFLEX®	.	UB150-10	Total length 375 mm, stroke 150 mm, output force 10 kg	17,70
66428NA	UFLEX®	14	UB150-30	Total length 375 mm, stroke 150 mm, output force 30 kg	19,50
66431BA	UFLEX®	14	UB180-30	Total length 445 mm, stroke 180 mm, output force 30 kg	19,90
66432D	UFLEX®	.	UB220-10	Total length 295 mm, stroke 220 mm, output force 10 kg	20,80
66433F	UFLEX®	.	UB220-20	Total length 295 mm, stroke 220 mm, output force 20 kg	20,80
23715Z	UFLEX®	.	UB180-40	Total length 445 mm, stroke 180 mm, output force 40 kg	19,90
66439UA	UFLEX®	.	UB250-40	Total length ... mm, stroke 250 mm, output force 40 kg	21,10
A/M PACKAGE					
66448VA	UFLEX®	14	UB120-30-b	Total length 315 mm, stroke 120 mm, output force 30 kg	22,10
66450FA	UFLEX®	14	UB150-20-b	Total length 375 mm, stroke 150 mm, output force 20 kg	22,10
66451H	UFLEX®	14	UB150-30-b	Total length 375 mm, stroke 150 mm, output force 30 kg	22,10
66454PA	UFLEX®	14	UB180-30-b	Total length 445 mm, stroke 180 mm, output force 30 kg	22,60
END FITTING					
66514F	UFLEX®	15	KSS01	2 stainless steel ball bearing fitting kit for USS Series gas springs	28,80
69530V	UFLEX®	15	KSS02	twin stainless steel eyelet fitting kit for USS Series gas springs	12,80
66513D	UFLEX®	.	.	Inox ball coupling KSS01	17,20
USS SERIES					
22122PA	UFLEX®	15	USS220-5	Total length 525 mm, stroke 220 mm, output force 5 kg	58,20
22517PA	UFLEX®	15	USS300-60	Total length 700 mm, stroke 300 mm, output force 60 kg	77,90
66465VA	UFLEX®	15	USS100-5	Total length 275 mm, stroke 100 mm, output force 5 kg	39,30
66466XA	UFLEX®	15	USS100-10	Total length 275 mm, stroke 100 mm, output force 10 kg	39,30
66467ZA	UFLEX®	15	USS100-20	Total length 275 mm, stroke 100 mm, output force 20 kg	39,30
66468BA	UFLEX®	15	USS120-10	Total length 315 mm, stroke 120 mm, output force 10 kg	40,70
66469DA	UFLEX®	15	USS120-20	Total length 315 mm, stroke 120 mm, output force 20 kg	40,70
66470MA	UFLEX®	15	USS120-30	Total length 315 mm, stroke 120 mm, output force 30 kg	40,70
66471PA	UFLEX®	15	USS150-10	Total length 375 mm, stroke 150 mm, output force 10 kg	41,60


UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025
Unit Price (Euro) (VAT excl.)

<i>p/n</i>	<i>Brand</i>	<i>pg cat 26</i>	<i>Model</i>	<i>Description</i>	
66472SA	UFLEX®	15	USS150-20	Total length 375 mm, stroke 150 mm, output force 20 kg	41,60
66473UA	UFLEX®	15	USS150-30	Total length 375 mm, stroke 150 mm, output force 30 kg	41,60
66474WA	UFLEX®	15	USS180-10	Total length 445 mm, stroke 180 mm, output force 10 kg	55,40
66475YA	UFLEX®	15	USS180-20	Total length 445 mm, stroke 180 mm, output force 20 kg	55,40
66476AA	UFLEX®	15	USS180-30	Total length 445 mm, stroke 180 mm, output force 30 kg	55,40
66477CA	UFLEX®	15	USS220-10	Total length 525 mm, stroke 220 mm, output force 10 kg	58,20
66478EA	UFLEX®	15	USS220-20	Total length 525 mm, stroke 220 mm, output force 20 kg	58,20
66479GA	UFLEX®	15	USS220-30	Total length 525 mm, stroke 220 mm, output force 30 kg	58,20
66480RA	UFLEX®	15	USS220-40	Total length 525 mm, stroke 220 mm, output force 40 kg	58,20
66481TA	UFLEX®	15	USS250-20	Total length 585 mm, stroke 250 mm, output force 20 kg	60,90
66482VA	UFLEX®	15	USS250-30	Total length 585 mm, stroke 250 mm, output force 30 kg	60,90
66483XA	UFLEX®	15	USS250-40	Total length 585 mm, stroke 250 mm, output force 40 kg	60,90
66484ZA	UFLEX®	15	USS300-30	Total length 700 mm, stroke 300 mm, output force 30 kg	77,90
66485BA	UFLEX®	15	USS300-40	Total length 700 mm, stroke 300 mm, output force 40 kg	77,90
66486DA	UFLEX®	15	USS300-50	Total length 700 mm, stroke 300 mm, output force 50 kg	77,90
68061EA	UFLEX®	15	USS300-20	Total length 700 mm, stroke 300 mm, output force 20 kg	77,90
A/M PACKAGE					
22529XA	UFLEX®	15	USS300-20-b	Total length 700 mm, stroke 300 mm, output force 20 kg	81,30
22530TA	UFLEX®	15	USS300-60-b	Total length 700 mm, stroke 300 mm, output force 60 kg	81,30
22589SA	UFLEX®	15	USS220-5-b	Total length 525 mm, stroke 220 mm, output force 5 kg	61,20
66487FA	UFLEX®	15	USS100-5-b	Total length 275 mm, stroke 100 mm, output force 5 kg	42,20
66488HA	UFLEX®	15	USS100-10-b	Total length 275 mm, stroke 100 mm, output force 10 kg	42,20
66489KA	UFLEX®	15	USS100-20-b	Total length 275 mm, stroke 100 mm, output force 20 kg	42,20
66490UA	UFLEX®	15	USS120-10-b	Total length 315 mm, stroke 120 mm, output force 10 kg	43,60
66491WA	UFLEX®	15	USS120-20-b	Total length 315 mm, stroke 120 mm, output force 20 kg	43,60
66492YA	UFLEX®	15	USS120-30-b	Total length 315 mm, stroke 120 mm, output force 30 kg	43,60
66493AA	UFLEX®	15	USS150-10-b	Total length 375 mm, stroke 150 mm, output force 10 kg	44,50
66494CA	UFLEX®	15	USS150-20-b	Total length 375 mm, stroke 150 mm, output force 20 kg	44,50
66495EA	UFLEX®	15	USS150-30-b	Total length 375 mm, stroke 150 mm, output force 30 kg	44,50
66496GA	UFLEX®	15	USS180-10-b	Total length 445 mm, stroke 180 mm, output force 10 kg	58,40
66497JA	UFLEX®	15	USS180-20-b	Total length 445 mm, stroke 180 mm, output force 20 kg	58,40
66498LA	UFLEX®	15	USS180-30-b	Total length 445 mm, stroke 180 mm, output force 30 kg	58,40
66499NA	UFLEX®	15	USS220-10-b	Total length 525 mm, stroke 220 mm, output force 10 kg	61,20
66500UA	UFLEX®	15	USS220-20-b	Total length 525 mm, stroke 220 mm, output force 20 kg	61,20
66501WA	UFLEX®	15	USS220-30-b	Total length 525 mm, stroke 220 mm, output force 30 kg	61,20
66502YA	UFLEX®	15	USS220-40-b	Total length 525 mm, stroke 220 mm, output force 40 kg	61,20
66503AA	UFLEX®	15	USS250-20-b	Total length 585 mm, stroke 250 mm, output force 20 kg	63,90
66504CA	UFLEX®	15	USS250-30-b	Total length 585 mm, stroke 250 mm, output force 30 kg	63,90
66505EA	UFLEX®	15	USS250-40-b	Total length 585 mm, stroke 250 mm, output force 40 kg	63,90
66506GA	UFLEX®	15	USS300-30-b	Total length 700 mm, stroke 300 mm, output force 30 kg	81,30
66507JA	UFLEX®	15	USS300-40-b	Total length 700 mm, stroke 300 mm, output force 40 kg	81,30
66508LA	UFLEX®	15	USS300-50-b	Total length 700 mm, stroke 300 mm, output force 50 kg	81,30
CUSTOM					
22643V	UFLEX®	.	.	Gas spring	22,20
23879G	UFLEX®	.	.	Gas spring	28,70
23281S	UFLEX®	.	.	Gas spring U585-200N	37,60
23280P	UFLEX®	.	.	Gas spring U585-100N	37,60
24785CA	UFLEX®	.	USS150-5	Gas spring USS150-5/SS	43,20
66471PAL	UFLEX®	.	.	Gas spring USS150-10/SS	45,60
22749MA	UFLEX®	.	.	Gas spring C650/SP600N	236,70
24753N	UFLEX®	.	USS550-20 br	Gas spring USS550-20/SS w/bracket	258,90
24825M	UFLEX®	.	USS550-10 br	Gas spring USS550-10/SS w/bracket	258,90
23907J	UFLEX®	.	.	V5S G81 G88 LTA 1260 mm CU 600 mm 50 N	358,10
23223B	UFLEX®	.	.	Gas spring 40/20	440,30
MOUNTING BRACKET					
64325S	UFLEX®	16	SP 10	Black thermoplastic brackets with zinc plated steel stud	7,70
64326U	UFLEX®	16	SP 11	Black thermoplastic brackets with zinc plated steel stud	7,70
64327W	UFLEX®	16	SI 20	Stainless steel bracket and stud - flat bracket	7,30
64328Y	UFLEX®	16	SI 21	Stainless steel bracket and stud - square bent bracket	8,60
64329A	UFLEX®	16	SI 22	Stainless steel bracket and stud - square bent bracket	8,60
65289W	UFLEX®	16	SSN 20	Stainless steel bracket and stud with self-locking nut - flat bracket	7,70
65290E	UFLEX®	16	SSN 21	Stainless steel bracket and stud with self-locking nut - bent bracket	9,00
65291G	UFLEX®	16	SSN 22	Stainless steel bracket and stud with self-locking nut - bent bracket	8,60
66540G	UFLEX®	16	SB 10	Stainless steel bracket and stud - flat bracket	5,70
66541J	UFLEX®	16	SB 11	Stainless steel bracket and stud - square bent bracket	7,50
66542L	UFLEX®	16	SB 12	Stainless steel bracket and stud - square bent bracket	7,50


UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025

Unit Price (Euro) (VAT excl.)

p/n	Brand	pg cat 26	Model	Description	
SHOCKWAVE® Marine suspension seating					
25753U	SHOCKWAVE®	18	SW-01983	Accessory/Spare Shock pump with gauge	72,00
25741L	SHOCKWAVE®	18	SW-07823-B	S5 S5-AL suspension module with pump and gauge, black	1.699,00
25742N	SHOCKWAVE®	18	SW-07823-W	S5-AL suspension module with pump and gauge, white	1.699,00
26206T	SHOCKWAVE®	19	SW-05026-B	S5 S5-LW suspension module with pump and gauge, black	1.385,00
26207V	SHOCKWAVE®	20	SW-09108	S5 S5-SS suspension module with pump and gauge	2.784,00
25747Z	SHOCKWAVE®	21	SW-S5-2400	S5 JOCKEY SEAT S5 Jockey suspension seat	4.190,00
25743R	SHOCKWAVE®	21	SW-04920-B	S5 CORBIN SEAT Corbin mid back seat , black	2.924,00
25744T	SHOCKWAVE®	21	SW-04920-HD	Corbin mid back seat - HEAVY DUTY, black	2.924,00
25745V	SHOCKWAVE®	21	SW-04920-W	Corbin mid back seat, white	2.924,00
25750M	SHOCKWAVE®	22	SW-05489	Accessory/Spare Slide	953,00
25751P	SHOCKWAVE®	22	SW-05592	Swivel	1.028,00
25752S	SHOCKWAVE®	22	SW-05488	Swivel slide	1.623,00
25754W	SHOCKWAVE®	22	SW-01688	Cup holder with aluminum bracket	115,00
25755Y	SHOCKWAVE®	22	SW-08290	Adapter plate kit (5"x 12" Seat Bolt pattern)	164,00
25757C	SHOCKWAVE®	22	SW-07507	Bulkhead mount adjustable footrest	1.653,00
25761T	SHOCKWAVE®	22	SW-09633	6" riser box	526,00
25762V	SHOCKWAVE®	22	SW-09499	9" riser box	526,00
25748B	SHOCKWAVE®	22	SW-04732	S5 JOCKEY SEAT Accessory/Spare S5 Jockey grab rail front, wide	309,00
25749D	SHOCKWAVE®	22	SW-05476	S5 Jockey grab rail rear, wide	256,00


UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025

Unit Price (Euro) (VAT excl.)

p/n	Brand	pg cat 26	Model	Description	
UFLEX® Electro-mechanical Trim Tabs					
ACTUATOR					
43001V	UFLEX®	32	AC12	Compact AC Actuator and Brackets - 273 mm (full closed), 12VDC	509,00
43160S	UFLEX®	32	AT12	AT Actuator and Brackets - 309 mm (full closed), 12VDC	509,00
JOYSTICK					
41849Z	UFLEX®	33	J/CH	Joystick for master station - chrome	288,00
42306N	UFLEX®	33	J/CH-2	Joystick for fly bridge station - chrome	205,00
42855Z	UFLEX®	33	J/B	Joystick for master station - black	309,00
42856B	UFLEX®	33	J/B-2	Joystick for fly bridge station - black	226,00
43004B	UFLEX®	33	JLP/CH	Joystick for master station - low profile, chrome	288,00
43005D	UFLEX®	33	JLP/B	Joystick for master station - low profile, black	309,00
43080U	UFLEX®	33	JLP/CH-2	Joystick for fly bridge station - low profile, chrome	205,00
43081W	UFLEX®	33	JLP/B-2	Joystick for fly bridge station - low profile, black	226,00
43416B	UFLEX®	33	J/B-LED	Joystick for master station - black, with LED indicators	755,00
TABS					
42650E	UFLEX®	34	NP99	9"x 9" Stainless steel tabs - 1 pair	146,00
42651G	UFLEX®	34	NP1212	12"x 12" Stainless steel tabs - 1 pair	215,00
42652J	UFLEX®	34	NP1218	12"x 18" Stainless steel tabs - 1 pair	314,00
42653L	UFLEX®	34	NP129	12"x 9" Stainless steel tabs - 1 pair	152,00
43630D	UFLEX®	34	NPE912	9"x 12" Stainless steel "Edge Mount" tabs - 1 pair	200,00
43631F	UFLEX®	34	NPE129	12"x 9" Stainless steel "Edge Mount" tabs - 1 pair	225,00
43632H	UFLEX®	34	NPE1212	12"x 12" Stainless steel "Edge Mount" tabs - 1 pair	287,00
43633K	UFLEX®	34	NPE1218	12"x 18" Stainless steel "Edge Mount" tabs - 1 pair	391,00
ANODE KIT					
42441V	UFLEX®	35	KA70	Anode kit Ø 70 mm	20,10
42442X	UFLEX®	35	KA90	Anode kit Ø 90 mm	31,80
CABLE EXTENSION					
41853P	UFLEX®	35	KEJ2-20	6 m (19.7') Extension kit for second station. Deutsch plugs included	112,30
42375J	UFLEX®	35	KEJ2-30	9 m (29.5') Extension kit for second station. Deutsch plugs included	117,10
42376L	UFLEX®	35	KEK-7	2 m (6.5') Ext. auto line-up to ignition key. Deutsch plugs included	102,70
42377N	UFLEX®	35	KENS-7	2 m (6.5') Ext. auto line-up to neutral safety switch. Deutsch included	20,30
42378R	UFLEX®	35	KE20	Extension wiring harness kit. Deutsch plugs included	214,00
42379T	UFLEX®	35	KE30	Extension wiring harness kit. Deutsch plugs included	232,00
MOUNTING BRACKET					
43220H	UFLEX®	35	BRS-T	AS12 or Lenco® replacement adapting bracket - black	50,70
TABS					
41844N	UFLEX®	35	P99	9"x 9" Stainless steel tabs, polished, high performance - 1 pair	193,00
41845R	UFLEX®	35	P129	12"x 9" Stainless steel tabs, polished, high performance - 1 pair	218,00
41846T	UFLEX®	35	P1212	12"x 12" Stainless steel tabs, polished, high performance - 1 pair	280,00
41847V	UFLEX®	35	P1218	12"x 18" Stainless steel tabs, polished, high performance - 1 pair	384,00
Accessory/Spare					
43094F	UFLEX®	36	.	Grommet Kit for actuators (see crossref. on catalogue)	119,10
43724N	UFLEX®	36	.	Grommet Kit for actuators (see crossref. on catalogue)	119,10
43725R	UFLEX®	36	.	Grommet Kit for actuators (see crossref. on catalogue)	119,10
CABLE EXTENSION					
42302E	UFLEX®	36	EP6	Wiring harness extension for power cable 6,0 m (19.7')	101,40
42439J	UFLEX®	36	EP9	Wiring harness extension for power cable 9,0 m (29.5')	114,50
42440T	UFLEX®	36	EP5	Wiring harness extension for power cable 5,0 m (16.4')	87,50
MOUNTING BRACKET					
42296N	UFLEX®	36	.	Actuator bracket kit - tab side	102,90
42298T	UFLEX®	36	.	Actuator bracket kit - transom side	87,80
43039X	UFLEX®	36	BRS-C	AT or AC Actuator-boat connecting bracket	87,80
43040F	UFLEX®	36	BRT-C	AT or AC Actuator-tab connecting bracket	102,90
PACKAGED KIT					
43043M	UFLEX®	36	MTC12-CH	2 AC Compact Actuators, 12VDC + 1 chrome Joystick	1.306,00
43044P	UFLEX®	36	MTC12-CH-LP	2 AC Compact Actuators, 12VDC + 1 chrome Joystick low profile	1.306,00
43250T	UFLEX®	36	MTT12-CH	2 AT Actuators, 12VDC + 1 chrome Joystick	1.306,00
43251V	UFLEX®	36	MTT12-CH-LP	2 AT Actuators, 12VDC + 1 chrome Joystick low profile	1.306,00


UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025
Unit Price (Euro) (VAT excl.)

p/n	Brand	pg cat 26	Model	Description	
AQUATIC AV® Waterproof marine A/V systems					
23889K	AQUATIC AV®	38	GP1	STEREO SYSTEM Stereo, Bluetooth Connection, Size Stereo	158,00
23100J	AQUATIC AV®	39	WR6	Accessory/Spare Wired waterproof marine remote control	129,50
24891B	AQUATIC AV®	39	RF610	RF6 marine remote control kit	97,50
69335X	AQUATIC AV®	39	AQ-UNH-2	Wiring Harness for Waterproof Marine Systems	8,70
69610T	AQUATIC AV®	39	AQ-ANT-1	AM/FM Antenna	5,20
25368R	AQUATIC AV®	39	GP100B	STEREO SYSTEM GP1 stero Kit, including twin black speakers and antenna	223,90
25369T	AQUATIC AV®	39	GP100W	GP1 stero Kit, including twin white speakers and antenna	223,90
22572Y	AQUATIC AV®	40	CP6	STEREO SYSTEM Kit includes GP1 Stereo and one pair of AQ-SPQ6.5-4EW Speakers	206,60
22573A	AQUATIC AV®	41	MP6	STEREO SYSTEM Stereo, Bluetooth Connection, USB, DAB+, MP3, AM, FM,Aux	206,60
23422H	AQUATIC AV®	41	BC6 MINI	Waterproof Stereo, Bluetooth Connection , MP3	166,10
23423K	AQUATIC AV®	42	ELITE 6.5" B	SPEAKER/PASSIVE SUBWOOFER 6.5" RGB Elite Speaker, black Grill	202,50
23424M	AQUATIC AV®	42	ELITE 6.5" W	6.5" RGB Elite Speaker, white Grill	202,50
24893F	AQUATIC AV®	42	ELITE 10" B	10" RGB Elite Speaker, black Grill	202,50
21995Y	AQUATIC AV®	43	PRO CLASSIC 6.5" W	SPEAKER/PASSIVE SUBWOOFER 6.5" Full Range Speaker, White Grill	150,70
21996A	AQUATIC AV®	43	PRO CLASSIC 6.5" B	Twin speakers, black, 6,5", PC412	129,60
69621Y	AQUATIC AV®	.	AQ-SPK10-4LW	10" Subwoofer White Grill	147,30
21992S	AQUATIC AV®	44	PRO SPORT 6.5"	SPEAKER/PASSIVE SUBWOOFER Waterproof speaker PRO SPORT, PX312	129,60
24898S	AQUATIC AV®	44	PRO SPORT 10"	RO SPORT 10" Subwoofer Black Grill	153,90
22553U	AQUATIC AV®	.	AQ-SPG3.0-DB	Accessory/Spare 3" Black Speaker	2,30
69609J	AQUATIC AV®	.	AQ-SPKTD-1	Hide-away Transducer Speaker	18,50
21537R	AQUATIC AV®	45	AQ-SPK6.5-4EW	SPEAKER/PASSIVE SUBWOOFER 6" Full Range Speaker, White Grill	60,80
22182J	AQUATIC AV®	45	AQ-SPK6.5-4EB	6" Full Range Speaker, White Grill	60,80
22552S	AQUATIC AV®	.	AQ-SPK3.0-4C	3" Black Speaker	23,10
69312J	AQUATIC AV®	.	AQ-SPK6.5-4LW	6" Full Range Speaker, White Grill	135,30
23754K	AQUATIC AV®	.	RGB CONTROLLER	Accessory/Spare LED Controller RG 100	93,60
23962T	AQUATIC AV®	.	CB103	DIN to JST adaptor	13,60
68875B	AQUATIC AV®	.	AQ-DM-5UBT	Locker supports Bluetooth, USB, MP3, iPod, iPhone	266,00
69174Z	AQUATIC AV®	.	AQ-DML-5	Locker supports Bluetooth, USB, MP3, iPod, iPhone	52,80
69394P	AQUATIC AV®	.	AQ-DM-5BT	Locker supports Bluetooth, USB, MP3, iPod, iPhone	196,80
26245D	AQUATIC AV®	46	RGB CONTROLLER	LED Controller RG155R1	87,10


UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025
Unit Price (Euro) (VAT excl.)

p/n	Brand	pg cat 26	Model	Description	
RITCHIE® Magnetic compasses					
23379K	RITCHIE®	50	X-11Y-HW	Accessory/Spare Bracket mount - white housing and card for SportAbout™	27,00
23378H	RITCHIE®	50	X-11Y	RITCHIESPORT SERIES SportAbout™ portable Compass	94,00
25687H	RITCHIE®	50	X-23BB	Bulkhead mount - black housing and card	108,00
25688K	RITCHIE®	50	X-23BU	Bulkhead mount - black housing and blue card	108,00
25689M	RITCHIE®	50	X-23WW	Bulkhead mount - white housing and card	108,00
67099B	RITCHIE®	50	X-10-M	Bracket mount - grey housing and blue card	85,00
67331C	RITCHIE®	50	X-10W-M	Bracket mount - white housing and card	85,00
67332E	RITCHIE®	50	X-10B-M	Bracket mount - black housing and card	85,00
67333G	RITCHIE®	.	X-21BB	Bulkhead mount - black housing and card	103,00
67335L	RITCHIE®	.	X-21WW	Bulkhead mount - white housing and card	105,00
23380U	RITCHIE®	51	X-TD	Accessory/Spare Fixing system for Kayak compasses (compass non included)	83,00
68297L	RITCHIE®	51	K-TD.2	Fixing system for Kayak compasses (compass non included)	83,00
67352L	RITCHIE®	51	RA-91	EXPLORER SERIES Bracket mount - grey housing and blue card	158,00
67353N	RITCHIE®	51	RA-93	Surface mount - grey housing and blue card	158,00
67354R	RITCHIE®	51	S-OFF90	Surface mount - white housing and card	158,00
68295G	RITCHIE®	51	XP-99	Supersport™ - flush mount - white housing and blue card	167,00
68296J	RITCHIE®	51	XP-99W	Kayak Compass - white	167,00
67355T	RITCHIE®	53	E-50-C	Accessory/Spare Optional protective cover for F-50 and S-53 compasses	31,00
67102L	RITCHIE®	53	F-50	EXPLORER SERIES Dash mount - black housing and card	141,00
67103N	RITCHIE®	53	B-51	Bracket mount - black housing and card	158,00
67104R	RITCHIE®	53	S-53	Surface mount - black housing and card	141,00
67317J	RITCHIE®	53	F-50W	Dash mount - white housing and card	141,00
67318L	RITCHIE®	53	B-51G	Bracket mount - grey housing and blue card	158,00
67319N	RITCHIE®	53	S-53G	Surface mount - grey housing and blue card	141,00
67320X	RITCHIE®	53	S-53W	Surface mount - white housing and card	141,00
67356V	RITCHIE®	53	B-51W	Surface mount - white housing and card	158,00
67358Z	RITCHIE®	53	V-57.2	Surface mount - white housing and card	176,00
67359B	RITCHIE®	53	V-57W.2	Surface mount - grey housing and blue card	176,00
67360K	RITCHIE®	53	V-537	Bulkhead mount - black housing and blue card	184,00
67361M	RITCHIE®	53	V-537B	Bulkhead mount - black housing and blue card	184,00
67362P	RITCHIE®	53	V-537W	Bulkhead mount - white housing and white card	184,00
67105T	RITCHIE®	54	F-82	VOYAGER SERIES Dash mount - black housing and blue card	256,00
67363S	RITCHIE®	54	B-80	Bracket mount - black housing and card	350,00
67367A	RITCHIE®	54	F-82W	Dash mount - white housing and card	256,00
68937X	RITCHIE®	.	F-83-24	Dash mount - black housing and card - Wheel Mark - 24VDC	256,00
67322B	RITCHIE®	54	S-87 WM	WHEELMARK APPROVED Surface mount - black housing and card - Wheel Mark	335,00
67364U	RITCHIE®	54	B-81 WM	Bracket mount - black housing and card - Wheel mark	350,00
69147W	RITCHIE®	54	S-87W WM	Surface mount - white housing and card - Wheel Mark	335,00
69728T	RITCHIE®	54	F-83 WM	Dash mount - black housing and card - Wheel Mark	256,00
69730D	RITCHIE®	54	F-83W WM	Dash mount - black housing and card - Wheel Mark	256,00
25296S	RITCHIE®	.	F-83 WM zone 5	Dash mount - black housing and card - Wheel Mark - zone 5	269,00
67364UD	RITCHIE®	.	B-81 WM zone 5	Bracket mount - black housing and card - Wheel mark - zone 5	367,00
67376B	RITCHIE®	55	H-741-C	Accessory/Spare Optional protective cover for HELMSMAN™ compasses	57,00
67107X	RITCHIE®	55	HF-743	HELMSMAN SERIES Dash mount - black housing and card	338,00
67323D	RITCHIE®	55	HF-742W	Dash mount - white housing and card	338,00
67370N	RITCHIE®	55	HB-740	Bracket mount - black housing and card	497,00
67371R	RITCHIE®	55	HB-741	Bracket mount - black housing and card	497,00
67373V	RITCHIE®	55	HF-742	Dash mount - black housing and card	338,00
67375Z	RITCHIE®	55	HF-743W	Dash mount - white housing and card	338,00
67381U	RITCHIE®	56	INC-45	Accessory/Spare Inclinometer (spare part) for Venture® compasses	41,00
67382W	RITCHIE®	56	SR-CM2	Compensator (optional) for Venture® compasses	54,00
68878H	RITCHIE®	56	BK-19-C	Front Cover for Venture® SR-2 and SS-PR2 compasses	60,00
68879K	RITCHIE®	56	BK-0020	Optional protective back cover for Venture® and SS-PR2 compasses	34,00
67377D	RITCHIE®	56	SS-1002	SS SERIES Dash mount - black housing and blue card	404,00
67378F	RITCHIE®	56	SS-1002W	Dash mount - white housing and blue card	404,00
67380S	RITCHIE®	56	SS-PR2	Bulkhead mount - black housing and blue card	522,00
67109B	RITCHIE®	56	SR-2	VENTURE SERIES Bulkhead mount - black housing and blue card	401,00
67394D	RITCHIE®	57	BN-C	Accessory/Spare Optional protective cover for BN-202 compasses	64,00



UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025

Unit Price (Euro) (VAT excl.)

<i>p/n</i>	<i>Brand</i>	<i>pg cat 26</i>	<i>Model</i>	<i>Description</i>	
67395F	RITCHIE®	57	N-203-C	Optional protective cover for FN-201, FN-203, SS-2000 and DN-200 compasses	59,00
67403B	RITCHIE®	57	WS-P	Optional weather shield for DN-200 compasses	52,00
NAVIGATOR SERIES					
67324F	RITCHIE®	57	BN-202	Bulkhead mount - black housing and red card	878,00
67326K	RITCHIE®	57	FN-203	Dash mount - black housing and card	749,00
67387G	RITCHIE®	57	FNW-203	Dash mount - white housing and card	749,00
69585X	RITCHIE®	57	DNW-200 WM	Binnacle mount - white housing and card - Wheel Mark	1.229,00
69586Z	RITCHIE®	57	DNB-200 WM	Binnacle mount - black housing and card - Wheel Mark	1.229,00
69587B	RITCHIE®	57	DNP-200 WM	Binnacle mount - satin inox housing and black card - Wheel Mark	1.229,00
69731F	RITCHIE®	57	FN-201 WM	Dash mount - black housing and card - Wheel Mark	723,00
69732H	RITCHIE®	57	FNW-201 WM	Dash mount - white housing and card	723,00
SS SERIES					
67327M	RITCHIE®	57	SS-2000W	Dash mount - white housing and blue card	741,00
67379H	RITCHIE®	57	SS-2000	Dash mount - black housing and blue card	741,00
Accessory/Spare					
67401X	RITCHIE®	58	GM-5-C	Optional protective cover for SP-5 and D-515-EP compasses	123,00
67402Z	RITCHIE®	58	LL-C	Optional protective cover for FB-500, SS-5000 compasses	77,00
GLOBEMASTER SERIES					
67328P	RITCHIE®	58	SP-5C	Binnacle mount - satin inox housing and black card	2.059,00
67329S	RITCHIE®	58	SP-5-B	Binnacle mount - black housing and card	2.059,00
67396H	RITCHIE®	58	D-515-EP	Binnacle mount - satin inox housing and black card	3.760,00
67397K	RITCHIE®	58	D-515-X	Binnacle mount - satin inox housing and black card	3.760,00
67398M	RITCHIE®	58	FB-500	Dash mount - black housing and card	1.318,00
SS SERIES					
67399P	RITCHIE®	58	SS-5000	Dash mount - white housing and blue card	1.333,00
67400V	RITCHIE®	58	SS-5000W	Dash mount - white housing and card	1.333,00
SUPER YACHT SERIES					
67494H	RITCHIE®	59	SY-500LL	5" Compass - low profile lighting	2.597,00
67496M	RITCHIE®	59	SY-500LLC	5" Compass - low profile lighting - chrome plated bezel	2.857,00
67498S	RITCHIE®	59	SY-600LL	6" Compass - low profile lighting	3.287,00
67499U	RITCHIE®	59	SY-600PL	6" Compass - Power lighting	3.287,00
67500Z	RITCHIE®	.	SY-600LLC	6" Compass - low profile lighting - chrome plated bezel	3.547,00
67501B	RITCHIE®	.	SY-600PLC	6" Compass - Power lighting - chrome plated bezel	3.547,00
COMMERCIAL SERIES					
69588D	RITCHIE®	60	HB-845	Protective Cover for SS-1002 compasses - sold separately	1.202,00
69589F	RITCHIE®	60	B-200P	4½" Steel Compass	2.066,00



UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025

Unit Price (Euro) (VAT excl.)

pg

cat

26

Model

p/n

Brand

Description

VERATRON® ViewLine & sensors

				UNIVERSAL	
				Accessory/Spare	
20112A	VERATRON®	65	A2C52059471	Spinlock Nut 52 mm - AL, OL, VL (Bulk packaging)	8,10
				VIEWLINE	
				Accessory/Spare	
20121B	VERATRON®	65	A2C53212238	Spinlock Nut 85 mm ViewLine - (Bulk packaging)	7,30
600121J	VERATRON®	65	A2C59512947	ViewLine 8-pole universal conenction cable	12,40
61009EA	VERATRON®	65	A2C53186027	(ViewLine) Bezel round black 52mm - Bulk packaging	5,10
61010RA	VERATRON®	65	A2C53186029	(ViewLine) Bezel round chrome 52mm - Bulk packaging	9,30
61015AA	VERATRON®	65	A2C53192913	(ViewLine) Bezel round black 85mm - Bulk packaging	5,10
61028HA	VERATRON®	65	A2C53186026	(ViewLine) Bezel triangular chrome 52mm - Bulk packaging	9,30
61033CA	VERATRON®	65	A2C53192914	(ViewLine) Bezel round chrome 85mm - Bulk packaging	11,20
61047IA	VERATRON®	65	A2C53192918	(ViewLine) Bezel triangular chrome 85mm - Bulk packaging	11,20
61075MA	VERATRON®	65	A2C53186040	(ViewLine) Bezel flat black 52mm - Bulk packaging	5,10
61078RA	VERATRON®	65	A2C53186022	(ViewLine) Bezel flat white 52mm - Bulk packaging	5,10
61079SA	VERATRON®	65	A2C53186023	(ViewLine) Bezel flat chrome 52mm - Bulk packaging	9,30
61085SA	VERATRON®	65	A2C53186024	(ViewLine) Bezel triangular black 52mm - Bulk packaging	5,10
61086TA	VERATRON®	65	A2C53186025	(ViewLine) Bezel triangular white 52mm - Bulk packaging	5,10
61087UA	VERATRON®	65	A2C53186028	(ViewLine) Bezel round white 52mm - Bulk packaging	5,10
61088XA	VERATRON®	65	A2C53192911	(ViewLine) Bezel flat black 85mm - Bulk packaging	5,10
61089YA	VERATRON®	65	A2C53192912	(ViewLine) Bezel flat white 85mm - Bulk packaging	6,30
61090PA	VERATRON®	65	A2C53192910	(ViewLine) Bezel flat chrome 85mm - Bulk packaging	11,20
61091QA	VERATRON®	65	A2C53192917	(ViewLine) Bezel triangular black 85mm - Bulk packaging	5,10
61093SA	VERATRON®	65	A2C53192916	(ViewLine) Bezel round white 85mm - Bulk packaging	6,30
26211K	VERATRON®	65	B00205701	(ViewLine Digital) Bezel triangular black 52mm	55,40
26212M	VERATRON®	65	B00205702	(ViewLine Digital) Bezel round black 52mm	55,40
26214S	VERATRON®	65	B00205704	(ViewLine Digital) Bezel round chrome 52mm	59,90
26213P	VERATRON®	65	B00205703	(ViewLine Digital) Bezel triangular chrome 52mm	59,90
26216W	VERATRON®	65	B00205802	(ViewLine Digital) Bezel round black 85mm	135,20
26215U	VERATRON®	65	B00205801	(ViewLine Digital) Bezel triangular black 85mm	135,20
26238G	VERATRON®	65	B00205804	(ViewLine Digital) Bezel round chrome 85mm	139,90
26217Y	VERATRON®	65	B00205803	(ViewLine Digital) Bezel triangular chrome 85mm	139,90
				DIGITAL GAUGE	
				VIEWLINE	
26218A	VERATRON®	65	B00205710	Bulk of 10 units VL Digital 52 w/out wiring and bezel	43,90
26219C	VERATRON®	65	B00205810	Bulk of 10 units VL Digital 85 w/out wiring and bezel	120,50
				DIGITAL GAUGE	
				VIEWLINE	
23073J	VERATRON®	66	B00005302	VL A/M digital electronic hour counter, Voltmeter, round black bezel	38,40
23074L	VERATRON®	66	B00006302	VL A/M digital electronic hour counter, Voltmeter, round white bezel	38,40
25170T	VERATRON®	.	B00005301	VL Digital Electronic Hour Counter Voltmeter, 9V-48V, double lens, round black bezel	31,60
B0000530:	VERATRON®	.	B00005303	VL Digital Electronic Hour Counter Voltmeter, 9V-48V, double lens, triangular black bezel	38,40
B0000630:	VERATRON®	.	B00006301	VL Digital Electronic Hour Counter Voltmeter, 9V-48V, double lens, no bezel	31,60
B0000630:	VERATRON®	.	B00006303	VL Digital Electronic Hour Counter Voltmeter, 9V-48V, double lens, triangular white bezel	38,40
				GAUGE	
				VIEWLINE	
20224M	VERATRON®	.	A2C59510089	Bulk Tachometer with LCD black 6000 rpm (MOQ 10 pcs)	99,90
60206EA	VERATRON®	.	A2C59512430	Tachometer black 3000 rpm	73,60
60208IA	VERATRON®	.	A2C59512431	Tachometer black 4000 rpm	53,40
60210AA	VERATRON®	.	A2C59512432	Tachometer black 6000 rpm	53,40
60212CA	VERATRON®	67	A2C59512390	Tachometer with LCD black 3000 rpm	153,80
60214EA	VERATRON®	67	A2C59512391	Tachometer with LCD black 4000 rpm	153,80
60215FA	VERATRON®	67	A2C59512397	Tachometer with LCD white 4000 rpm	153,80
60216GA	VERATRON®	67	A2C59512392	Tachometer with LCD black 5000 rpm	153,80
60217HA	VERATRON®	67	A2C59512398	Tachometer with LCD white 5000 rpm	153,80
60219LA	VERATRON®	67	A2C59512399	Tachometer with LCD white 6000 rpm	149,20
60310DA	VERATRON®	.	A2C59512454	Engine hours counter white	38,00
61024BA	VERATRON®	.	A2C59510038	Bulk Tachometer black 4000 rpm	40,50
20229Y	VERATRON®	.	A2C59510096	VLB Tach LC 85 12+24 S 7000rpm SL wo C	80,90
				GAUGE	
				VIEWLINE	
20231J	VERATRON®	.	A2C59510098	Bulk Synchronizer -500 / +500 rpm black	56,70
20232L	VERATRON®	.	A2C59510099	Bulk Synchronizer -500 / +500 rpm white	56,70
60225HA	VERATRON®	68	A2C59512403	Synchronizer -500 / +500 rpm white	91,60
60226IA	VERATRON®	68	A2C59501987	GPS Speed 0 - 12 knots/kmh/mph	181,80
60228MA	VERATRON®	68	A2C59501781	GPS Speed 0 - 70 knots/kmh/mph	179,90
				GAUGE	
				VIEWLINE	
20263Y	VERATRON®	.	A2C60001020	Bulk Engine oil temperature 50° - 150°C / 120° - 300°F white (MOQ 10 pcs)	41,50
20264A	VERATRON®	.	A2C60001021	Bulk Coolant temperature 40° - 120°C / 105° - 250°F white (MOQ 10 pcs)	41,50
20289T	VERATRON®	.	A2C60001077	Bulk Engine oil temperature 50° - 150°C / 120° - 300°F black	33,00
20290B	VERATRON®	.	A2C60001078	Bulk Coolant temperature 105° - 250°F / 40° - 120°C black (MOQ 10 pcs)	41,50


UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025
Unit Price (Euro) (VAT excl.)

<i>p/n</i>	<i>Brand</i>	<i>pg cat 26</i>	<i>Model</i>	<i>Description</i>	
60231FA	VERATRON®	69	A2C59514160	Engine oil temperature 50° - 150°C / 120° - 300°F black	55,80
60232GA	VERATRON®	69	A2C59514231	Engine oil temperature 50° - 150°C / 120° - 300°F white	55,80
60233HA	VERATRON®	.	A2C59514165	Engine oil temperature 120° - 300°F / 50° - 150°C black	55,80
60234IA	VERATRON®	.	A2C59514234	Engine oil temperature 120° - 300°F / 50° - 150°C white	55,80
60235JA	VERATRON®	69	A2C59514170	Coolant temperature 40° - 120°C / 105° - 250°F black	55,80
60236KA	VERATRON®	69	A2C59514237	Coolant temperature 40° - 120°C / 105° - 250°F white	55,80
60237LA	VERATRON®	.	A2C59514176	Coolant temperature 105° - 250°F / 40° - 120°C black	55,80
60238OA	VERATRON®	.	A2C59514241	Coolant temperature 105° - 250°F / 40° - 120°C white	55,80
61016BA	VERATRON®	.	A2C60001076	Bulk Coolant temperature 40° - 120°C / 105° - 250°F black (MOQ 10 pcs)	41,50
61062HA	VERATRON®	.	A2C60001080	Bulk Coolant temperature 105° - 250°F / 40° - 120°C white (MOQ 10 pcs)	41,50
A2C60000	VERATRON®	.	A2C60000953	VLB OilTemp12/24V 52 150°C S EU DL wo C	41,50
SENSOR					
UNIVERSAL					
20021X	VERATRON®	.	323-805-001-001N	TRAS.VDO 14*1,5 120° PI	59,90
20022Z	VERATRON®	.	323-803-001-006D	Temp Sender 120°C(Earth)WC96°	73,60
20027K	VERATRON®	.	323-803-001-004D	Temp Sender 120°C(Earth)WC90° M14 x 1.5	32,50
20028M	VERATRON®	.	323-803-001-001D	Temp Sender 120°C(Earth)WC100° M14 x 1.5	30,60
20033E	VERATRON®	.	323-803-001-008D	Temp Sender 120°C(Earth)WC110° M14x 1.5	24,90
20037N	VERATRON®	.	323-803-001-019D	Temp Sender 120°C(Earth)WC95° 1/2-14NPT	73,60
20060H	VERATRON®	.	325-805-003-003C	Temp Sender 120°C(Insul)3/8-18	73,60
60443PA	VERATRON®	.	323-801-001-008N	Temp Sender 120°C(Earth Ret)5/8-18UNF-3A	19,00
60447TA	VERATRON®	.	323-801-001-040N	Temp Sender 120°C (Earth Ret) M16 x 1.5	59,90
60448WA	VERATRON®	.	323-801-001-029N	Temp Sender 250F M16X1.5 801/1/29	19,00
60451SA	VERATRON®	.	323-801-017-001N	Temp Sender 120°C (Earth Ret) M10 x 1	21,10
60453UA	VERATRON®	.	323-805-001-004N	Temp Sender 120°C (Insul/Ret)	59,90
60456XA	VERATRON®	.	323-801-004-002N	Temp Sender 150°C (Earth Ret) M14 x 1.5	22,30
60460TA	VERATRON®	.	323-801-012-001D	Temp Sender 150°C (Earth Ret)	20,50
GAUGE					
VIEWLINE					
60239PA	VERATRON®	70	A2C59512332	Pyrometer 100° - 900°C black	55,80
60240GA	VERATRON®	70	A2C59512333	Pyrometer 100° - 900°C white	55,80
60241HA	VERATRON®	.	A2C59512334	Pyrometer 250° - 1650°F black	55,80
60242IA	VERATRON®	.	A2C59512335	Pyrometer 250° - 1650°F white	55,80
60311EA	VERATRON®	70	A2C59513445	Clock 8 - 16V black	93,80
60312FA	VERATRON®	70	A2C59513443	Clock 8 - 16V white	93,80
60313GA	VERATRON®	70	A2C59513446	Clock 18 - 32V black	93,80
60314HA	VERATRON®	70	A2C59513444	Clock 18 - 32V white	93,80
GAUGE					
VIEWLINE					
20207M	VERATRON®	.	A2C59510022	Bulk Ammeter -60 / +60A black (MOQ 10 pcs)	41,50
20257D	VERATRON®	.	A2C59514202	Engine oil pressure 0 - 150psi / 0 - 10 bar white	55,80
20268J	VERATRON®	.	A2C60001028	Bulk Engine oil pressure 0 - 80psi / 0 - 5bar black (MOQ 10 pcs)	41,50
20272Z	VERATRON®	.	A2C60001035	Bulk Engine oil pressure 0 - 5bar / 0 - 80psi white (MOQ 10 pcs)	41,50
20273B	VERATRON®	.	A2C60001036	Bulk Engine oil pressure 0 - 10bar / 0 - 150psi white (MOQ 10 pcs)	41,50
60249RA	VERATRON®	71	A2C59514123	Engine oil pressure 0 - 5bar / 0 - 80psi black	55,80
60250IA	VERATRON®	71	A2C59514211	Engine oil pressure 0 - 5bar / 0 - 80psi white	55,80
60251JA	VERATRON®	.	A2C59514128	Engine oil pressure 0 - 80psi / 0 - 5bar black	55,80
60252KA	VERATRON®	.	A2C59514214	VL A/M pressure ind. - BAR - double scale - 0 - 5 PSI - 10-184 Ohm - round white bezel	55,80
60289GA	VERATRON®	71	A2C59512328	Ammeter -60 / +60A black	55,80
60290XA	VERATRON®	71	A2C59512330	Ammeter -60 / +60A white	55,80
60291YA	VERATRON®	71	A2C59512329	Ammeter -150 / +150A black	55,80
60292ZA	VERATRON®	71	A2C59512331	Ammeter -150 / +150A white	55,80
61059OA	VERATRON®	.	A2C60001024	Bulk Engine oil pressure 0 - 5bar / 0 - 80psi black (MOQ 10 pcs)	41,50
61060FA	VERATRON®	.	A2C60001025	Bulk Engine oil pressure 0 - 10bar / 0 - 150psi black (MOQ 10 pcs)	41,50
A2C59514	VERATRON®	.	A2C59514118	VLB Pressione Olio 12/24V 52 150psi D US DL rb	55,80
SENSOR					
UNIVERSAL					
20103Z	VERATRON®	.	360-081-029-026K	Press Sender 5Bar (E/Ret) M14 x 1.5	68,30
60329QA	VERATRON®	.	360-081-029-001C	Press Sender 5Bar (E/Ret) M10 x 1(Short)	85,50
60330HA	VERATRON®	.	360-081-029-004C	Press Sender 80PSI 1/8-27NPT 29/4	33,20
60332JA	VERATRON®	.	360-081-029-026C	Press Sender 5Bar (E/Ret) M14	25,90
60333KA	VERATRON®	.	360-081-029-085C	Press Sender 5Bar (E/Ret) M12	37,20
60342LA	VERATRON®	.	360-081-030-004C	Press Sender 5Bar (E/Ret) W/C	70,60
60357SA	VERATRON®	.	360-081-039-002C	Press Sender 5Bar(Insul)WC0.8 1/8-27NPTF	85,50
GAUGE					
VIEWLINE					
20267G	VERATRON®	.	A2C60001026	Bulk Transmission oil pressure 0 - 25bar / 0 - 350psi black (MOQ 10 pcs)	41,50
60253LA	VERATRON®	72	A2C59514111	Engine oil pressure 0 - 10bar / 0 - 150psi black	55,80
60254MA	VERATRON®	72	A2C59514199	Engine oil pressure 0 - 10bar / 0 - 150psi white	55,80
60255NA	VERATRON®	72	A2C59514136	Transmission oil pressure 0 - 25bar / 0 - 350psi black	55,80
60256OA	VERATRON®	72	A2C59514206	Transmission oil pressure 0 - 25bar / 0 - 350psi white	55,80
60259TA	VERATRON®	.	A2C59514145	Transmission oil pressure 0 - 400psi / 0 - 25bar black	55,80
60260KA	VERATRON®	.	A2C59514223	Transmission oil pressure 0 - 400psi / 0 - 25bar white	55,80
61021UA	VERATRON®	.	A2C60001038	Bulk Transmission oil pressure 0 - 30bar / 0 - 435psi white (MOQ 10 pcs)	41,50


UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025
Unit Price (Euro) (VAT excl.)

<i>p/n</i>	<i>Brand</i>	<i>pg cat 26</i>	<i>Model</i>	<i>Description</i>	
61061GA	VERATRON®	.	A2C60001027	Bulk Transmission oil pressure 0 - 30bar / 0 - 435psi black (MOQ 10 pcs)	41,50
A2C60000	VERATRON®	.	A2C60000970	VLB GeaPress12/24V 52 25 bar S EU D wo	55,80
A2C60000	VERATRON®	.	A2C60000981	VLB OilPress12/24V 52 10 kPa x100 S EU D	55,80
SENSOR					
UNIVERSAL					
20052J	VERATRON®	.	360-081-037-019C	Press Sender 16Bar (E/Ret) M12 x 1.5	55,20
60363QA	VERATRON®	.	360-081-029-033C	Press Sender 10Bar (E/Ret) M14 x 1.5	47,30
60368XA	VERATRON®	.	360-081-032-004C	Press Sender 10Bar (Insul/Ret) M12 x 1.5	52,60
60369YA	VERATRON®	.	360-081-032-006C	Press Sender 10Bar (Insul/Ret) M14 x 1.5	63,10
GAUGE					
VIEWLINE					
20266E	VERATRON®	.	A2C60001023	Bulk Turbo pressure 0 - 2bar / 0 - 30psi black	31,60
20271X	VERATRON®	.	A2C60001034	Bulk Turbo pressure 0 - 2 bar / 0 - 30psi white	32,90
60257PA	VERATRON®	73	A2C59514141	Transmission oil pressure 0 - 30bar / 0 - 435psi black	55,80
60258SA	VERATRON®	73	A2C59514208	Transmission oil pressure 0 - 30bar / 0 - 435psi white	55,80
60261LA	VERATRON®	73	A2C59514149	Turbo pressure 0 - 2bar / 0 - 30psi black	55,80
60262MA	VERATRON®	73	A2C59514225	Turbo pressure 0 - 2bar / 0 - 30psi white	55,80
GAUGE					
VIEWLINE					
60263NA	VERATRON®	74	A2C59514154	Rudder angle -40° / +40° black	55,80
60264OA	VERATRON®	74	A2C59514230	Rudder angle -40° / +40° white	55,80
60266QA	VERATRON®	74	A2C59512411	Rudder angle -45° / +45° white	80,80
60271NA	VERATRON®	74	A2C59514085	Fuel level Empty - Full 0 - 90 Ω black	55,80
60272OA	VERATRON®	74	A2C59514186	Fuel level Empty - Full 0 - 90 Ω white	55,80
60488LA	VERATRON®	.	A2C60001066	Bulk Rudder angle -40° / +40° white (MOQ 10 pcs)	41,50
60504LA	VERATRON®	.	A2C60001065	Bulk Rudder angle -40° / +40° black (MOQ 10 pcs)	41,50
GAUGE					
VIEWLINE					
60273PA	VERATRON®	75	A2C59514082	Fuel level 0 - 1/1, 3 - 180 Ω black	55,80
60274QA	VERATRON®	75	A2C59514184	Fuel level 0 - 1/1, 3 - 180 Ω white	55,80
60277TA	VERATRON®	75	A2C59514094	Fuel level Empty - Full 240 - 33.5 Ω black	55,80
60278WA	VERATRON®	75	A2C59514190	Fuel level Empty - Full 240 - 33.5 Ω white	55,80
61011SA	VERATRON®	.	A2C60001058	Bulk Fuel level Empty - Full 240 - 33.5 Ω white (MOQ 10 pcs)	41,50
61040BA	VERATRON®	.	A2C60001053	Bulk Fuel level Empty - Full 240 - 33.5 Ω black (MOQ 10 pcs)	41,50
GAUGE					
VIEWLINE					
20280Y	VERATRON®	.	A2C60001051	Bulk Fuel level 0 - 1/1, 90 - 4 Ω black (MOQ 10 pcs)	41,50
20288R	VERATRON®	.	A2C60001068	Bulk Trim white (MOQ 10 pcs)	41,50
60279XA	VERATRON®	76	A2C59514079	Fuel level 0 - 1/1, 90 - 4 Ω black	55,80
60280VA	VERATRON®	76	A2C59514182	Fuel level 0 - 1/1, 90 - 4 Ω white	55,80
60281WA	VERATRON®	76	A2C59514088	Fuel level Empty - Full 90 - 4 Ω black	55,80
60282XA	VERATRON®	76	A2C59514188	Fuel level Empty - Full 90 - 4 Ω white	55,80
60283YA	VERATRON®	76	A2C59514180	Trim black	55,80
60284ZA	VERATRON®	76	A2C59514244	Trim white	55,80
A2C59514	VERATRON®	.	A2C59514080	VLB LevelFuel 12/24V 52 1/1 S DT A DL tc	52,60
GAUGE					
VIEWLINE					
20292F	VERATRON®	.	A2C60100078	Bulk Voltmeter 18 - 32V black (MOQ 10 pcs)	41,50
20293H	VERATRON®	.	A2C60100079	Bulk Voltmeter 18 - 32V white (MOQ 10 pcs)	41,50
20294K	VERATRON®	.	A2C60100178	Bulk Voltmeter 8 - 16V black (MOQ 10 pcs)	41,50
60285AA	VERATRON®	77	A2C59512545	Voltmeter 8 - 16V black	55,80
60286BA	VERATRON®	77	A2C59512546	Voltmeter 8 - 16V white	55,80
60287CA	VERATRON®	77	A2C59512458	Voltmeter 18 - 32V black	55,80
60288FA	VERATRON®	77	A2C59512459	Voltmeter 18 - 32V white	55,80
60297EA	VERATRON®	77	A2C59514676	Fresh water (capacitive) 0 - 1/1 black	55,80
60298HA	VERATRON®	77	A2C59514677	Fresh water (capacitive) 0 - 1/1 white	55,80
61025CA	VERATRON®	.	A2C60100179	Bulk Voltmeter 8 - 16V white (MOQ 10 pcs)	41,50
GAUGE					
VIEWLINE					
20218T	VERATRON®	.	A2C59510037	Bulk Waste water 0 - 1/1 white (MOQ 10 pcs)	41,50
60301CA	VERATRON®	78	A2C59514097	Fresh water (resistive) 0 - 1/1 black	55,80
60302DA	VERATRON®	78	A2C59514192	Fresh water (resistive) 0 - 1/1 white	55,80
60303EA	VERATRON®	78	A2C59514099	Fresh water (resistive) Empty - Full black	55,80
60304FA	VERATRON®	78	A2C59514193	Fresh water (resistive) Empty - Full white	55,80
60305GA	VERATRON®	78	A2C59512342	Waste water 0 - 1/1 black	55,80
60306HA	VERATRON®	78	A2C59512343	Waste water 0 - 1/1 white	55,80
60500HA	VERATRON®	.	A2C59510036	Bulk Waste water 0 - 1/1 black (MOQ 10 pcs)	32,80
60501IA	VERATRON®	.	A2C60001061	Bulk Fresh water (resistive) 0 - 1/1 black (MOQ 10 pcs)	41,50
60502JA	VERATRON®	.	A2C60001063	Bulk Fresh water (resistive) 0 - 1/1 white (MOQ 10 pcs)	41,50
61014VA	VERATRON®	.	A2C60001050	Bulk Fuel level 0 - 1/1, 3 - 180 Ω black (MOQ 10 pcs)	41,50
61019GA	VERATRON®	.	A2C60001056	Bulk Fuel level 0 - 1/1, 3 - 180 Ω white (MOQ 10 pcs)	41,50
61027EA	VERATRON®	.	A2C59510782	VLB Tach LC 85 12+24 S 4000rpm DL rb C	105,10
61073KA	VERATRON®	.	A2C59514091	VLB LevelFuel 12/24V 52 F S LT EU DL rb	55,80
A2C59514	VERATRON®	.	A2C59514891	VLB Fuel 52 12+24 1/1 S LT EU DL rb C	41,50


UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025
Unit Price (Euro) (VAT excl.)

p/n	Brand	pg cat 26	Model	Description	
A2C60001	VERATRON®	.	A2C60001052	MODULE FUEL E-F 10-180 12/24 VLB	41,50
				Accessory/Spare	
20324S	VERATRON®	.	N05-800-306	Anemometer Cup Rotor (Old Type)	51,60
20330L	VERATRON®	.	N05-800-786	OceanLink, Dropping Resistor (Red Bulb)	9,70
21522B	VERATRON®	79	N05-016-930	Sealing Kit for Waste Water Sensor N02	37,80
23191R	VERATRON®	.	N06-009-59001	Volvo Glass Replacement	52,20
60485GA	VERATRON®	.	N05-800-774	BEZEL ROUND BLACK, 52mm, OceanLine	18,40
60486HA	VERATRON®	.	N05-800-550	24 V BULB 1.2W RED	5,10
60487IA	VERATRON®	.	N05-800-286	Marine Double Glazed Lens 100mm	41,70
60492FA	VERATRON®	.	N05-800-540	Wedge Base Bulb - T5 - W2x4.6d - 12V-2W Red	10,80
60506NA	VERATRON®	.	N05-801-448	ANEMOMETER CUP ROTOR	37,40
61000PA	VERATRON®	.	N05-800-218	OceanLine BULB HOLDER	6,70
61029IA	VERATRON®	.	800-005-003G	BULB & HOLDER 24V (N05-801-328)	5,00
61068PA	VERATRON®	.	N05-800-552	OCEAN LINE BULB, RED, 12 V	2,60
61069QA	VERATRON®	.	N05-800-762	SOCKET WARNING BULB 12V OL	10,80
61070HA	VERATRON®	.	N05-800-764	BULB WARNING LIGHT 24V RED OL	6,70
61071IA	VERATRON®	.	N05-801-788	BEZEL BEZEL WHITE 52MM round- OceanLine	22,30
N05-801-9	VERATRON®	.	N05-801-970	VDO Old Series Wind Sensor Mast Head Unit - Ball-bearing	94,60
				UNIVERSAL	
				Accessory/Spare	
20251R	VERATRON®	.	A2C59510854	Bracket assembly mounting set	58,70
20252T	VERATRON®	.	A2C59510864	L- Flush mount fixing gauge brackets	10,20
20254X	VERATRON®	.	A2C59510886	ViewLine Make point switch 12V (alarm setting)	76,60
21922U	VERATRON®	.	N05-008-750	Sealing Kit for Fresh Water Resistive Sensor	21,30
22184N	VERATRON®	79	N05-001-370	Sealing Kit for Water Capacitive Sensor N02	26,30
61038JA	VERATRON®	.	N05-801-434	Flange Kit -Bolt On for Dip Pipe Sender	8,10
A2C53121	VERATRON®	.	A2C5312164501	Blind Plug for 52mm diameter	10,20
				VIEWLINE	
				Accessory/Spare	
20013Y	VERATRON®	.	A2C59512950	Adapter cable 14 pole for tachometer with LCD	17,40
20014A	VERATRON®	.	A2C53215640	ViewLine Sealing, 52mm, Flush mount kit	5,10
20015C	VERATRON®	.	A2C53215641	ViewLine Sealing, 85mm, Flush mount kit	5,10
20113C	VERATRON®	.	A2C53210745	(ViewLine) Bezel flat black 110mm - Bulk packaging	6,30
20115G	VERATRON®	.	A2C53210747	(ViewLine) Bezel flat chrome 110mm - Bulk packaging	11,20
20117L	VERATRON®	.	A2C53210761	(ViewLine) Bezel round chrome 110mm - Bulk packaging	11,20
20118N	VERATRON®	.	A2C53210763	(ViewLine) Bezel triangular black 110mm - Bulk packaging	6,30
20119R	VERATRON®	.	A2C53210764	(ViewLine) Bezel triangular white 110mm - Bulk packaging	6,30
20120Z	VERATRON®	.	A2C53210765	(ViewLine) Bezel triangular chrome 110mm - Bulk packaging	11,20
20249E	VERATRON®	.	A2C59510850	8-pin, ViewLine Connector set	5,10
20250N	VERATRON®	.	A2C59510851	14-pin, ViewLine Connector set	9,30
20939G	VERATRON®	.	A2C10284000	Push Button, ViewLine	23,30
21873H	VERATRON®	.	B00013402	VL Adapter Cable for WWG 4 pin	35,40
23289J	VERATRON®	.	A2C5319291301	VL - A/M packaging -bezel round black 85mm	8,10
25311J	VERATRON®	.	B00109001	Acoustic dual tone alarm buzzer, 52mm, black, 12/24V	59,30
600120G	VERATRON®	.	A2C59510852	Adapter cable for 52 mm 5 x AMP taps, 6.3 mm 2 x AMP taps, 2.8 mm	9,30
600122L	VERATRON®	.	A2C59512948	Adapter cable 8 pole for voltmeter, engine hours counter, clock	11,20
61030VA	VERATRON®	.	A2C53210749	(ViewLine) Bezel round black 110mm - Bulk packaging	3,50
61037GA	VERATRON®	.	A2C59510853	Dropping resistor 24 V (with connector)	6,70
A2C53186	VERATRON®	.	A2C5318602201	(ViewLine) -Aftermarket packaging - Bezel flat white 52mm	7,30
A2C53186	VERATRON®	.	A2C5318602301	(ViewLine) -Aftermarket packaging - Bezel flat chrome 52mm	12,40
A2C53186	VERATRON®	.	A2C5318602401	(ViewLine) -Aftermarket packaging - Bezel triangular black 52mm	7,30
A2C53186	VERATRON®	.	A2C5318602501	(ViewLine) -Aftermarket packaging - Bezel triangular white 52mm	7,30
A2C53186	VERATRON®	.	A2C5318602601	(ViewLine) -Aftermarket packaging - Bezel triangular chrome 52mm	12,40
A2C53186	VERATRON®	.	A2C5318602701	(ViewLine) -Aftermarket packaging - Bezel round black 52mm	7,30
A2C53186	VERATRON®	.	A2C5318602801	(ViewLine) -Aftermarket packaging - Bezel round white 52mm	7,30
A2C53186	VERATRON®	.	A2C5318602901	(ViewLine) -Aftermarket packaging - Bezel round chrome 52mm	12,40
A2C53186	VERATRON®	.	A2C5318604001	(ViewLine) -Aftermarket packaging - Bezel flat black 52mm	7,30
A2C53192	VERATRON®	.	A2C5319291001	(ViewLine) -Aftermarket packaging - Bezel flat chrome 85mm	13,20
A2C53192	VERATRON®	.	A2C5319291101	(ViewLine) -Aftermarket packaging -Bezel flat black 85mm	8,10
A2C53192	VERATRON®	.	A2C5319291201	(ViewLine) -Aftermarket packaging - Bezel flat white 85mm	8,10
A2C53192	VERATRON®	.	A2C5319291401	(ViewLine) -Aftermarket packaging - Bezel round chrome 85mm	13,20
A2C53192	VERATRON®	.	A2C5319291601	(ViewLine) -Aftermarket packaging - Bezel round white 85mm	8,10
A2C53192	VERATRON®	.	A2C5319291701	(ViewLine) -Aftermarket packaging - Bezel triangular black 85mm	8,10
A2C53192	VERATRON®	.	A2C5319291801	(ViewLine) -Aftermarket packaging - Bezel triangular chrome 85mm	13,20
A2C53192	VERATRON®	.	A2C5319292001	(ViewLine) -Aftermarket packaging - Bezel triangular white 85mm	8,10
A2C53210	VERATRON®	.	A2C5321074501	(ViewLine) -Aftermarket packaging - Bezel flat black 110mm	10,20
A2C53210	VERATRON®	.	A2C5321074701	(ViewLine) -Aftermarket packaging - Bezel flat chrome 110mm	16,20
A2C53210	VERATRON®	.	A2C5321076101	(ViewLine) -Aftermarket packaging - Bezel round chrome 110mm	16,20
A2C53210	VERATRON®	.	A2C5321076301	(ViewLine) -Aftermarket packaging - Bezel triangular black 110mm	10,20
A2C53210	VERATRON®	.	A2C5321076501	(ViewLine) -Aftermarket packaging - Bezel triangular chrome 110mm	16,20
A2C53212	VERATRON®	.	A2C5321223801	Spinlock Nut 85 mm ViewLine- (Aftermarket packaging)	7,30
A2C59512	VERATRON®	.	A2C59512675	Adapter cable 8 pole for anmmeter	12,40
A2C95822	VERATRON®	.	A2C9582260001	GPS Speed cable	24,30
				NAVIGATION SENSOR	



UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025

Unit Price (Euro) (VAT excl.)

<i>p/n</i>	<i>Brand</i>	<i>pg cat 26</i>	<i>Model</i>	<i>Description</i>	
UNIVERSAL					
20741J	VERATRON®	79	A2C1102950001	Rudder angle sensor single station 10 - 180 Ω	83,10
20742L	VERATRON®	79	A2C1102960001	Rudder angle sensor dual station 5 - 90 Ω	113,00
SENSOR					
UNIVERSAL					
60317KA	VERATRON®	79	N02-240-402	Sensor Fresh water 600mm 4-20mA 12/24V	161,30
60318NA	VERATRON®	79	N02-240-404	Sensor Fresh water 1200mm4-20mA12/24V	289,80
60319OA	VERATRON®	79	N02-240-406	Fresh water sensor, 1500mm, 4-20mA 12/24V	396,90
60321GA	VERATRON®	79	N02-240-902	Waste Water sensor, cap., 600mm 4-20mA 12/24V	257,30
60322HA	VERATRON®	79	N02-240-904	Waste Water sensor, cap., 1200mm 4-20mA 12/24V	385,80
60323IA	VERATRON®	.	N02-240-906	Waste Water sensor, cap., 1500mm 4-20mA 12/24V	492,70
UNIVERSAL					
Accessory/Spare					
23324K	VERATRON®	.	B00063201	6m extention cable for pyrometer, IP 67 connector	78,70
60475AA	VERATRON®	.	N03-320-266	Sensor Pyrometer Weld Boss	26,30
61013UA	VERATRON®	80	N05-801-432	Sealing Kit for Fuel Level Sensor 226	11,20
SENSOR					
UNIVERSAL					
20084Y	VERATRON®	80	226-801-015-001C	Bulk Adjustable Lever Arm Sensor 3-180 Ω ins grnd	54,20
21124N	VERATRON®	80	A2C1364580001	Adjustable Fuel level sensor 240-33.5 Ω	64,50
25473M	VERATRON®	80	A2C1364580002	Adjustable Fuel level sensor 240-33.5 Ω	54,20
60324JA	VERATRON®	80	A2C59514043	Ammeter Shunts 60A/60mv single	54,20
60325KA	VERATRON®	80	A2C59514047	Ammeter Shunts 150A/60mv single	54,20
60473YA	VERATRON®	80	N03-320-264	Sender Pyrometer	214,30
60478FA	VERATRON®	80	226-801-015-001G	Adjustable Lever Arm Sensor 10-180 ins grnd	64,50
Accessory/Spare					
20325U	VERATRON®	.	N05-800-308	Wind Vane (Old Type)	201,50
60508RA	VERATRON®	.	N05-800-356	Wind Vane for New Type Masthead 8/93on	79,70
UNIVERSAL					
Accessory/Spare					
22984Y	VERATRON®	81	B00001201	Flange Adapter Kit - Flange from 85 mm to 54 mm	28,30
23071E	VERATRON®	81	A2C17593300	Installation kit for Deep Pipe sensor	10,20
23072G	VERATRON®	81	A2C17563000	Wiring harness for Deep Pipe sensor, 6m	25,30
SENSOR					
UNIVERSAL					
21777M	VERATRON®	.	A2C1720030001	150 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	39,30
21778P	VERATRON®	.	A2C1742980001	170 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	40,10
21779S	VERATRON®	.	A2C1744190001	200 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	41,10
21780A	VERATRON®	.	A2C1744210001	220 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	43,30
21781C	VERATRON®	.	A2C1744220001	230 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	43,30
21782E	VERATRON®	.	A2C1744240001	250 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	45,10
21783G	VERATRON®	.	A2C1744270001	280 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	47,10
21784J	VERATRON®	.	A2C1744290001	300 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	49,20
21785L	VERATRON®	.	A2C1744360001	350 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	53,20
21786N	VERATRON®	.	A2C1744380001	370 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	54,20
21787R	VERATRON®	.	A2C1744410001	400 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	57,20
21788T	VERATRON®	.	A2C1744460001	450 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	60,10
21789V	VERATRON®	.	A2C1745800001	500 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	64,30
21790D	VERATRON®	.	A2C1745810001	550 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	67,10
21791F	VERATRON®	.	A2C1745820001	650 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	76,20
21792H	VERATRON®	.	A2C1745830001	700 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	80,10
21793K	VERATRON®	.	A2C1745840001	750 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	85,10
21794M	VERATRON®	.	A2C1745920001	1000 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	108,20
21795P	VERATRON®	.	A2C1746020001	150 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	39,30
21796S	VERATRON®	.	A2C1746040001	170 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	40,10
21797U	VERATRON®	.	A2C1746150001	230 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	43,30
21798W	VERATRON®	.	A2C1746190001	250 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	45,10
21799Y	VERATRON®	.	A2C1746450001	300 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	49,20
21800D	VERATRON®	.	A2C1747050001	350 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	53,20
21801F	VERATRON®	.	A2C1747200001	450 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	60,10
21861A	VERATRON®	.	A2C1745910001	950 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	103,30
22007P	VERATRON®	.	A2C1720100001	600 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	71,20
22021H	VERATRON®	.	A2C1746170001	240 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	43,30
22044W	VERATRON®	.	A2C1747260001	550 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	67,10
22211N	VERATRON®	.	A2C1747140001	400 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	57,20
22246J	VERATRON®	.	A2C1750420001	450 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	60,10
22247L	VERATRON®	.	A2C1750530001	550 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	67,10
22248N	VERATRON®	.	A2C1750620001	650 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	76,20
22249R	VERATRON®	.	A2C1750740001	800 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	89,20
22341C	VERATRON®	.	A2C1746120001	200 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	41,10
22363N	VERATRON®	.	A2C1745890001	850 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	94,20
22787W	VERATRON®	.	A2C1745880001	800 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	89,20
22817C	VERATRON®	.	A2C1747270001	600 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	71,20
22843D	VERATRON®	.	A2C1747250001	500 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	64,30

**UFLEX**

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025

Unit Price (Euro) (VAT excl.)

p/n	Brand	pg cat 26	Model	Description	
22906B	VERATRON®	81	A2C1745900001	900 mm stainless steel, liquid level tub. sensor 0-180 Ω	99,10
22997H	VERATRON®	81	A2C1750190001	250 mm stainless steel, liquid level tub. sensor 90-4 Ω	45,10
23163K	VERATRON®	81	A2C1750730001	750 mm stainless steel, liquid level tub. sensor 90-4 Ω	85,10
23195Z	VERATRON®	81	A2C1744400001	390 mm stainless steel, liquid level tub. sensor 0-180 Ω	56,20
23253L	VERATRON®	81	A2C1744280001	290 mm stainless steel, liquid level tub. sensor 0-180 Ω	48,10
23254N	VERATRON®	81	A2C1745780001	480 mm stainless steel, liquid level tub. sensor 0-180 Ω	62,30
23300T	VERATRON®	81	A2C1745960001	1200 mm stainless steel, liquid level tub. sensor 0-180 Ω	127,20
23305D	VERATRON®	81	A2C1746390001	280 mm stainless steel, liquid level tub. sensor 240-33 Ω	47,10
23337T	VERATRON®	81	A2C1750290001	350 mm stainless steel, liquid level tub. sensor 90-4 Ω	53,20
23343M	VERATRON®	81	A2C1750570001	600 mm stainless steel, liquid level tub. sensor 90-4 Ω	71,20
23349A	VERATRON®	81	A2C1750810001	1050 mm stainless steel, liquid level tub. sensor 90-4 Ω	113,20
23363U	VERATRON®	81	A2C1750240001	300 mm stainless steel, liquid level tub. sensor 90-4 Ω	49,20
23382Y	VERATRON®	81	A2C1747300001	750 mm stainless steel, liquid level tub. sensor 240-33 Ω	85,10
23401Z	VERATRON®	81	A2C1750650001	700 mm stainless steel, liquid level tub. sensor 90-4 Ω	80,10
23435T	VERATRON®	81	A2C1747280001	650 mm stainless steel, liquid level tub. sensor 240-33 Ω	76,20
23529C	VERATRON®	81	A2C1744480001	470 mm stainless steel, liquid level tub. sensor 0-180 Ω	62,30
23556F	VERATRON®	81	A2C1750860001	1200 mm stainless steel, liquid level tub. sensor 90-4 Ω	127,20
23619D	VERATRON®	81	A2C1750760001	900 mm stainless steel, liquid level tub. sensor 90-4 Ω	99,10
23671F	VERATRON®	81	A2C1750040001	200 mm stainless steel, liquid level tub. sensor 90-4 Ω	41,10
23672H	VERATRON®	81	A2C1750340001	400 mm stainless steel, liquid level tub. sensor 90-4 Ω	57,20
23673K	VERATRON®	81	A2C1750500001	500 mm stainless steel, liquid level tub. sensor 90-4 Ω	64,30
23742C	VERATRON®	81	A2C1742410001	160 mm stainless steel, liquid level tub. sensor 0-180 Ω	40,10
23743E	VERATRON®	81	A2C1744170001	180 mm stainless steel, liquid level tub. sensor 0-180 Ω	40,10
23793W	VERATRON®	81	A2C1746100001	190 mm stainless steel, liquid level tub. sensor 240-33 Ω	40,10
23794Y	VERATRON®	81	A2C1746140001	220 mm stainless steel, liquid level tub. sensor 240-33 Ω	43,30
23795A	VERATRON®	81	A2C1747130001	390 mm stainless steel, liquid level tub. sensor 240-33 Ω	56,20
23823C	VERATRON®	81	A2C1749310001	160 mm stainless steel, liquid level tub. sensor 90-4 Ω	40,10
23824E	VERATRON®	81	A2C1749370001	170 mm stainless steel, liquid level tub. sensor 90-4 Ω	40,10
24842M	VERATRON®	.	A2C1745940001	1100 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	118,30
24894H	VERATRON®	.	A2C1750850001	1150 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	122,30
25097K	VERATRON®	.	A2C1750770001	950 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	103,30
25181Y	VERATRON®	.	A2C1746300001	270 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	47,10
25182A	VERATRON®	.	A2C1747090001	380 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	55,20
25211E	VERATRON®	.	A2C1747370001	950 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	103,30
25212G	VERATRON®	.	A2C1747340001	800 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	89,20
25213J	VERATRON®	.	A2C1747290001	700 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	80,10
25238B	VERATRON®	.	A2C1750790001	1000 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	108,20
25239D	VERATRON®	.	A2C1750750001	850 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	94,20
25310G	VERATRON®	.	A2C1744370001	360 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	53,20
25339H	VERATRON®	.	A2C1747220001	470 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	62,30
25518H	VERATRON®	.	A2C1744390001	380 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	55,20
25533D	VERATRON®	.	A2C1747410001	1100 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	118,30
25722G	VERATRON®	.	A2C1744200001	210 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	42,30
25764Z	VERATRON®	.	A2C1750280001	340 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	52,20
A2C17441	VERATRON®	.	A2C1744180001	190 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	40,10
A2C17442	VERATRON®	.	A2C1744230001	240 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	43,30
A2C17442	VERATRON®	.	A2C1744250001	260 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	46,10
A2C17442	VERATRON®	.	A2C1744260001	270 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	47,10
A2C17443	VERATRON®	.	A2C1744300001	310 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	50,20
A2C17443	VERATRON®	.	A2C1744320001	330 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	51,20
A2C17443	VERATRON®	.	A2C1744350001	340 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	52,20
A2C17444	VERATRON®	.	A2C1744420001	410 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	58,20
A2C17444	VERATRON®	.	A2C1744430001	420 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	58,20
A2C17444	VERATRON®	.	A2C1744440001	430 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	59,30
A2C17444	VERATRON®	.	A2C1744450001	440 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	60,10
A2C17444	VERATRON®	.	A2C1744470001	460 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	61,10
A2C17457	VERATRON®	.	A2C1745790001	490 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	63,30
A2C17459	VERATRON®	.	A2C1745930001	1050 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	113,20
A2C17459	VERATRON®	.	A2C1745950001	1150 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	122,30
A2C17460	VERATRON®	.	A2C1746030001	160 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	40,10
A2C17460	VERATRON®	.	A2C1746060001	180 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	40,10
A2C17461	VERATRON®	.	A2C1746130001	210 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	42,30
A2C17462	VERATRON®	.	A2C1746220001	260 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	46,10
A2C17464	VERATRON®	.	A2C1746420001	290 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	48,10
A2C17469	VERATRON®	.	A2C1746990001	310 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	50,20
A2C17470	VERATRON®	.	A2C1747000001	320 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	50,20
A2C17470	VERATRON®	.	A2C1747020001	330 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	51,20
A2C17470	VERATRON®	.	A2C1747030001	340 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	52,20
A2C17470	VERATRON®	.	A2C1747060001	360 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	53,20
A2C17470	VERATRON®	.	A2C1747080001	370 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	54,20
A2C17471	VERATRON®	.	A2C1747150001	410 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	58,20
A2C17471	VERATRON®	.	A2C1747160001	420 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	58,20
A2C17471	VERATRON®	.	A2C1747170001	430 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	59,30
A2C17471	VERATRON®	.	A2C1747190001	440 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	60,10



UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025

Unit Price (Euro) (VAT excl.)

pg
cat
26

p/n	Brand	Model	Description	
A2C17472	VERATRON®	A2C1747210001	460 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	61,10
A2C17472	VERATRON®	A2C1747230001	480 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	62,30
A2C17472	VERATRON®	A2C1747240001	490 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	63,30
A2C17473	VERATRON®	A2C1747350001	850 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	94,20
A2C17473	VERATRON®	A2C1747360001	900 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	99,10
A2C17473	VERATRON®	A2C1747380001	1000 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	108,20
A2C17473	VERATRON®	A2C1747390001	1050 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	113,20
A2C17474	VERATRON®	A2C1747420001	1150 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	122,30
A2C17474	VERATRON®	A2C1747430001	1200 mm STAINLESS STEEL,Liquid level sensor 240-33 Ω	127,20
A2C17493	VERATRON®	A2C1749300001	150 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	39,30
A2C17499	VERATRON®	A2C1749950001	180 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	40,10
A2C17500	VERATRON®	A2C1750030001	190 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	40,10
A2C17501	VERATRON®	A2C1750120001	220 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	43,30
A2C17501	VERATRON®	A2C1750170001	240 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	43,30
A2C17502	VERATRON®	A2C1750200001	260 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	46,10
A2C17502	VERATRON®	A2C1750210001	270 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	47,10
A2C17502	VERATRON®	A2C1750220001	280 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	47,10
A2C17502	VERATRON®	A2C1750230001	290 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	48,10
A2C17502	VERATRON®	A2C1750250001	310 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	50,20
A2C17502	VERATRON®	A2C1750260001	320 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	50,20
A2C17502	VERATRON®	A2C1750270001	330 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	51,20
A2C17503	VERATRON®	A2C1750300001	360 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	53,20
A2C17503	VERATRON®	A2C1750310001	370 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	54,20
A2C17503	VERATRON®	A2C1750320001	380 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	55,20
A2C17503	VERATRON®	A2C1750330001	390 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	56,20
A2C17503	VERATRON®	A2C1750350001	410 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	58,20
A2C17503	VERATRON®	A2C1750360001	420 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	58,20
A2C17503	VERATRON®	A2C1750380001	430 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	59,30
A2C17503	VERATRON®	A2C1750390001	440 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	60,10
A2C17504	VERATRON®	A2C1750440001	460 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	61,10
A2C17504	VERATRON®	A2C1750460001	470 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	62,30
A2C17504	VERATRON®	A2C1750470001	480 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	62,30
A2C17504	VERATRON®	A2C1750490001	490 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	63,30
A2C17508	VERATRON®	A2C1750840001	1100 mm STAINLESS STEEL,Liquid level sensor 90-4 Ω	118,30
21987Z	VERATRON®	A2C1744310001	320 mm STAINLESS STEEL,Liquid level sensor 0-180 Ω	50,20
21393T	VERATRON®	B00068601	1400 MM STAINLESS STEEL,LIQUID LEVEL SENSOR 90-4 Ω	190,20
25961B	VERATRON®	A2C1750100001	210 mm STAINLESS STEEL,liquid level sensor 90-4 Ω	42,30
25960Z	VERATRON®	A2C1750130001	230 mm STAINLESS STEEL,liquid level sensor 90-4 Ω	43,30



UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025

Unit Price (Euro) (VAT excl.)

pg
cat
26

p/n	Brand		Model	Description	
VERATRON® Digital Devices, sensors & accessories					
DIGITAL GAUGE					
VMH					
25825T	VERATRON®	83	B00127801	VMH-Flex Multifunction 1,4 inch color display, SAEJ1939	115,20
25824R	VERATRON®	83	B00186401	VMH-Flex Multifunction 1,4 inch color display, NMEA 2000®	138,30
OCEANLINK					
Accessory/Spare					
21538T	VERATRON®	84	A2C59500139	EasyLink connecting Cable	14,40
21944E	VERATRON®	84	A2C1845710001	Video Cable 0.3m TFT 7" OceanLink (only)	58,70
24907P	VERATRON®	84	A2C1507870001	Power cable + Data cable Engine 1	20,30
24908S	VERATRON®	84	A2C1992110001	Engine 2 data cable VMH70	20,30
DIGITAL GAUGE					
VMH					
21965N	VERATRON®	85	B00109901	VMH-14 Multifunction color display, embedded 10Hz GNSS receiver NMEA2K	67,50
24897P	VERATRON®	85	B00129201	VMH70 Display	1.052,10
DIGITAL GAUGE					
VMH					
25321M	VERATRON®	.	B00143601 OLD	VMH-35 Multifunction color display, NMEA2K, (0-5V input)	256,10
25321MA	VERATRON®	85	B00143601	VMH-35 Multifunction color display, NMEA2K, (0-5V input) (new firmware)	256,10
25287RA	VERATRON®	85	B00143501	H-35 Multifunction color display, embedded 10Hz GNSS receiver NMEA2K (0-5V input) (new firmware)	276,30
23606UA	VERATRON®	85	B00065501	VMH-35 Multifunction color display, embedded 10Hz GNSS receiver NMEA2K (new firmware)	276,30
26146B	VERATRON®	87	B00204201	VMH-35 Multifunction color display NMEA 2K certify (PWM input) & Suzuki adapter wiring harness	300,10
26141R	VERATRON®	87	B00204101	nction color display with emb. 10 Hz GNSS receiver NMEA 2K certify (PWM input) & Suzuki adapter	322,40
VERATRON KIT					
VMH					
22046A	VERATRON®	.	B00085502	VMH-35 Outboard Kit, multifunction color display, embedded 10Hz GNSS receiver NMEA2K	521,00
DIGITAL GAUGE					
VMH					
25401K	VERATRON®	88	B00171201	VMH-35-D Multifunction color display, NMEA2K (12-24V input)	304,00
25402M	VERATRON®	88	B00171101	VMH-35-D Multifunction color display, embedded 10 Hz GNSS receiver NMEA2K (12-24V input)	329,40
LIN					
Accessory/Spare					
23190N	VERATRON®	.	B00068201	Battery pole adapter for Intelligent Battery Sensor 12-24 V 250A M8	23,70
23736H	VERATRON®	.	B00068401	Battery pole adapter for Intelligent Battery Sensor 12- 24 V 500A M6	23,70
25531Z	VERATRON®	91	B00090601	IBS (Intelligent Battery Sensor) Adapter cable kit, 12V	54,40
25532B	VERATRON®	91	B00090701	IBS (Intelligent Battery Sensor) Adapter cable kit, 24V	54,40
DIGITAL GAUGE					
VIEWLINE					
21395X	VERATRON®	91	B00111301	VL Flex 52 NMEA 2K color display, 1,4"	122,50
21613E	VERATRON®	91	B00110901	VL Flex 52 J1939 color display, 1,4", white	100,10
21616L	VERATRON®	91	B00086001	VL Flex 52 J1939 color display, 1,4", black	93,40
23605S	VERATRON®	91	B00043501	VL-aftermarket digital color display 1,4"	118,10
SENSOR					
LIN					
21733R	VERATRON®	.	B00084201	Intelligent battery Sensors 12 Volt 500 A	149,00
VERATRON KIT					
VIEWLINE					
21924Y	VERATRON®	91	B00084701	VL Flex IBM (Intelligent Battery Monitor) kit, 12V	223,50
21925A	VERATRON®	91	B00084801	VL Flex IBM (Intelligent Battery Monitor) kit, 24V	320,10
NMEA 2K					
Accessory/Spare					
22177S	VERATRON®	93	A2C3931270001	Kvaser Diagnostic tool	503,40
CONTROL UNIT					
NMEA 2K					
25255B	VERATRON®	94	B00059201	0-5 V LinkUp Gateway	124,70
SENSOR					
LIN					
23561Y	VERATRON®	.	B00043901	LinkUP IBS 12 Volt (Sensor B00043901 included)	114,60
B0007210:	VERATRON®	.	B00072101	Intelligent battery Sensors 24 Volt	229,00
VERATRON KIT					
NMEA 2K					
23411C	VERATRON®	95	B00042501	LinkUP IBS 12 Volt (Sensor B00043901 included)	222,30
23854P	VERATRON®	95	B00070401	LinkUP IBS 24 Volt (Sensor B00072101 included)	336,90
24843P	VERATRON®	95	B00042502	LinkUP IBS 12 V 500 A (Sensor B00084201) included)	250,60
NMEA 2K					
Accessory/Spare					
24913J	VERATRON®	96	B00102701	LinkUp J1939 adapter cable for Volvo Penta Engine	64,90
24914L	VERATRON®	96	B00102801	LinkUp J1939 adapter cable for Yanmar Engine	64,90
CONTROL UNIT					
NMEA 2K					
23560W	VERATRON®	96	B00042401	LinkUp J1939 to NMEA 2000	134,80
VERATRON KIT					
NMEA 2K					


UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025
Unit Price (Euro) (VAT excl.)

<i>p/n</i>	<i>Brand</i>	<i>pg cat 26</i>	<i>Model</i>	<i>Description</i>	
21917B	VERATRON®	96	B00070501	LinkUP Temperature and pressure CONTROL UNIT NMEA 2K	178,70
23410A	VERATRON®	97	B00042201	LinkUp analogue resistive to NMEA 2000 VERATRON KIT NMEA 2K	112,40
23559M	VERATRON®	97	B00042301	LinkUp Pyrometer (Sensor N03-320-264 included) NMEA 2K Accessory/Spare	303,20
21617N	VERATRON®	99	B00062402	VeratronGo top mount mounting Kit NAVIGATION SENSOR NMEA 2K	10,20
23112S	VERATRON®	99	B00034901	NMEA2000 Veratron GO GPS Sensor	165,10
23565G	VERATRON®	99	B00041701	Veratron GO Plus	239,90
23566J	VERATRON®	99	B00041601	Veratron GO DATA CONTROL UNIT ACQUALINK	135,40
20202B	VERATRON®	100	A2C59501982	NavControl Black DIGITAL GAUGE ACQUALINK	251,60
20206K	VERATRON®	100	A2C59501997	TFT display 7" Black DISPLAY ACQUALINK	1.036,70
20205H	VERATRON®	100	A2C59501996	TFT display 4.3" Black GAUGE ACQUALINK	595,20
20129U	VERATRON®	101	A2C59501900	Apparent wind angle gauge Black	261,70
20130C	VERATRON®	101	A2C59501901	Apparent wind angle magnified gauge Black	261,70
20131E	VERATRON®	101	A2C59501902	Apparent wind speed gauge Black	261,70
20142K	VERATRON®	101	A2C59501913	Tachometer 3000 rpm Black	261,70
20143M	VERATRON®	101	A2C59501914	Tachometer 5000 rpm Black	261,70
20144P	VERATRON®	101	A2C59501915	Tachometer 7000 rpm Black GAUGE ACQUALINK	261,70
20132G	VERATRON®	102	A2C59501903	Depth gauge 200m / 660 ft Black	261,70
20134L	VERATRON®	102	A2C59501905	Speed through water 12 knots Black	261,70
20137T	VERATRON®	102	A2C59501908	Speed over ground 12 knots Black	261,70
20138V	VERATRON®	102	A2C59501909	Speed over ground 70 mph / 115 kmh Black	261,70
20139X	VERATRON®	102	A2C59501910	Speed over ground 35 mph / 60 kmh Black	261,70
20146U	VERATRON®	102	A2C59501926	Engine oil temp. 150°C / 300°F Black	59,70
20151L	VERATRON®	102	A2C59501931	Engine coolant temp. 120°C / 250°F Black	59,70
20153R	VERATRON®	102	A2C59501933	Pyrometer 900°C / 1650°F Black GAUGE ACQUALINK	59,70
20148Y	VERATRON®	103	A2C59501928	Waste water gauge E-F Black	59,70
20149A	VERATRON®	103	A2C59501929	Fresh water gauge E-F Black	59,70
20150J	VERATRON®	103	A2C59501930	Fuel level gauge E-F Black	59,70
20155V	VERATRON®	103	A2C59501935	Engine oil pressure 10 bar / 150 psi Black	59,70
20157Z	VERATRON®	103	A2C59501937	Transmission oil pressure 30 bar / 450 psi Black	61,70
20164W	VERATRON®	103	A2C59501944	Boost, Turbo pressure 2 bar / 30 psi Black GAUGE ACQUALINK	61,70
20145S	VERATRON®	104	A2C59501925	Trim Black	59,70
20159D	VERATRON®	104	A2C59501939	Rudder angle gauge Black	61,70
20160M	VERATRON®	104	A2C59501940	Voltmeter 8 - 16 V Black	61,70
20161P	VERATRON®	104	A2C59501941	Voltmeter 16 - 32 V Black	61,70
20162S	VERATRON®	104	A2C59501942	Ammeter gauge 60 A , Battery status Black	61,70
20163U	VERATRON®	104	A2C59501943	Ammeter gauge 150 A, Battery Status Black CONTROL UNIT ACQUALINK	61,70
20199S	VERATRON®	105	A2C59501979	NavBox NMEA 2K	707,30
22221S	VERATRON®	105	A2C1767000001	Engine Box Dual engine	589,50
23557H	VERATRON®	105	A2C1824820001	Engine Box single engine DIGITAL GAUGE OCEANLINK	353,90
26247H	VERATRON®	106	B00126101	OL 4,3 inch Multifunctional color display with low profile black DIGITAL GAUGE OCEANLINK	489,10
21123L	VERATRON®	107	A2C1352150001	OL TFT Display unit 4.3" Black	611,90
22545V	VERATRON®	107	A2C1865330001	OL TFT Display unit 7" Black GAUGE OCEANLINK	1.104,80
21022E	VERATRON®	108	A2C1065660001	OL Tacho 3000rpm Black Facelift	208,60



UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025

Unit Price (Euro) (VAT excl.)

pg
cat
26

p/n	Brand	Model	Description	
21023G	VERATRON®	108 A2C1065670001	OL Tacho 3000rpm White Facelift	208,60
21024J	VERATRON®	108 A2C1065720001	OL Tacho 5000rpm Black Facelift	208,60
21025L	VERATRON®	108 A2C1065800001	OL Tacho 5000rpm White Facelift	208,60
21026N	VERATRON®	108 A2C1065810001	OL Tacho 7000rpm Black Facelift	208,60
21027R	VERATRON®	108 A2C1065820001	OL Tacho 7000rpm White Facelift	208,60
21114K	VERATRON®	108 A2C1351970001	OL GPS Speedo 0-14 Black Facelift	230,80
21115M	VERATRON®	108 A2C1351980001	OL GPS Speedo 0-35 Black Facelift	230,80
21116P	VERATRON®	108 A2C1351990001	OL GPS Speedo 0-70 Black Facelift	230,80
21117S	VERATRON®	108 A2C1352010001	OL GPS Speedo 0-14 White Facelift	230,80
21118U	VERATRON®	108 A2C1352080001	OL GPS Speedo 0-35 White Facelift	230,80
21120E	VERATRON®	108 A2C1352090001	OL GPS Speedo 0-70 White Facelift	230,80
GAUGE				
OCEANLINK				
20017G	VERATRON®	. N02-140-512	OceanLink CAN SAE J 1939, Engine oil pressure gauge 0-150psi	50,50
20018J	VERATRON®	. N02-311-552	OceanLink CAN SAE J 1939, Engine coolant temperature gauge 100 - 250 °F	50,50
21030D	VERATRON®	109 A2C1065850001	OL Engine Oil Temperature 150 °C / 300 °F Black Facelift	64,70
21031F	VERATRON®	109 A2C1065860001	OL Engine Oil Temperature 150 °C / 300 °F White Facelift	64,70
21040G	VERATRON®	109 A2C1065950001	OL Coolant Temperature 120 °C / 250 °F Black Facelift	64,70
21041J	VERATRON®	109 A2C1065970001	OL Coolant Temperature 120 °C / 250 °F White Facelift	64,70
21042L	VERATRON®	. A2C1065980001	OL Coolant Temperature Cold / Hot (250 °F) Black Facelift	64,70
21044R	VERATRON®	109 A2C1066000001	OL Engine Oil Pressure 10 bar / 150 psi Black Facelift	64,70
21045T	VERATRON®	109 A2C1066010001	OL Engine Oil Pressure 10 bar / 150 psi White Facelift	64,70
21046V	VERATRON®	. A2C1066020001	OL Engine Oil Pressure Low / High (150 psi) Black Facelift	64,70
21047X	VERATRON®	. A2C1066030001	OL Engine Oil Pressure Low / High (150 psi) White Facelift	64,70
21048Z	VERATRON®	109 A2C1066040001	OL Transmission Oil Pressure 30 bar / 440 psi Black Facelift	64,70
21049B	VERATRON®	109 A2C1066050001	OL Transmission Oil Pressure 30 bar / 440 psi White Facelift	64,70
21058C	VERATRON®	109 A2C1066140001	OL Boost Pressure 2 bar / 30 psi Black Facelift	64,70
21059E	VERATRON®	109 A2C1066150001	OL Boost Pressure 2 bar / 30 psi White Facelift	64,70
21110B	VERATRON®	109 A2C1349690001	OL Pyrometer 900 °C / 1650 °F Black Facelift	44,50
21111D	VERATRON®	. A2C1349700001	OL Pyrometer 1650 °F / 900 °C Black Facelift	64,70
21112F	VERATRON®	109 A2C1349710001	OL Pyrometer 900 °C / 1650 °F White Facelift	45,30
21113H	VERATRON®	. A2C1349730001	OL Pyrometer 1650 °F / 900 °C White Facelift	64,70
61006VA	VERATRON®	. N02-140-156	OceanLink CAN SAE J 1939, Engine Oil Pressure, 0-10BAR	50,50
61007AA	VERATRON®	. N02-311-056	OceanLink CAN SAE J 1939, Engine coolant temperature gauge 40 - 120°C	50,50
GAUGE				
OCEANLINK				
21034M	VERATRON®	110 A2C1065890001	OL Waste Water Empty – Full Black Facelift	64,70
21035P	VERATRON®	110 A2C1065900001	OL Waste Water Empty – Full White Facelift	64,70
21036S	VERATRON®	110 A2C1065910001	OL Fresh Water Empty – Full Black Facelift	64,70
21037U	VERATRON®	110 A2C1065920001	OL Fresh Water Empty – Full White Facelift	64,70
21038W	VERATRON®	110 A2C1065930001	OL Fuel Level Empty – Full Black Facelift	64,70
21039Y	VERATRON®	110 A2C1065940001	OL Fuel Level Empty – Full White Facelift	64,70
21054U	VERATRON®	110 A2C1066100001	OL Battery Voltage 8-16 V Black Facelift	64,70
21055W	VERATRON®	110 A2C1066110001	OL Battery Voltage 8-16 V White Facelift	64,70
21056Y	VERATRON®	110 A2C1066120001	OL Battery Voltage 16 – 32 V Black Facelift	64,70
21057A	VERATRON®	110 A2C1066130001	OL Battery Voltage 16 – 32 V White Facelift	64,70
21106L	VERATRON®	110 A2C1349640001	OL Battery Current - 60 / + 60 A Black Facelift	44,50
21107N	VERATRON®	110 A2C1349650001	OL Battery Current - 150 / + 150 A Black Facelift	44,50
21108R	VERATRON®	110 A2C1349660001	OL Battery Current - 60 / + 60 A White Facelift	45,30
21109T	VERATRON®	110 A2C1349680001	OL Battery Current - 150 / + 150 A White Facelift	45,30
GAUGE				
NMEA 183				
25250R	VERATRON®	. B00067401	Professional Rudder indicator NMEA 183	220,50
OCEANLINK				
20125K	VERATRON®	. A2C59500012	EasyLink Master Tachometer 5000RPM	283,00
21028T	VERATRON®	111 A2C1065830001	OL Engine Trim Up/Down Black Facelift	64,70
21029V	VERATRON®	111 A2C1065840001	OL Engine Trim Up/Down White Facelift	64,70
21052P	VERATRON®	111 A2C1066080001	OL Rudder Angle 90° Black Facelift	64,70
21053S	VERATRON®	111 A2C1066090001	OL Rudder Angle 90° White Facelift	64,70
22546X	VERATRON®	111 A2C1957360001	Depth gauge 200m / 660 ft Black	216,30
22547Z	VERATRON®	111 A2C1957380001	Compass Black	216,30
22548B	VERATRON®	111 A2C1957390001	Magnified Apparent Wind Angle Gauge black	216,30
22549D	VERATRON®	111 A2C1957420001	Apparent/True wind speed gauge Black	216,30
22550M	VERATRON®	111 A2C1957400001	Apparent/True wind angle gauge Black	216,30
60498NA	VERATRON®	. N02-012-920	OceanLink CAN SAE J 1939, Tachometer 3000RPM, 12-24V	283,00
VERATRON KIT				
OCEANLINK				
22919L	VERATRON®	113 A2C3935310001	VDO Marine Sailing kit	1.446,30
VERATRON KIT				
OCEANLINK				
23609A	VERATRON®	114 A2C1865330002	SMART Kit 7 - VERATRON GO AND NMEA ACCESSORIES INCLUDED	1.465,90
A2C13521	VERATRON®	. A2C1352150002	VDO Navigation Kit	1.710,20
CONTROL UNIT				
NMEA 2K				


UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025

Unit Price (Euro) (VAT excl.)

p/n	Brand	pg cat 26	Model	Description	
20200X	VERATRON®	115	A2C59501980	Media Box NAVIGATION SENSOR NMEA 2K	353,90
20201Z	VERATRON®	116	A2C59501981	NMEA 2K Nav Sensor	759,50
20203D	VERATRON®	116	A2C59501984	Wind sensor NMEA 2000 SENSOR NMEA 2K	639,60
23408P	VERATRON®	117	B00041201 OLD	NMEA 2K capacitive sensor 600mm	279,30
23409S	VERATRON®	117	B00041401	NMEA2K capacitive sensor 1200mm	419,00
25475S	VERATRON®	117	B00041501	NMEA2K capacitive sensor 1500mm	535,30
23408PA	VERATRON®	117	B00041201	NMEA 2K capacitive sensor 600mm (new firmware)	279,30
23563C	VERATRON®	.	B00041501	NMEA2K Capacitive Sensor 1500mm	535,30
				NAVIGATION SENSOR ACQUALINK	
600119Y	VERATRON®	118	A2C59501983	Wind sensor Analogue NMEA 2K	774,80
25099P	VERATRON®	118	IDST810-40-01	Triducer Sensor NMEA 2K SENSOR UNIVERSAL	541,20
20204F	VERATRON®	118	A2C59501986	SUMLOG KIT TRANSDUCER Kit 12Knots (Optional propeller 50 Knots) Accessory/Spare	131,30
60484FA	VERATRON®	.	N05-801-336	LENS 52mm for OceanLine	34,80
60490DA	VERATRON®	.	N05-801-834	Double lens, 85mm, OceanLine	40,70
60496JA	VERATRON®	.	A2C53092432	KABELBAUM OceanLink	35,00
61004TA	VERATRON®	.	N05-801-832	LENS OCEAN LINE 85MM with push button	40,70
61036FA	VERATRON®	.	A2C00065115	Display Module, TN,+ (WWG) ACQUALINK Accessory/Spare	72,40
20185E	VERATRON®	119	A2C59501965	Bezel 52 single Black	6,40
20186G	VERATRON®	119	A2C59501966	Bezel 52 double Black AL + OL Accessory/Spare	9,60
20192B	VERATRON®	119	A2C59501972	Silicone cover for display 4.3"TFT	29,40
20193D	VERATRON®	119	A2C59501973	Silicone cover for display 7"TFT AL + VL Accessory/Spare	62,70
20122D	VERATRON®	.	A2C5323888101	Spinlock Nut 110 mm AL, VL - (Bulk packaging) OCEANLINK Accessory/Spare	9,30
21063V	VERATRON®	119	A2C1083230001	(OceanLink) Bezel Black TFT 4.3"	20,30
21064X	VERATRON®	119	A2C1111380001	(OceanLink) Bezel Black 85mm	11,20
21065Z	VERATRON®	119	A2C1141440001	(OceanLink) Bezel Black 52mm	9,30
21066B	VERATRON®	119	A2C1141580001	(OceanLink) Bezel chrome 85mm	21,30
21067D	VERATRON®	119	A2C1152980001	(OceanLink) Bezel White TFT 4.3"	20,30
21121G	VERATRON®	119	A2C1352110001	(OceanLink) Bezel White 52mm	9,30
21122J	VERATRON®	119	A2C1352140001	(OceanLink) Bezel White 85mm	11,20
21125R	VERATRON®	119	A2C13760900	Spinlock 85mm OceanLink - (Bulk packaging)	10,20
21543K	VERATRON®	119	A2C5336487001	(OceanLink) Bezel chrome 52mm	14,40
60505MA	VERATRON®	.	N03-230-702	Acoustic alarm buzzer, 52mm, black, 12/24V OceanLine	80,80
A2C14333	VERATRON®	.	A2C1433330001	Power cable + Data cable Master 85mm	29,40
A2C16507	VERATRON®	.	A2C1650700001	EasyLink extention Cable for 7" OceanLink	16,20
A2C16975	VERATRON®	.	A2C1697530001	OceanLink Bezel TFT 7" Black	23,30
A2C16975	VERATRON®	.	A2C1697540001	OceanLink Bezel TFT 7" White ACQUALINK Accessory/Spare	23,30
21126T	VERATRON®	120	A2C38804900	Infield Installation Connector VDO Bus/analogue Wind	31,60
21127V	VERATRON®	120	A2C38805500	Gender Changer VDO Bus	19,90
21128X	VERATRON®	120	A2C38805700	VDO Bus Cable 2m	32,40
21152U	VERATRON®	120	A2C96244600	VDO Bus Cable 0.3m	24,30
21153W	VERATRON®	120	A2C96244900	VDO BUS to NMEA 2000 Adapter	46,50
21154Y	VERATRON®	120	A2C96245000	VDO Bus Cable 5m	38,40
21155A	VERATRON®	120	A2C96245100	VDO Bus Cable 10m AL + OL Accessory/Spare	48,50
21156C	VERATRON®	.	A2C99791100	Video Cable 0.3m NMEA 2K Accessory/Spare	54,60
20170R	VERATRON®	120	A2C59501950	NMEA 2000 Cable 30m	115,00
21129Z	VERATRON®	120	A2C39308500	NMEA 2K Infield Installation Connector Female	42,50
21130H	VERATRON®	120	A2C39310500	NMEA 2K Infield Installation Connector Male	30,40
21131K	VERATRON®	120	A2C3931060001	NMEA 2K Terminator Female	20,30
21132M	VERATRON®	120	A2C3931100001	NMEA 2K Terminator Male	20,30
21133P	VERATRON®	120	A2C3931250001	NMEA 2K Inline Terminator	30,40
21134S	VERATRON®	120	A2C3931270002	NMEA 2K T Splitter	35,40



UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025

Unit Price (Euro) (VAT excl.)

<i>p/n</i>	<i>Brand</i>	<i>pg cat 26</i>	<i>Model</i>	<i>Description</i>	
21148D	VERATRON®	120	A2C9624370001	NMEA 2K Cable 0.3m	32,40
21149F	VERATRON®	120	A2C9624380001	NMEA 2K Cable 2m	42,50
21150P	VERATRON®	120	A2C9624400001	NMEA 2K Cable 6m	50,60
21151S	VERATRON®	120	A2C9624420001	NMEA 2K Cable 10m	61,70
23577P	VERATRON®	.	A2C3931290001	NMEA 2K power cable	32,40
25158D	VERATRON®	120	B00054101	NMEA 2K 4 WAYS T SPLITTER	66,50
UNIVERSAL					
Accessory/Spare					
21159J	VERATRON®	120	A2C99793900	Termination Resistor VDO Bus	15,70
21160T	VERATRON®	120	A2C99794200	Termination Resistor J1939Inline	48,50
60495IA	VERATRON®	.	270-023-005-004D	SUMLOG PADDLEWHEEL, 30Knot	30,40
60497KA	VERATRON®	.	270-023-005-005D	SUMLOG PADDLEWHEEL, 50Knots	30,40
60499OA	VERATRON®	.	270-023-005-003D	SUMLOG PADDLEWHEEL, 18Knot	30,40
A2C17669	VERATRON®	.	A2C1766930001	32Pin Power Cable for Dual Engine	117,10
A2C18219	VERATRON®	.	A2C1821960001	32Pin Power Cable for Single Engine	105,90
NAVIGATION SENSOR					
UNIVERSAL					
20086C	VERATRON®	.	270-023-001-002K	SUMLOG IMPELLER TRANSDUCER UNIT 8-18Knot	255,30
20087E	VERATRON®	.	270-023-004-002K	SUMLOG IMPELLER TRANSDUCER UNIT 30Knot	255,30
60491EA	VERATRON®	.	270-023-005-002K	SUMLOG TRANSDUCER UNIT 50KN	255,30



UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025

Unit Price (Euro) (VAT excl.)

p/n	Brand	pg cat 26	Model	Description
UFLEX® Marine analog instruments				
GAUGE				
ULTRA BLACK SERIES				
22463TK	UFLEX®	123	.	Holding tank level gauge E -1/2- F 37,30
22464VK	UFLEX®	123	.	Tachometer 0-4000 RPM engines 0,5/250 speed ratio 94,20
22466ZK	UFLEX®	123	.	Tachometer 0-8000 RPM engines 1/10 speed ratio 94,20
22468DK	UFLEX®	123	.	Speedometer - 35 knot 74,80
22469FK	UFLEX®	123	.	Speedometer - 65 knot 74,80
22470PK	UFLEX®	123	.	Speedometer - 55 knot 74,80
22471SK	UFLEX®	123	.	Speedometer - 60 knot + GPS signal 190,10
22472WK	UFLEX®	123	.	Ammeter ± 80 A with shunt 134,90
22474YK	UFLEX®	123	.	Trim gauge 160-10 ohm 37,30
22475AK	UFLEX®	123	.	Exhaust temperature gauge 99,60
22475MK	UFLEX®	123	.	Trim gauge 0-190 ohm 37,30
22482XK	UFLEX®	123	.	Tachometer 0-4000 RPM engines 0,5/250 speed ratio 94,20
22483ZK	UFLEX®	123	.	Tachometer 0-6000 RPM engines 1/10 speed ratio 94,20
22484BK	UFLEX®	123	.	Tachometer 0-6000 RPM engines 0,5/250 speed ratio 94,20
22485DK	UFLEX®	123	.	Tachometer 0-8000 RPM engines 1/10 speed ratio 94,20
22487HK	UFLEX®	123	.	Speedometer - 35 knot 74,80
22488KK	UFLEX®	123	.	Speedometer - 65 knot 74,80
22489MK	UFLEX®	123	.	Speedometer - 55 knot 74,80
22492AK	UFLEX®	123	.	Quartz analog clock 77,00
22493CK	UFLEX®	123	.	Ammeter ± 80 A with shunt 134,90
22494EK	UFLEX®	123	.	Water temperature gauge - 40-120 °C 37,30
22495GK	UFLEX®	123	.	Hourmeter 0-99999 hours 52,30
22496JK	UFLEX®	123	.	Trim gauge 160-10 ohm 37,30
22497LK	UFLEX®	123	.	Trim gauge 0-190 ohm 37,30
22498NK	UFLEX®	123	.	Rudder angle indicator Port- Starboard 79,10
22499RK	UFLEX®	123	.	Voltmeter 8-16 VDC 37,30
22500WK	UFLEX®	123	.	Voltmeter 18-32 VDC 37,30
60510JK	UFLEX®	123	.	Tachometer 0-4000 RPM engines 1/10 speed ratio 94,20
60518TK	UFLEX®	123	.	Fuel level gauge E -1/2- F 37,30
60520LK	UFLEX®	123	.	Tank level gauge E -1/2- F 37,30
60521MK	UFLEX®	123	.	Oil pressure gauge 0-5 bar 37,30
60522NK	UFLEX®	123	.	Oil pressure gauge 0-10 bar 37,30
60526RK	UFLEX®	123	.	Water temperature gauge - 40-120 °C 37,30
60529WK	UFLEX®	123	.	Voltmeter 8-16 VDC 37,30
60530QK	UFLEX®	123	.	Hourmeter 0-99999 hours 52,30
60531RK	UFLEX®	123	.	Quartz analog clock 77,00
60699UK	UFLEX®	123	.	Rudder angle indicator Port- Starboard 79,10
60738GK	UFLEX®	123	.	Tachometer 0-6000 RPM engines 1/10 speed ratio 94,20
60741ZK	UFLEX®	123	.	Voltmeter 18-32 VDC 37,30
ULTRA WHITE SERIES				
22430BK	UFLEX®	123	.	Holding tank level gauge E -1/2- F 37,30
22431DK	UFLEX®	123	.	Ammeter ± 80 A with shunt 134,90
22432FK	UFLEX®	123	.	Trim gauge 160-10 ohm 37,30
22433HK	UFLEX®	123	.	Trim gauge 0-190 ohm 37,30
22437SK	UFLEX®	123	.	Tachometer 0-8000 RPM engines 1/10 speed ratio 94,20
22438TK	UFLEX®	123	.	Tachometer 8000 0,5/250 speed ratio 94,20
22439WK	UFLEX®	123	.	Speedometer - 35 knot 74,80
22441GK	UFLEX®	123	.	Speedometer - 55 knot 74,80
22442JK	UFLEX®	123	.	Tachometer 0-6000 RPM engines 0,5/250 speed ratio 94,20
22443LK	UFLEX®	123	.	Speedometer - 65 knot 74,80
22445RK	UFLEX®	123	.	Speedometer - 60 knot + GPS signal 190,10
22449ZK	UFLEX®	123	.	Tachometer 0-4000 RPM engines 0,5/250 speed ratio 94,20
60534UK	UFLEX®	123	.	Tachometer 0-4000 RPM engines 1/10 speed ratio 94,20
60539BK	UFLEX®	123	.	Quartz analog clock 77,00
60542UK	UFLEX®	123	.	Fuel level gauge E -1/2- F 37,30
60544WK	UFLEX®	123	.	Tank level gauge E -1/2- F 37,30
60545XK	UFLEX®	123	.	Oil pressure gauge 0-5 bar 37,30
60546YK	UFLEX®	123	.	Oil pressure gauge 0-10 bar 37,30
60550UK	UFLEX®	123	.	Water temperature gauge - 40-120 °C 37,30
60553XK	UFLEX®	123	.	Voltmeter 8-16 VDC 37,30
60554YK	UFLEX®	123	.	Hourmeter 0-99999 hours 52,30
60691KK	UFLEX®	123	.	Tachometer 0-6000 RPM engines 1/10 speed ratio 94,20
60700QK	UFLEX®	123	.	Rudder angle indicator Port- Starboard 79,10
60742AK	UFLEX®	123	.	Voltmeter 18-32 VDC 37,30
GAUGE				
ULTRA BLACK SS SERIES				
22476BK	UFLEX®	125	.	Fuel level gauge E -1/2- F 37,30
22477EK	UFLEX®	125	.	Tank level gauge E -1/2- F 37,30
22478GK	UFLEX®	125	.	Holding tank level gauge E -1/2- F 37,30
22479JK	UFLEX®	125	.	Oil pressure gauge 0-5 bar 37,30


UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025
Unit Price (Euro) (VAT excl.)

p/n	Brand	pg cat 26	Model	Description	
22480TK	UFLEX®	125	.	Oil pressure gauge 0-10 bar	37,30
22481VK	UFLEX®	125	.	Tachometer 0-4000 RPM engines 1/10 speed ratio	94,20
ULTRA WHITE SS SERIES					
22450HK	UFLEX®	125	.	Tachometer 0-4000 RPM engines 0,5/250 speed ratio	94,20
22451KK	UFLEX®	125	.	Tachometer 0-6000 RPM engines 0,5/250 speed ratio	94,20
22452MK	UFLEX®	125	.	Tachometer 0-8000 RPM engines 1/10 speed ratio	94,20
22454SK	UFLEX®	125	.	Speedometer - 35 knot	74,80
22455UK	UFLEX®	125	.	Speedometer - 65 knot	74,80
22456WK	UFLEX®	125	.	Speedometer - 55 knot	74,80
22459CK	UFLEX®	125	.	Ammeter ± 80 A with shunt	134,90
22460LK	UFLEX®	125	.	Trim gauge 160-10 ohm	37,30
22461NK	UFLEX®	125	.	Trim gauge 0-190 ohm	37,30
22462RK	UFLEX®	125	.	Holding tank level gauge E -1/2- F	37,30
62004JK	UFLEX®	125	.	Tachometer 0-6000 RPM engines 1/10 speed ratio	94,20
62005LK	UFLEX®	125	.	Tachometer 0-4000 RPM engines 1/10 speed ratio	94,20
62013KK	UFLEX®	125	.	Quartz analog clock	77,00
62014MK	UFLEX®	125	.	Fuel level gauge E -1/2- F	37,30
62015PK	UFLEX®	125	.	Hourmeter 0-99999 hours	52,30
62016SK	UFLEX®	125	.	Oil pressure gauge 0-5 bar	37,30
62017UK	UFLEX®	125	.	Oil pressure gauge 0-10 bar	37,30
62018WK	UFLEX®	125	.	Tank level gauge E -1/2- F	37,30
62022LK	UFLEX®	125	.	Voltmeter 8-16 VDC	37,30
62023NK	UFLEX®	125	.	Voltmeter 18-32 VDC	37,30
62024RK	UFLEX®	125	.	Water temperature gauge - 40-120 °C	37,30
62027XK	UFLEX®	125	.	Rudder angle indicator Port- Starboard	79,10
Accessory/Spare					
60615U	UFLEX®	126	.	Bushing kit 1/8" NPTF to 1/4" - 3/8"	9,40
60616V	UFLEX®	126	.	Bushing kit 1/8" NPTF to 1/2" - 5/8"	11,60
60617W	UFLEX®	126	.	Bushing kit 1/8" NPTF to 1/8" BSP/F	11,60
60618Z	UFLEX®	126	.	Bushing kit 1/8" NPTF - M10x1	17,60
60619A	UFLEX®	126	.	Bushing kit 1/8" NPTF - M12x1	12,00
60620R	UFLEX®	126	.	Bushing kit 1/8" NPTF - M16x1,5	15,30
SENSOR					
60613S	UFLEX®	126	.	Diesel tachometer sender	200,70
ENGINE					
22531HK	UFLEX®	126	KE10010	Magnetolectric tachometer sender	43,90
22532KK	UFLEX®	126	KE10004	Holzer tachometer sender	54,10
60360NK	UFLEX®	126	.	Oil pressure sender 10 bar - single station	30,60
60525QK	UFLEX®	126	.	Oil pressure sender 5 bar - single station	30,60
60528VK	UFLEX®	126	.	Water temperature sender 40-120°C - 1/8" NPTF - single station	16,40
LEVEL					
66180C	UFLEX®	126	.	Fuel level sender 20-60 cm - single station	43,70
PITOT					
60515OK	UFLEX®	126	.	Pitot tube kit complete with mounting hardware	15,90
60516PK	UFLEX®	126	.	Pitot tube kit complete with mounting hardware and 20' tubing	19,10
RUDDER ANGLE					
68451UK	UFLEX®	126	.	Rudder angle sender - single station	34,10
TEMPERATURE					
22533MK	UFLEX®	126	.	Exhaust temperature sender 0-800 °C	358,20
Accessory/Spare					
22514HK	UFLEX®	127	160001	White bezel for Ø 52 mm gauges	2,20
22535SK	UFLEX®	127	160000	Black bezel for Ø 52 mm gauges	2,10
22536UK	UFLEX®	127	160002	Chrome bezel for Ø 52 mm gauges	6,60
22537WK	UFLEX®	127	.	Device to connect gauge and sender with different values of resistance	64,30
64719P	UFLEX®	127	HFL	1 1/4" Spare Flange for US3H Sensors	19,40
68028GK	UFLEX®	127	160040	Black bezel for Ø 85 mm gauges	3,90
68029JK	UFLEX®	127	160041	White bezel for Ø 85 mm gauges	3,90
68030OK	UFLEX®	127	160042	Chrome bezel for Ø 85 mm gauges	9,00
24782W	.	.	.	Flange for MG / MG5 sensor	5,90
FUEL LEVEL KIT					
66234Z	UFLEX®	127	.	Ultra Black Series fuel level gauge and sender 20-60 cm	101,30
66235B	UFLEX®	127	.	Ultra White Series fuel level gauge and sender 20-60 cm	101,30
SENSOR					
ENGINE					
24803B	.	.	.	MG Sensor - 240mm M45X2	28,60
24780S	.	.	.	MG Sensor - 300mm M45X2	27,70
24804D	.	.	.	MG Sensor - 750mm M45X2	41,00
24781U	.	.	.	MG Sensor - 900mm M45X2	44,80
LEVEL					
20602U	UFLEX®	127	US3H-1	Holding tank Sensor - length 100 mm - 3.9"	66,60
20603W	UFLEX®	127	US3H-2	Holding tank Sensor - length 205 mm - 8.0"	76,00
20604Y	UFLEX®	127	US3H-3	Holding tank Sensor - length 305 mm - 12.0"	87,40
20605A	UFLEX®	127	US3H-4	Holding tank Sensor - length 410 mm - 16.1"	97,80
21717T	UFLEX®	127	US3H-5	Holding tank Sensor - length 510 mm - 20.1"	110,30



UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025

Unit Price (Euro) (VAT excl.)

pg
cat

26

Model

p/n

Brand

Description

				Accessory/Spare	
68417U	UFLEX®	128	FL-2	Spare Flange for US5 Sensors	5,70
				SENSOR	
				LEVEL	
20370Z	UFLEX®	128	US3-E1400	Fuel/water Sensor - length 1400 mm - 55.1"	169,90
20371B	UFLEX®	128	US3-E2000	Fuel/water Sensor - length 2000 mm - 78.7"	279,80
20606C	UFLEX®	128	US5-E150	Fuel/water Sensor - length 150 mm - 5.9"	42,60
20607E	UFLEX®	128	US5-E175	Fuel/water Sensor - length 175 mm - 6.9"	42,60
20608G	UFLEX®	128	US5-E200	Fuel/water Sensor - length 200 mm - 7.9"	42,60
20609J	UFLEX®	128	US5-E225	Fuel/water Sensor - length 225 mm - 8.9"	44,80
20610T	UFLEX®	128	US5-E250	Fuel/water Sensor - length 250 mm - 9.8"	47,10
20611V	UFLEX®	128	US5-E275	Fuel/water Sensor - length 275 mm - 10.8"	48,20
20612X	UFLEX®	128	US5-E300	Fuel/water Sensor - length 300 mm - 11.8"	50,50
20613Z	UFLEX®	128	US5-E350	Fuel/water Sensor - length 350 mm - 13.8"	55,00
20614B	UFLEX®	128	US5-E400	Fuel/water Sensor - length 400 mm - 15.7"	59,50
20615D	UFLEX®	128	US5-E450	Fuel/water Sensor - length 450 mm - 17.7"	62,90
20616F	UFLEX®	128	US5-E500	Fuel/water Sensor - length 500 mm - 19.7"	67,40
20617H	UFLEX®	128	US5-E550	Fuel/water Sensor - length 550 mm - 21.7"	72,00
20618K	UFLEX®	128	US5-E600	Fuel/water Sensor - length 600 mm - 23.6"	75,30
20619M	UFLEX®	128	US5-E650	Fuel/water Sensor - length 650 mm - 25.6"	79,90
20620W	UFLEX®	128	US5-E700	Fuel/water Sensor - length 700 mm - 27.6"	84,40
20621Y	UFLEX®	128	US5-E750	Fuel/water Sensor - length 750 mm - 29.5"	90,00
20622A	UFLEX®	128	US5-E800	Fuel/water Sensor - length 800 mm - 31.5"	93,40
20623C	UFLEX®	128	US5-E850	Fuel/water Sensor - length 850 mm - 33.5"	97,00
20624E	UFLEX®	128	US5-E900	Fuel/water Sensor - length 900 mm - 35.4"	101,70
20625G	UFLEX®	128	US5-A175	Fuel/water Sensor - length 175 mm - 6.9"	33,70
20626J	UFLEX®	128	US5-A200	Fuel/water Sensor - length 200 mm - 7.9"	42,60
20627L	UFLEX®	128	US5-A250	Fuel/water Sensor - length 250 mm - 9.8"	37,20
20628N	UFLEX®	128	US5-A275	Fuel/water Sensor - length 275 mm - 10.8"	38,00
20629R	UFLEX®	128	US5-A300	Fuel/water Sensor - length 300 mm - 11.8"	50,50
20630Z	UFLEX®	128	US5-A350	Fuel/water Sensor - length 350 mm - 13.8"	55,00
20632D	UFLEX®	128	US5-A400	Fuel/water Sensor - length 400 mm - 15.7"	59,50
20633F	UFLEX®	128	US5-A500	Fuel/water Sensor - length 500 mm - 19.7"	67,40
20634H	UFLEX®	128	US3-E300	Fuel/water Sensor - length 300 mm - 11.8"	50,50
20635K	UFLEX®	128	US3-E350	Fuel/water Sensor - length 350 mm - 13.8"	43,40
20636M	UFLEX®	128	US3-E400	Fuel/water Sensor - length 400 mm - 15.7"	59,50
20637P	UFLEX®	128	US3-E450	Fuel/water Sensor - length 450 mm - 17.7"	49,50
20638S	UFLEX®	128	US3-E500	Fuel/water Sensor - length 500 mm - 19.7"	67,40
20639U	UFLEX®	128	US3-E550	Fuel/water Sensor - length 550 mm - 21.7"	56,70
20640C	UFLEX®	128	US3-E600	Fuel/water Sensor - length 600 mm - 23.6"	75,30
21634N	UFLEX®	128	US5-A450	Fuel/water Sensor - length 450 mm - 17.7"	62,90
21687L	UFLEX®	.	NS5-500	Fuel/water Sensor - length 500 mm - 19.7"	168,10
21745Y	UFLEX®	128	US3-E250	Fuel/water Sensor - length 250 mm - 9.84"	47,10
21813N	UFLEX®	.	US3-A225	Fuel/water Sensor - length 225 mm - 8.9"	44,80
21814R	UFLEX®	.	US3-A450	Fuel/water Sensor - length 450 mm - 17.7"	62,90
23522M	UFLEX®	128	US5-E550	Fuel/water Sensor - length 550 mm - 21.7"	42,60
62501Z	UFLEX®	128	US5-E1500	Fuel/water Sensor - length 1500 mm - 59"	191,70
65181Z	UFLEX®	128	US5-A750	Fuel/water Sensor - length 750 mm - 29.5"	94,30


UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025
Unit Price (Euro) (VAT excl.)

<i>p/n</i>	<i>Brand</i>	<i>pg cat</i> 26	<i>Model</i>	<i>Description</i>	
PENTAIR® Fresh water & bilge pumps, filters and blowers					
FRESH WATER PUMP					
AQUAKING II SERIES					
69590P	PENTAIR®	131	Junior 12V	Aqua King™ Junior pump 2.0 GPM (7,6 l/min), 30 PSI (2 Bar), 12VDC	187,50
69591S	PENTAIR®	131	Standard 12V	Aqua King™ Standard 3.0 GPM (11,4 l/min), 45 PSI (3,1 Bar), 12VDC	192,90
69592U	PENTAIR®	131	Standard 24V	Aqua King™ Standard 3.0 GPM (11,4 l/min), 45 PSI (3,1 Bar), 24VDC	192,90
AQUAKING SERIES					
68851L	PENTAIR®	131	SLV	Aqua King™ SLV pump 1.0 GPM (3,8 l/min), 30 PSI (2 Bar), 12VDC	141,00
Accessory/Spare					
24841K	PENTAIR®	.	.	Check valve for Aqua King™ SLV Fresh Water Pumps	18,50
FRESH WATER PUMP					
AQUAKING II SERIES					
60474Z	PENTAIR®	.	Junior 12V	Aqua King™ II Junior pump 3.0 GPM (11,4 l/min), 30 PSI (2 Bar), 12VDC	192,90
68804B	PENTAIR®	132	Supreme 12V	Aqua King™ II Supreme 5.0 GPM (18,9 l/min), 55 PSI (3,8 Bar), 12V DC	310,70
68805D	PENTAIR®	132	Supreme 24V	Aqua King™ II Supreme 5.0 GPM (18,9 l/min), 55 PSI (3,8 Bar), 24V DC	374,20
68806F	PENTAIR®	132	Premium 12V	Aqua King™ II Premium 4.0 GPM (15,1 l/min), 55 PSI (3,8 Bar), 12V DC	253,60
68850J	PENTAIR®	132	Premium 24V	Aqua King™ II Premium 4.0 GPM (15,1 l/min), 55 PSI (3,8 Bar), 24V DC	343,60
69594Y	PENTAIR®	.	Junior 12V	Aqua King™ II Junior pump 2.0 GPM (7,6 l/min), 20 PSI (1,4 Bar), 12VDC	181,70
69640C	PENTAIR®	.	Junior 24V	Aqua King™ II Junior pump 3.0 GPM (11,4 l/min), 30 PSI (2 Bar), 24VDC	192,90
60449X	PENTAIR®	.	Junior 24V SVB	Aqua King™ II Junior pump 3.0 GPM (11,4 l/min), 30 PSI (2 Bar), 24VDC	197,10
60349U	PENTAIR®	.	Junior 12V SVB	Aqua King™ II Junior pump 3.0 GPM (11,4 l/min), 30 PSI (2 Bar), 12VDC	197,10
Accessory/Spare					
63432M	PENTAIR®	.	.	Macerator Impeller kit with gaskets	66,20
MACERATOR PUMP					
20912K	PENTAIR®	133	Macerator 24V OEM	Macerator pump 13 GPM (50 l/min), 24VDC, OEM	430,40
62767R	PENTAIR®	133	Macerator 12V	Macerator pump 13 GPM (50 l/min), 12VDC	436,20
62768T	PENTAIR®	133	Macerator 24V	Macerator pump 13 GPM (50 l/min), 24VDC	424,20
67730T	PENTAIR®	133	Macerator 12V, OEM	Macerator pump 13 GPM (50 l/min), 12VDC, OEM	426,00
MACERATOR/TANK KIT					
20914P	PENTAIR®	133	MCTK-70 12V	12VDC Macerator pump and 70 litre tank kit	705,80
20915S	PENTAIR®	133	MCTK-40 12V	12VDC Macerator pump and 40 litre tank kit	676,60
20916U	PENTAIR®	133	MCTK-60 12V	12VDC Macerator pump and 60 litre tank kit	766,20
20917W	PENTAIR®	133	MCTK-70 24V	24VDC Macerator pump and 70 litre tank kit	709,40
20919A	PENTAIR®	133	MCTK-60 24V	24VDC Macerator pump and 60 litre tank kit	769,70
WASHDOWN PUMP					
PROBLASTER SERIES					
69194F	PENTAIR®	133	Washdown Kit	Washdown Kit II Deluxe 4.0 GPM (15,1 l/min), 45 PSI (3,1 Bar), 12VDC	428,30
WASHDOWN PUMP					
BLASTER SERIES					
69436D	PENTAIR®	134	Blaster II 24V	Blaster 3.5 GPM (13,2 l/min), 45 PSI (3,1 Bar), 24V DC	233,90
69437F	PENTAIR®	134	Blaster II 12V	Blaster 3.5 GPM (13,2 l/min), 45 PSI (3,1 Bar), 12V DC	233,30
PROBLASTER SERIES					
68801V	PENTAIR®	134	Ultimate 24V	Problaster™ II Ultimate 5.0 GPM (18,9 l/min), 55 PSI (3,8 Bar), 24V DC	358,10
68802X	PENTAIR®	134	Ultimate 12V	Problaster™ II Ultimate 5.0 GPM (18,9 l/min), 55 PSI (3,8 Bar), 12V DC	364,10
68803Z	PENTAIR®	134	Deluxe 12V	Problaster™ II Deluxe 4.0 GPM (15,1 l/min), 55 PSI (3,8 Bar), 12V DC	287,90
69202B	PENTAIR®	134	Deluxe 24V	Problaster™ II Deluxe 4.0 GPM (15,1 l/min), 55 PSI (3,8 Bar), 24V DC	317,20
Accessory/Spare					
20731F	PENTAIR®	135	CWE in-line	In-line city water entry	102,20
63378J	PENTAIR®	135	CWE Chrome	Wall mount city water entry - chrome	114,60
64717K	PENTAIR®	135	CWE White	Wall mount city water entry - white	92,50
65861Y	PENTAIR®	135	Nylon Tank	Nylon Accumulator Tank - volume 0,7 litres	173,90
FITTING					
22409L	PENTAIR®	135	.	Swivel Straight Garden Hose Adapter ¾" GHT (Male) - ½" NPT (Female)	9,20
GEN PURPOSE PUMP					
20975L	PENTAIR®	135	Oil Change	12 VDC Oil Change System complete with storage container	409,20
Accessory/Spare					
61120A	PENTAIR®	136	HPBN	High Pressure Blaster Nozzle	27,60
61125F	PENTAIR®	136	ICV	Inline Check Valve	210,80
FITTING					
61127H	PENTAIR®	136	SF 1/2-1/2 barb	Straight fitting 1/2" NPT (f) x 1/2" barb swivel	6,70
61128K	PENTAIR®	136	EF 1/2-3/4 wing	Elbow fitting 1/2" NPT (f) x 1/2" wing nut swivel	8,20
61129L	PENTAIR®	136	SF 1/2-3/8 barb	Straight fitting 1/2" NPT(f) x 3/8" barb swivel	8,00
61130C	PENTAIR®	136	EF 1/2-3/8 barb	Elbow fitting 1/2" NPT (f) x 3/8" barb swivel	8,10
61132E	PENTAIR®	136	APT 1/2-1/2	Straight adaptor 1/2" FPT (m) x 1/2" barb swivel	4,40
64220B	PENTAIR®	136	SF 1/2-3/4 wing	Straight fitting 1/2" NPT (f) x 3/4" wing nut swivel	8,20
64340M	PENTAIR®	136	SF 1/2-3/4 wing	Elbow fitting 1/2" NPT (f) x 3/4" wing nut swivel	7,50
STRAINER					
61122C	PENTAIR®	.	.	Strainer ½" NPSM male inlet x ½" NPSM female outlet	11,50
63185X	PENTAIR®	136	STR in-line	In-line Strainer 13mm (1/2") thread	108,30
66526N	PENTAIR®	136	STR swivel	Swivel Nut Strainer 13mm (1/2") thread	24,60
Accessory/Spare					
23540P	PENTAIR®	137	330-021	Livewell fill valve	106,90
LIVEWELL PUMP					



UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025

Unit Price (Euro) (VAT excl.)

<i>p/n</i>	<i>Brand</i>	<i>pg cat 26</i>	<i>Model</i>	<i>Description</i>	
23377F	PENTAIR®	137	Bait Sentry 500	BAITMASTER SERIES	
67731V	PENTAIR®	137	Bait Sentry 1100	Bait Sentry™ 500 GPH (31,5 l/min) 12VDC	283,60
68828S	PENTAIR®	137	Bait Sentry 800	Bait Sentry™ 1100 GPH (69,4 l/min) 12VDC	280,60
				Bait Sentry™ 800 GPH (50,5 l/min) 12VDC	281,00
66527R	PENTAIR®	138	Bilge 380	BILGE PUMP	
66528T	PENTAIR®	138	Bilge 500	380 GPH (24 l/min) Bilge Pump, 12VDC	63,50
66529V	PENTAIR®	138	Bilge 700	500 GPH (32 l/min) Bilge Pump, 12VDC	64,90
66530D	PENTAIR®	138	Bilge 1000	700 GPH (42 l/min) Bilge Pump, 12VDC	64,80
66531F	PENTAIR®	138	Bilge 1500/12	1000 GPH (63 l/min) Bilge Pump, 12VDC	64,90
66532H	PENTAIR®	138	Bilge 1500/24	1500 GPH (94,6 l/min) Bilge Pump, 12VDC	184,90
66533K	PENTAIR®	138	Bilge 2000/12	1500 GPH (94,6 l/min) Bilge Pump, 24VDC	189,30
66534M	PENTAIR®	138	Bilge 2000/24	2000 GPH (126 l/min) Bilge Pump, 12VDC	188,90
				2000 GPH (126 l/min) Bilge Pump, 24VDC	202,60
66535P	PENTAIR®	139	SWS	FLOAT SWITCH	
66536S	PENTAIR®	139	SWSC	12V/24V DC Standard Float Switch - Automatic	56,10
				12V/24V DC Protected Cage Float Switch - Automatic	60,40
64703Y	PENTAIR®	139	Yellow Tail 3"	IN LINE BLOWER	
64704A	PENTAIR®	139	Yellow Tail 4"	3" In-line Bilge Blower - 130x140x100 mm - 12V DC	54,60
				4" In-line Bilge Blower - 130x160x120 mm - 12VDC	67,50
65973K	WAVESTREAM™	140	WMS	BILGE WATER FILTRATION SYSTEMS	
65974M	WAVESTREAM™	140	WSS1	BILGE WATER FILTER	
				Wavestream Micro System Cartridge	113,70
				Wavestream System 1000 Cartridge	175,10
65977U	WAVESTREAM™	140	WS-CM	CARTRIDGE FOR FILTRATION SYSTEM	
65978W	WAVESTREAM™	140	WS-C1	Wavestream Micro System Cartridge	31,90
65979Y	WAVESTREAM™	.	WS-C2	Wavestream System 1000 Cartridge	54,60
				Wavestream System 2000 Cartridge	132,40


UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025

Unit Price (Euro) (VAT excl.)

p/n	Brand	pg cat 26	Model	Description	
UFLEX® Electric pumps & blowers					
SELF PRIMING EL. PUMP					
U SERIES					
23610J	UFLEX®	142	U050-24	Self-priming Electric Pump 250 l/min (66.0 GPM) - 24 VDC	3.359,00
64809RP	UFLEX®	142	U020-12 MP	Self-priming Electric Pump 28 l/min (7.4 GPM) - 12 VDC	879,00
64810ZP	UFLEX®	142	U025-12 MP	Self-priming Electric Pump 52 l/min (13.7 GPM) - 12 VDC	1.015,00
64811BP	UFLEX®	142	U030-12 MP	Self-priming Electric Pump 75 l/min (19.8 GPM) - 12 VDC	1.400,00
64812DP	UFLEX®	142	U020-24 MP	Self-priming Electric Pump 28 l/min (7.4 GPM) - 24 VDC	879,00
64813FP	UFLEX®	142	U025-24 MP	Self-priming Electric Pump 52 l/min (13.7 GPM) - 24 VDC	1.015,00
64814HP	UFLEX®	142	U030-24 MP	Self-priming Electric Pump 75 l/min (19.8 GPM) - 24 VDC	1.400,00
64815KP	UFLEX®	142	U040-24 MP	Self-priming Electric Pump 250 l/min (66.0 GPM) - 230 VAC	1.667,00
66329L	UFLEX®	142	U050-M	Self-priming Electric Pump 250 l/min (66.0 GPM) - 380 VAC	1.428,00
66330V	UFLEX®	142	U050-T	Self-priming Electric Pump 250 l/min (66.0 GPM) - 230/380 VAC	1.428,00
66331X	UFLEX®	142	U070-T	Self-priming Electric Pump 500 l/min (132.0 GPM) - 380 VAC	6.402,00
65426D	UFLEX®	.	U020-M 230	Self-priming Electric Pump 30 l/min (7.9 GPM) - 230 VAC	545,00
26147D	UFLEX®	.	U020-M 115	Self-priming Electric Pump 30 l/min (7.9 GPM) - 115 VAC	660,00
22858T	UFLEX®	.	U025-M	Self-priming Electric Pump 60 l/min (15.8 GPM) - 230 VAC	632,00
26104J	UFLEX®	.	U030-M 230 60hz	Self-priming Electric Pump 75 l/min (19.8 GPM) - 230 VAC 60hz	1.032,00
Accessory/Spare					
66538W	UFLEX®	144	.	Neoprene impeller for USBM pump	129,00
66539Y	UFLEX®	144	.	Nitrile impeller for USBM pump (oil transfer only)	129,00
SELF PRIMING EL. PUMP					
USBM SERIES					
24850L	UFLEX®	144	USBM-midex-12	Self-priming Electric Pump 64 l/min (16.9 GPM) - 12 VDC	1.658,00
64821E	UFLEX®	144	USBM-midex-24	Self-priming Electric Pump 64 l/min (16.9 GPM) - 24 VDC	1.658,00
BRONZE CENTR. EL. PUMP					
UBCE SERIES					
20848D	UFLEX®	145	UB-CE 25-12-M	Centrifugal Electric Pump 200 l/min (52.8 GPM) - 230 VAC	1.981,00
20849F	UFLEX®	145	UB-CE 25-12-T	Centrifugal Electric Pump 200 l/min (52.8 GPM) - 380 VAC	1.973,00
20850P	UFLEX®	145	UB-CE 41-1 A-M	Centrifugal Electric Pump 250 l/min (66.0 GPM) - 230 VAC	1.518,00
20851S	UFLEX®	145	UB-CE 41-1 A-T	Centrifugal Electric Pump 250 l/min (66.0 GPM) - 380 VAC	1.518,00
25386T	UFLEX®	.	UB-CE 41-1 B-M	Centrifugal Electric Pump 250 l/min (66.0 GPM) - 230 VAC	1.620,00
67958A	UFLEX®	145	UB-CE 16-12	Centrifugal Electric Pump 40 l/min (10.5 GPM) - 12 VDC	1.025,00
67959C	UFLEX®	145	UB-CE 16-24	Centrifugal Electric Pump 40 l/min (10.5 GPM) - 24 VDC	1.025,00
67960L	UFLEX®	145	UB-CE 16-M	Centrifugal Electric Pump 40 l/min (10.5 GPM) - 230 VAC	963,00
67961N	UFLEX®	145	UB-CE 16-T	Centrifugal Electric Pump 40 l/min (10.5 GPM) - 380 VAC	963,00
67962R	UFLEX®	145	UB-CE 20-12	Centrifugal Electric Pump 80 l/min (21.3 GPM) - 12 VDC	1.262,00
67963T	UFLEX®	145	UB-CE 20-24	Centrifugal Electric Pump 80 l/min (21.3 GPM) - 24 VDC	1.262,00
67964V	UFLEX®	145	UB-CE 20-M	Centrifugal Electric Pump 80 l/min (21.3 GPM) - 230 VAC	1.062,00
67965X	UFLEX®	145	UB-CE 20-T	Centrifugal Electric Pump 80 l/min (21.3 GPM) - 380 VAC	1.062,00
67966Z	UFLEX®	145	UB-CE 22-24	Centrifugal Electric Pump 120 l/min (31.7 GPM) - 24 VDC	1.368,00
67967B	UFLEX®	145	UB-CE 22-M	Centrifugal Electric Pump 120 l/min (31.7 GPM) - 230 VAC	1.152,00
67968D	UFLEX®	145	UB-CE 22-T	Centrifugal Electric Pump 120 l/min (31.7 GPM) - 380 VAC	1.128,00
SELF PRIMING EL. PUMP					
UABR SERIES					
66068J	UFLEX®	146	UABR 32/1	Self-priming Electric Pump 160 l/min (42.2 GPM) - 24 VDC	7.321,00
66069L	UFLEX®	146	UABR 32/2	Self-priming Electric Pump 160 l/min (42.2 GPM) - 24 VDC	8.008,00
66070V	UFLEX®	146	UABR 40/1	Self-priming Electric Pump 250 l/min (66 GPM) - 24 VDC	8.408,00
66071X	UFLEX®	146	UABR 32/2-M	Self-priming Electric Pump 150 l/min (39.6 GPM) - 230 VAC	6.933,00
66073B	UFLEX®	146	UABR 50/2-T	Self-priming Electric Pump 400 l/min (105.6 GPM) - 380 VAC	10.759,00
66074D	UFLEX®	146	UABR 65/2-T	Self-priming Electric Pump 600 l/min (158.5 GPM) - 380 VAC	16.020,00
66092F	UFLEX®	146	UABR 32/2-T	Self-priming Electric Pump 150 l/min (39.6 GPM) - 380 VAC	6.787,00
66093H	UFLEX®	146	UABR 40/2-T	Self-priming Electric Pump 220 l/min (58.1 GPM) - 380 VAC	8.306,00
67948X	UFLEX®	146	UABR 32/1-M	Self-priming Electric Pump 150 l/min (39.6 GPM) - 230 VAC	6.072,00
67949Z	UFLEX®	146	UABR 32/1-T	Self-priming Electric Pump 150 l/min (39.6 GPM) - 380 VAC	6.002,00
67950H	UFLEX®	146	UABR 40/1-M	Self-priming Electric Pump 220 l/min (58.1 GPM) - 230 VAC	7.305,00
67951K	UFLEX®	146	UABR 40/1-T	Self-priming Electric Pump 220 l/min (58.1 GPM) - 380 VAC	7.185,00
SELF PRIMING EL. PUMP SINGLE CSREW					
USBR SERIES					
67954S	UFLEX®	148	USBR-12	Self-priming Electric Pump 50 l/min (13.2 GPM) - 12 VDC	1.908,00
67955U	UFLEX®	148	USBR-24	Self-priming Electric Pump 50 l/min (13.2 GPM) - 24 VDC	1.856,00
67956W	UFLEX®	148	USBR-M	Self-priming Electric Pump 50 l/min (13.2 GPM) - 230 VAC	2.728,00
67957Y	UFLEX®	148	USBR-T	Self-priming Electric Pump 50 l/min (13.2 GPM) - 380 VAC	2.257,00
SELF PRIMING EL. PUMP					
UJ SERIES					
64824L	UFLEX®	149	UJ-INOX-12	Self-priming Electric Pump 50 l/min (13.2 GPM) - 12 VDC	819,00
64825N	UFLEX®	149	UJ-INOX-24	Self-priming Electric Pump 50 l/min (13.2 GPM) - 24 VDC	808,00
64827T	UFLEX®	149	UJ-INOX-M	Self-priming Electric Pump 50 l/min (13.2 GPM) - 220 VAC	555,00
UMG SERIES					
64826R	UFLEX®	149	UMG-INOX-24	Self-priming Electric Pump 90 l/min (23.8 GPM) - 24 VDC	1.567,00
64828V	UFLEX®	149	UMG-INOX-M	Self-priming Electric Pump 90 l/min (23.8 GPM) - 220 VAC	842,00
WATER PRESSURE SYSTEM					
UJ SERIES					


UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025
Unit Price (Euro) (VAT excl.)

<i>p/n</i>	<i>Brand</i>	<i>pg cat 26</i>	<i>Model</i>	<i>Description</i>	
64833M	UFLEX®	150	UJ-INOX-12/20X	Pressure Set, 20 l s.steel tank, 50 l/min (13.2 GPM) - 12 VDC	1.424,00
64834P	UFLEX®	150	UJ-INOX-24/20X	Pressure Set, 20 l s.steel tank, 50 l/min (13.2 GPM) - 24 VDC	1.406,00
64836U	UFLEX®	150	UJ-INOX-M/20X	Pressure Set, 20 l s.steel tank, 50 l/min (13.2 GPM) - 220 VAC	1.072,00
UMG SERIES					
64835S	UFLEX®	150	UMG-INOX-24/20X	Pressure Set, 20 l s.steel tank, 90 l/min (23.8 GPM) - 24 VDC	2.268,00
64837W	UFLEX®	150	UMG-INOX-M/20X	Pressure Set, 20 l s.steel tank, 90 l/min (23.8 GPM) - 220 VAC	1.273,00
SELF PRIMING EL. PUMP					
UJ SERIES					
64816M	UFLEX®	151	UJBR-12	Self-priming Electric Pump 44 l/min (11.6 GPM) - 12 VDC	2.007,00
64817P	UFLEX®	151	UJBR-24	Self-priming Electric Pump 55 l/min (14.5 GPM) - 24 VDC	1.981,00
64818S	UFLEX®	151	UJBR-M	Self-priming Electric Pump 55 l/min (14.5 GPM) - 220 VAC	1.932,00
69659A	UFLEX®	151	UJBR-3 M	Self-priming Electric Pump 100 l/min (26.4 GPM) - 230 VAC	2.726,00
WATER PRESSURE SYSTEM					
UJ SERIES					
64838Y	UFLEX®	152	UJBR-12/8X	Pressure Set, 8 l s.steel tank, 44 l/min (11.6 GPM) - 12 VDC	2.395,00
64839A	UFLEX®	152	UJBR-24/8X	Pressure Set, 8 l s.steel tank, 55 l/min (14.5 GPM) - 24 VDC	2.379,00
64840J	UFLEX®	152	UJBR-12/20X	Pressure Set, 20 l s.steel tank, 44 l/min (11.6 GPM) - 12 VDC	2.566,00
64841L	UFLEX®	152	UJBR-24/20X	Pressure Set, 20 l s.steel tank, 55 l/min (14.5 GPM) - 24 VDC	2.552,00
64842N	UFLEX®	152	UJBR-M/20X	Pressure Set, 20 l s.steel tank, 55 l/min (14.5 GPM) - 220 VAC	2.225,00
PERIPHERAL ELECTRIC PUMP					
UPB SERIES					
64819U	UFLEX®	153	UPB-12	Self-priming Electric Pump 35 l/min (9.2 GPM) - 12 VDC	879,00
64820C	UFLEX®	153	UPB-24	Self-priming Electric Pump 35 l/min (9.2 GPM) - 24 VDC	879,00
WATER PRESSURE SYSTEM					
UPB SERIES					
64829X	UFLEX®	153	UPB-12/8-L	Pressure Set, 8 l painted steel tank, 35 l/min (9.2 GPM) - 12 VDC	1.176,00
64830F	UFLEX®	153	UPB-24/8-L	Pressure Set, 8 l painted steel tank, 36 l/min (9.5 GPM) - 24 VDC	1.176,00
64843R	UFLEX®	153	UPB-12/2X	Pressure Set, 2 l s.steel tank, 35 l/min (9.2 GPM) - 12 VDC	1.267,00
64844T	UFLEX®	153	UPB-24/2X	Pressure Set, 2 l s.steel tank, 36 l/min (9.5 GPM) - 24 VDC	1.267,00
64845V	UFLEX®	153	UPB-12/8-X	Pressure Set, 8 l s.steel tank, 35 l/min (9.2 GPM) - 12 VDC	1.380,00
64846X	UFLEX®	153	UPB-24/8-X	Pressure Set, 8 l s. steel tank, 36 l/min (9.5 GPM) - 24 VDC	1.380,00
WATER PRESSURE SYSTEM					
UJ SERIES					
20852U	UFLEX®	154	UGDE J/3	UJ-INOX-24 and UJ-INOX-M electric pumps connected in series	3.696,00
66332Z	UFLEX®	154	UGDE J/1	Two UJ-INOX-24 electric pumps connected in series	4.154,00
66333B	UFLEX®	154	UGDE J/2	Two UJ-INOX-M electric pumps connected in series	3.189,00
UJBR SEIERS					
66338M	UFLEX®	154	UGDE JBR/1	Two UJBR-INOX-24 electric pumps connected in series	6.309,00
66339P	UFLEX®	154	UGDE JBR/2	Two UJBR-INOX-M electric pumps connected in series	5.852,00
66340Y	UFLEX®	154	UGDE JBR/3	UJBR-INOX-24 and UJBR-INOX-M pumps connected in series	6.148,00
UMG SERIES					
66335F	UFLEX®	154	UGDE MG/1	Two UMG-INOX-24 electric pumps connected in series	5.381,00
66336H	UFLEX®	154	UGDE MG/2	Two UMG-INOX-M electric pumps connected in series	3.794,00
66337K	UFLEX®	154	UGDE MG/3	UMG-INOX-24 and UMG-INOX-M pumps connected in series	4.554,00
ELECTRONIC WATER PRESSURE SYSTEM					
UJ SERIES					
66076H	UFLEX®	155	UJ-INOX/EPC-12	Self-priming Electric Pump 50 l/min (13.2 GPM) - 12 VDC	1.120,00
66077K	UFLEX®	155	UJ-INOX/EPC-24	Self-priming Electric Pump 50 l/min (13.2 GPM) - 24 VDC	1.109,00
66078M	UFLEX®	.	UJ-INOX/EPC-M	Self-priming Electric Pump 50 l/min (13.2 GPM) - 230 VAC	810,00
66081A	UFLEX®	155	UJBR/EPC-12	Self-priming Electric Pump 44 l/min (11.6 GPM) - 12 VDC	2.158,00
66082C	UFLEX®	155	UJBR/EPC-24	Self-priming Electric Pump 55 l/min (14.5 GPM) - 24 VDC	2.146,00
66083E	UFLEX®	155	UJBR/EPC-M	Self-priming Electric Pump 55 l/min (14.5 GPM) - 230 VAC	1.862,00
69660J	UFLEX®	155	UJ-mini/EPC-12	Self-priming Electric Pump with electronic control (EPC), 55 l/min (13.2 GPM) - 12 VDC	1.056,00
69661L	UFLEX®	155	UJ-mini/EPC-24	Self-priming Electric Pump with electronic control (EPC), 55 l/min (13.2 GPM) - 24 VDC	1.056,00
69662N	UFLEX®	155	UJ-mini/EPC-M	Self-priming Electric Pump with electronic control (EPC), 55 l/min (13.2 GPM) - 230 VAC	776,00
UMG SERIES					
66079P	UFLEX®	155	UMG-INOX/EPC-24	Self-priming Electric Pump 40 l/min (23.8 GPM) - 24 VDC	1.841,00
66080Y	UFLEX®	155	UMG-INOX/EPC-M	Self-priming Electric Pump 90 l/min (23.8 GPM) - 230 VAC	941,00
UPB SERIES					
66084G	UFLEX®	155	UPB/EPC-12	Self-priming Electric Pump 35 l/min (9.2 GPM) - 12 VDC	1.151,00
66085J	UFLEX®	155	UPB/EPC-24	Self-priming Electric Pump 35 l/min (9.2 GPM) - 24 VDC	1.152,00
SELF PRIMING PUMP					
UN SERIES					
64847Z	UFLEX®	156	UN 025	Pump, bare shaft, 60 l/min (15.8 GPM) @2800rpm	442,00
64857C	UFLEX®	156	UN 030-030 F	Pump manual clutch 75 l/min (19.8 GPM) @1400rpm	1.026,00
64858E	UFLEX®	156	UN 040-040 F	Pump manual clutch 120 l/min (31.7 GPM) @1400rpm	1.101,00
64859G	UFLEX®	156	UN 050-050 F	Pump manual clutch 230 l/min (60.8 GPM) @1400rpm	1.465,00
64860R	UFLEX®	156	UN 070-070 F	Pump manual clutch 500 l/min (132.1 GPM) @1400rpm	4.016,00
US SERIES					
64852S	UFLEX®	156	US 020	Pump, bare shaft, 30 l/min (7.9 GPM) @2800rpm	420,00
64853U	UFLEX®	156	US 025	Pump, bare shaft, 60 l/min (15.8 GPM) @2800rpm	463,00
64861T	UFLEX®	156	US 030-030 FM 12	Pump w/magn.clutch 75 l/min (19.8 GPM) @ 1400rpm, 12VDC	1.499,00
64862V	UFLEX®	156	US 040-040 FM 12	Pump w/magn. clutch 120 l/min (31.7 GPM) @ 1400rpm, 12VDC	1.609,00
64863X	UFLEX®	156	US 050-050 FM 12	Pump w/magn. clutch 230 l/min (60.7 GPM) @ 1400rpm, 12VDC	2.229,00



UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025

Unit Price (Euro) (VAT excl.)

<i>p/n</i>	<i>Brand</i>	<i>pg cat 26</i>	<i>Model</i>	<i>Description</i>	
64864Z	UFLEX®	156	US 030-030 FM 24	Pump w/magn. clutch 75 l/min (19.8 GPM) @ 1400rpm, 24VDC	1.499,00
64865B	UFLEX®	156	US 040-040 FM 24	Pump w/magn. clutch 120 l/min (31.7 GPM) @ 1400rpm, 24VDC	1.609,00
64866D	UFLEX®	156	US 050-050 FM 24	Pump w/magn. clutch 230 l/min (60.7 GPM) @ 1400rpm, 24VDC	2.229,00
ELECTRIC BLOWER					
UBLC SERIES					
64867F	UFLEX®	157	UBLC 004-24	Centrifugal Blower, 12 m³/min, 24 VDC, right direction	541,00
64868H	UFLEX®	157	UBLC 015-24	Centrifugal Blower, 24 m³/min, 24 VDC, right direction	959,00
64869K	UFLEX®	157	UBLC 028-24	Centrifugal Blower, 24 m³/min, 24 VDC, right direction	752,00
65433A	UFLEX®	157	UBLC 002-12	Centrifugal Blower, 4,5 m³/min, 12 VDC, right direction	407,00
65434C	UFLEX®	157	UBLC 002-24	Centrifugal Blower, 4,5 m³/min, 24 VDC, right direction	407,00
65435E	UFLEX®	157	UBLC 002-M	Centrifugal Blower, 4,5 m³/min, 230 VAC, right direction	354,00
65436G	UFLEX®	157	UBLC 002-T	Centrifugal Blower, 4,5 m³/min, 380 VAC, right direction	343,00
65437J	UFLEX®	157	UBLC 004-12	Centrifugal Blower, 12 m³/min, 12 VDC, right direction	541,00
65438L	UFLEX®	157	UBLC 004-M	Centrifugal Blower, 15 m³/min, 230 VAC, right direction	496,00
65439N	UFLEX®	157	UBLC 004-T	Centrifugal Blower, 15 m³/min, 380 VAC, right direction	469,00
65440X	UFLEX®	157	UBLC 015-M	Centrifugal Blower, 24 m³/min, 230 VAC, right direction	855,00
65441Z	UFLEX®	157	UBLC 015-T	Centrifugal Blower, 24 m³/min, 380 VAC, right direction	793,00
65442B	UFLEX®	157	UBLC 028-M	Centrifugal Blower, 24 m³/min, 230 VAC, right direction	730,00
65443D	UFLEX®	157	UBLC 028-T	Centrifugal Blower, 24 m³/min, 380 VAC, right direction	625,00
65444F	UFLEX®	157	UBLC 023-24	Centrifugal Blower, 237 m³/min, 24 VDC, right direction	1.310,00
65445H	UFLEX®	157	UBLC 023-M	Centrifugal Blower, 58 m³/min, 230 VAC, right direction	1.142,00
65446K	UFLEX®	157	UBLC 023-T	Centrifugal Blower, 58 m³/min, 380 VAC, right direction	1.075,00
65447M	UFLEX®	157	UBLC 025-24	Centrifugal Blower, 50 m³/min, 24 VDC, right direction	1.917,00
65448P	UFLEX®	157	UBLC 025-M	Centrifugal Blower, 50 m³/min, 230 VAC, right direction	1.346,00
65449S	UFLEX®	157	UBLC 025-T	Centrifugal Blower, 50 m³/min, 380 VAC, right direction	1.284,00
65450A	UFLEX®	157	UBLC 030-M	Centrifugal Blower, 95 m³/min, 230 VAC, right direction	1.544,00
65451C	UFLEX®	157	UBLC 030-T	Centrifugal Blower, 95 m³/min, 380 VAC, right direction	1.450,00
67971S	UFLEX®	157	UBLC 015-12	Centrifugal Blower, 24 m³/min, 12 VDC, right direction	959,00
67972U	UFLEX®	157	UBLC 023-12	Centrifugal Blower, 37 m³/min, 12 VDC, right direction	1.330,00
67973W	UFLEX®	157	UBLC 028-12	Centrifugal Blower, 24 m³/min, 12 VDC, right direction	763,00
23734D	UFLEX®	.	UBLC 023-24 LD	Centrifugal Blower, 237 m³/min, 24 VDC, left direction	1.310,00
ELECTRIC BLOWER					
UVE SERIES					
64873A	UFLEX®	158	UVE 25-24	Helicoidal Blower, 30 m³/min, 24 VDC - ventilator	889,00
64874C	UFLEX®	158	UVE 35-24	Helicoidal Blower, 56 m³/min, 24 VDC - ventilator	991,00
65452E	UFLEX®	158	UVE 25-12	Helicoidal Blower, 30 m³/min, 12 VDC - ventilator	889,00
65453G	UFLEX®	158	UVE 25-M	Helicoidal Blower, 35 m³/min, 230 VAC - ventilator	827,00
65454J	UFLEX®	158	UVE 25-T	Helicoidal Blower, 35 m³/min, 380 VAC - ventilator	715,00
65455L	UFLEX®	158	UVE 30-12	Helicoidal Blower, 42 m³/min, 12 VDC - ventilator	948,00
65456N	UFLEX®	158	UVE 30-24	Helicoidal Blower, 42 m³/min, 24 VDC - ventilator	948,00
65457R	UFLEX®	158	UVE 30-M	Helicoidal Blower, 42 m³/min, 230 VAC - ventilator	851,00
65458T	UFLEX®	158	UVE 30-T	Helicoidal Blower, 42 m³/min, 380 VAC - ventilator	786,00
65459V	UFLEX®	158	UVE 30/2-24	Helicoidal Blower, 75 m³/min, 24 VDC - ventilator	1.109,00
65460D	UFLEX®	158	UVE 30/2-M	Helicoidal Blower, 78 m³/min, 230 VAC - ventilator	916,00
65461F	UFLEX®	158	UVE 35-12	Helicoidal Blower, 56 m³/min, 12 VDC - ventilator	991,00
65462H	UFLEX®	158	UVE 35-M	Helicoidal Blower, 56 m³/min, 230 VAC - ventilator	896,00
65463K	UFLEX®	158	UVE 35-T	Helicoidal Blower, 56 m³/min, 380 VAC - ventilator	819,00
65464M	UFLEX®	158	UVE 35/2-24	Helicoidal Blower, 96 m³/min, 24 VDC - ventilator	1.185,00
65465P	UFLEX®	158	UVE 35/2-M	Helicoidal Blower, 100 m³/min, 230 VAC - ventilator	980,00
65466S	UFLEX®	158	UVE 35/2-T	Helicoidal Blower, 100 m³/min, 380 VAC - ventilator	924,00
65467U	UFLEX®	158	UVE 40-12	Helicoidal Blower, 70 m³/min, 12 VDC - ventilator	1.200,00
65468W	UFLEX®	158	UVE 40-24	Helicoidal Blower, 70 m³/min, 24 VDC - ventilator	1.189,00
65469Y	UFLEX®	158	UVE 40-M	Helicoidal Blower, 70 m³/min, 230 VAC - ventilator	1.064,00
65470G	UFLEX®	158	UVE 40-T	Helicoidal Blower, 70 m³/min, 380 VAC - ventilator	950,00
65471J	UFLEX®	158	UVE 40/2-24	Helicoidal Blower, 130 m³/min, 24 VDC - ventilator	1.376,00
65472L	UFLEX®	158	UVE 40/2-M	Helicoidal Blower, 130 m³/min, 230 VAC - ventilator	1.167,00
65473N	UFLEX®	158	UVE 40/2-T	Helicoidal Blower, 130 m³/min, 380 VAC - ventilator	1.051,00
65474R	UFLEX®	158	UVE 45-24	Helicoidal Blower, 107 m³/min, 24 VDC - ventilator	1.300,00
65475T	UFLEX®	158	UVE 45-M	Helicoidal Blower, 107 m³/min, 230 VAC - ventilator	1.096,00
65476V	UFLEX®	158	UVE 45-T	Helicoidal Blower, 107 m³/min, 380 VAC - ventilator	981,00
65477X	UFLEX®	158	UVE 45/2-24	Helicoidal Blower, 144 m³/min, 24 VDC - ventilator	1.438,00
65478Z	UFLEX®	158	UVE 45/2-M	Helicoidal Blower, 175 m³/min, 230 VAC - ventilator	1.263,00
65479B	UFLEX®	158	UVE 45/2-T	Helicoidal Blower, 175 m³/min, 380 VAC - ventilator	1.167,00
65480K	UFLEX®	158	UVE 50-24	Helicoidal Blower, 160 m³/min, 24 VDC - ventilator	1.540,00
65481M	UFLEX®	158	UVE 50-M	Helicoidal Blower, 160 m³/min, 230 VAC - ventilator	1.206,00
65482P	UFLEX®	158	UVE 50-T	Helicoidal Blower, 160 m³/min, 380 VAC - ventilator	1.163,00
65483S	UFLEX®	158	UVE 56-24	Helicoidal Blower, 225 m³/min, 24 VDC - ventilator	1.812,00
65484U	UFLEX®	158	UVE 56-M	Helicoidal Blower, 225 m³/min, 230 VAC - ventilator	1.335,00
65485W	UFLEX®	158	UVE 56-T	Helicoidal Blower, 225 m³/min, 380 VAC - ventilator	1.249,00
65486Y	UFLEX®	158	UVE 63-M	Helicoidal Blower, 312 m³/min, 230 VAC - ventilator	1.561,00
65487A	UFLEX®	158	UVE 63-T	Helicoidal Blower, 312 m³/min, 380 VAC - ventilator	1.529,00
65489E	UFLEX®	158	UVE 71-T	Helicoidal Blower, 330 m³/min, 380 VAC - ventilator	1.932,00
65490N	UFLEX®	158	UVE 71/B-T	Helicoidal Blower, 400 m³/min, 380 VAC - ventilator	2.132,00
65491R	UFLEX®	158	UVE 30/2-T	Helicoidal Blower, 78 m³/min, 380 VAC - ventilator	829,00



UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025
Unit Price (Euro) (VAT excl.)

<i>p/n</i>	<i>Brand</i>	<i>pg cat 26</i>	<i>Model</i>	<i>Description</i>	
67969F	UFLEX®	158	UVE 21-12	Helicoidal Blower, 22 m³/min, 12 VDC - ventilator	668,00
67970P	UFLEX®	158	UVE 21-24	Helicoidal Blower, 22 m³/min, 24 VDC - ventilator	668,00


UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025

Unit Price (Euro) (VAT excl.)

p/n	Brand	pg cat 26	Model	Description	
MARINCO® Shore power systems, spotlights, horns & wipers					
CABLES & CONNECTIONS					
CONNECTOR					
22555Y	MARINCO®	163	199114	16A Female connector, cover and cap	96,70
22556A	MARINCO®	163	199115	32A Female connector, cover and cap	209,80
66757J	MARINCO®	163	305CRCXN	16A Female Connector	47,30
66759N	MARINCO®	163	199109PK	16A Watertight Connector sealing Cap	17,70
66770A	MARINCO®	163	6360CRNX	32A Female Connector	162,60
66772E	MARINCO®	163	199110PK	32A Watertight Connector sealing Cap	17,70
67442M	MARINCO®	.	5269CR	15A/125V 2P 3W Connector	49,10
CORDSET					
22557C	MARINCO®	163	15M32AX	32A PwCord Plus® Cordset w/female conn. & blunt cut - 15 m	478,40
66760X	MARINCO®	163	50PCMX	16A Cordset with female connector - 15,24 meters (50 ft)	201,80
66762B	MARINCO®	163	50SPPX	16A PowerCord Plus® Cordset w/female connector - 15,24 m (50 ft)	206,40
66763D	MARINCO®	163	20MSPPXP	16A PwCord Plus® Cordset w/female conn. & male plug - 20 m	324,50
67812V	MARINCO®	.	199119	30A 50ft Cordset Led Ergo Grip	283,80
INLET					
22554W	MARINCO®	.	6371ELX	32A 230V Easy Lock Inlet Stainless Steel	242,50
24996S	MARINCO®	.	303SSEL-B	30A 125V Easy Lock Inlet Stainless Steel with Enclosure	162,20
66753A	MARINCO®	163	303SSEL-BXPK	16A Stainless Steel Inlet with rear safety enclosure	167,60
66754C	MARINCO®	163	301EL-BX	16A Square glass filled Inlet with rear safety enclosure	72,90
66755E	MARINCO®	163	304EL-BX	16A Contour glass filled Inlet with rear safety enclosure	68,00
66766K	MARINCO®	163	6371EL-BX	32A Stainless Steel Inlet with rear safety enclosure	208,50
66767M	MARINCO®	163	6351EL-BX	32A Square glass filled Inlet with rear safety enclosure	100,60
66768P	MARINCO®	163	6343EL-BX	32A Contour glass filled Inlet with rear safety enclosure	150,80
67283U	MARINCO®	.	303SSEL-B.OEM	30A 125V Easy Lock Inlet Stainless Steel with Enclosure	154,10
68422L	MARINCO®	.	6371EL-B	50A 125V Easy Lock Inlet Stainless Steel with Enclosure	298,30
PLUG					
66764F	MARINCO®	163	15MSPPXP	16A PwCord Plus® Cordset w/female conn. & male plug - 15 m	275,50
66765H	MARINCO®	163	10MSPPXP	16A PwCord Plus® Cordset w/female conn. & male plug - 10 m	204,70
66773G	MARINCO®	163	15M32AXP	32A PwCord Plus® Cordset w/female conn. & male plug - 15 m	478,40
CABLES & CONNECTIONS					
Accessory/Spare					
66771C	MARINCO®	164	7715CRNX	32A Weatherproof Cover with threaded ring	31,70
66781F	MARINCO®	.	165AY	"Y" Adapter 2-50A	873,70
66782H	MARINCO®	164	510R	Sealing collar w/it threaded ring	23,70
66822T	MARINCO®	164	7717N	Weatherproof Cover for male plug	36,10
66825Z	MARINCO®	164	CLIP	Cable clips w/stainless steel mounting screws; includes 6 cable clips	49,70
67056G	MARINCO®	164	110R	Sealing collar w/it threaded ring	21,80
66780D	MARINCO®	164	7715CRN	50A Weatherproof Cover With Threaded Sealing Ring Yellow	49,10
68187D	MARINCO®	.	7420CR	Weatherproof Cover with Lift Lid	73,90
68364Z	MARINCO®	.	7788CR	Weatherproof Cover with Lift Lid	93,50
CONNECTOR					
66779V	MARINCO®	164	6364CRN	50A Female Connector, 3 Pole, 4-Wire	150,80
CORDSET					
67573D	MARINCO®	.	305CRR	30A 125V Receptacle Locking	57,50
67574F	MARINCO®	.	6370CR	50A 125V Receptacle	213,00
67575H	MARINCO®	.	6369CR	50A 125/250V Receptacle	217,80
INLET					
66774J	MARINCO®	164	6373EL-B	50A Stainless steel Inlet with rear safety enclosure	243,80
66775L	MARINCO®	164	6353EL-B	50A Square glass filled Inlet with rear safety enclosure	165,50
66776N	MARINCO®	164	6373EL	50A Stainless steel Inlet without rear safety enclosure	322,90
PLUG					
66778T	MARINCO®	164	6365CRN	50A Male Plug, 3 Pole, 4-Wire	149,10
CABLES & CONNECTIONS					
CONNECTOR					
20857E	MARINCO®	165	M4100C12	Body Connector with cap	1.392,60
20858G	MARINCO®	165	M5100C9	Body Connector with cap	1.675,60
60102TA	MARINCO®	165	199111PK	Watertight Connector Sealing Cap	52,10
66786S	MARINCO®	165	6401CRCX	63A 50Hz Female Connector	208,40
66789Y	MARINCO®	165	6402CRCX	63A 50Hz Female Connector	236,10
66792L	MARINCO®	165	M4100C12R	Body Connector with gasketed locking ring	1.312,60
66794R	MARINCO®	165	M5100C9R	Body Connector with gasketed locking ring	1.710,10
INLET					
66785M	MARINCO®	165	6401EL-BX	63A 50Hz Stainless Steel Inlet with rear safety enclosure	289,60
66787U	MARINCO®	165	6401CRPX	63A 50Hz Male Plug	187,10
66788W	MARINCO®	165	6402EL-BX	63A 50Hz Stainless Steel Inlet with rear safety enclosure	324,50
66790G	MARINCO®	165	6402CRPX	63A 50Hz Male Plug	185,30
66793N	MARINCO®	165	M4100B12R	Shore Power Inlet with gasketed, spring-loaded, IP67 cover	1.229,80
66795T	MARINCO®	165	M5100B9R	Shore Power Inlet with gasketed, spring-loaded, IP67 cover	1.594,10
PLUG					
20856C	MARINCO®	165	M5100P9	Plug with gasketed locking ring	1.476,80
67038E	MARINCO®	165	M4100P12	Plug with gasketed locking ring	1.257,40


UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025

Unit Price (Euro) (VAT excl.)

p/n	Brand	pg cat 26	Model	Description	
CABLES & CONNECTIONS					
CONNECTOR					
66819E	MARINCO®	166	305CRCN	30A Female Connector	54,10
66823V	MARINCO®	166	6360CRN	50A Female Connector	170,50
Accessory/Spare					
66758L	MARINCO®	.	103RNX	Weatherproof Cover with threaded ring	20,70
66820N	MARINCO®	166	103RN	20A/30A Connector Cover Short with Ring	31,50
PLUG					
66817A	MARINCO®	166	305CRPN	30A Male Plug	30,90
66821R	MARINCO®	166	6361CRN	50A Male Plug	145,90
Accessory/Spare					
66818C	MARINCO®	166	102N	Weatherproof Cover for male plug	20,40
CABLES & CONNECTIONS					
Accessory/Spare					
66802L	MARINCO®	167	PH6599	Telephone Cordset 50 ft (15,24m)	316,20
66805T	MARINCO®	167	TV99-25	TV Cable Cordset 25 ft	103,10
CONNECTOR					
66848M	MARINCO®	167	PH6629	Female Phone Connector	64,00
INLET					
66796V	MARINCO®	167	PH6592TV-SS	Stainless steel Phone & Cable TV Inlet	237,60
66797X	MARINCO®	167	TV6592	Stainless steel Cable TV Inlet	203,30
66798Z	MARINCO®	167	PH6574TV	Standard Phone & Cable TV Inlet	170,50
66799B	MARINCO®	167	TV6574	Standard Cable TV Inlet	131,10
66801J	MARINCO®	167	TV6444	Contoured Cable TV Inlet	159,00
CABLES & CONNECTIONS					
Accessory/Spare					
66810K	MARINCO®	168	12VXT	Sealink® Deluxe 12 Volt Extension Cord	60,70
66811M	MARINCO®	168	12VAD	Sealink® Deluxe 12 Volt Dual Outlet Cord	64,00
CONNECTOR					
22129E	MARINCO®	168	12VCPS3	70A 3-Wire Trolling Motor Plug & Receptacle Combo	98,40
68467K	MARINCO®	.	12VCPS2	Connector Pro Combo 2 Wire Plug & Connector	60,70
INLET					
67219J	MARINCO®	168	12VBP	Watertight Plug 12V DC	29,60
67225D	MARINCO®	168	12VCP	12VBP plug and 12VBR receptacle packaged together	65,80
PLUG					
66156F	MARINCO®	168	12VRC	12 Volt Receptacle	29,80
66415D	MARINCO®	168	12VPG	DC Plug with LED power indicator light	21,40
66862F	MARINCO®	168	12VRCW	12 Volt Receptacle complete with mounting plate, white	20,80
67220T	MARINCO®	168	12VBR	Watertight Plug 12V DC with sealing cap	37,20
POWER CONVERSION					
DC-DC CONVERTER					
20767D	MARINCO®	168	12MP	Mounting plate for 12VRC/DSP Receptacle	3,00
21630E	MARINCO®	168	12VDUSB-B	Dual USB Port Receptacle- black	29,10
21631G	MARINCO®	168	12VDUSB-W	Dual USB Port Receptacle - white	31,60
CABLES & CONNECTIONS					
CORDSET					
21507F	MARINCO®	169	CS504-50	Easily Engaged Lock ShorePower Cordset - yellow - 50'	1.512,70
21644S	MARINCO®	169	CS504-50W	Easily Engaged Lock ShorePower Cordset - white - 50'	1.258,80
SPOTLIGHT					
68115B	MARINCO®	170	SPL-12W	Halogen Spotlight, wireless control included, white	599,30
68116D	MARINCO®	170	SPL-12B	Halogen Spotlight, wireless control included, black	599,30
68117F	MARINCO®	170	SPL-12C	Halogen Spotlight, wireless control included, chrome	657,60
Accessory/Spare					
68118H	MARINCO®	170	202319	Replacement Bulb, 12V, halogen H3	11,70
68119K	MARINCO®	170	202320	Replacement Bulb, 24V, halogen H3	12,10
68120U	MARINCO®	170	SPLR-2	Wireless Control (spare part)	94,00
68121W	MARINCO®	170	SPLR-1	Hand Held Remote Control, optional	106,50
68122Y	MARINCO®	170	SPLR-3	Wired Remote Control for SPL-12W	62,20
SPOTLIGHT					
21505B	MARINCO®	171	22050A	Wireless Stainless Steel Spot / Flood with remote Control 12VDC	1.324,30
21645U	MARINCO®	171	22051A	Wireless Stainless Steel Spot / Flood 12VDC	1.144,20
22361J	MARINCO®	171	23050A	12V LED Spotlight , remote control included	2.194,20
22362L	MARINCO®	171	23051A	12V LED Spotlight , remote control not included	2.061,70
22590A	MARINCO®	171	22150A	Wireless Stainless Steel Spot / Flood with remote Control 24VDC	1.552,90
22591C	MARINCO®	171	23151A	24V LED Spotlight , remote control not included	2.110,30
23403D	MARINCO®	171	23150A	24V LED Spotlight , remote control included	2.256,90
23513L	MARINCO®	171	22151A	Wireless Stainless Steel Spot / Flood 24VDC	1.403,70
66860B	MARINCO®	171	22040A	Stainless Steel Halogen Spot / Flood with Joystick Control	1.189,10
68705Z	MARINCO®	.	SPL-24W.OEM	Halogen Spotlight, 100W/24V, wireless control included, white	560,80
Accessory/Spare					
22542N	MARINCO®	171	23250R	12V wireless bridge remote	127,50
22543R	MARINCO®	171	23350R	24V wireless bridge remote	165,80
22544T	MARINCO®	171	23250-HH	Wireless IP67 spotlightshand held remote	136,20
66989G	MARINCO®	171	22240R	Joystick Control Panel for Halogen Spot 22040A	128,60


UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025

Unit Price (Euro) (VAT excl.)

p/n	Brand	pg cat 26	Model	Description	
67001E	MARINCO®	171	22014-P	Replacement Bulb Kit for 22040A	148,10
25827X	MARINCO®	171	22250-HH	Wireless IP67 Stainless Steel Spot/Flood Handheld Remote (IP53)	129,10
				HORN	
66904V	MARINCO®	172	11080	"H" Horn Phase II – Drop-in Hidden Horn	37,00
66908D	MARINCO®	172	10079	Drop-in "H" Horn with Grills	75,30
66909F	MARINCO®	172	11095	Drop-in Hidden Horn without Grill	36,80
				Accessory/Spare	
66905X	MARINCO®	172	11187	Screw-in White ASA Grill for 11080	4,40
66906Z	MARINCO®	172	11188	Screw-in Black ABS Grill for 11080	4,40
66907B	MARINCO®	172	11096	Screw-in Stainless Steel Grill Kit for 11080	21,60
66910P	Attwood®	172	11090	Snap-in White ASA Grill for 11095	11,20
66911S	MARINCO®	172	11091	Snap-in Black ABS Grill for 11095	5,60
66912U	MARINCO®	172	11225	Snap-in Chrome Plated ABS Grill for 11095	14,30
				HORN	
66913W	Attwood®	173	10107	12 Volt Chrome Single Trumpet Mini Air Horn	160,70
66914Y	MARINCO®	173	10104	12 Volt White Single Trumpet Mini Air Horn	360,80
66915A	Attwood®	173	10108	12 Volt Chrome Dual Trumpet Mini Air Horn	355,30
66920T	MARINCO®	173	10099	White MiniBlast	45,20
66921V	MARINCO®	173	10098	Black MiniBlast	47,60
25140H	MARINCO®	.	.	Chrome plated Single Trumpet Mini Air Horn 10107 w/24V compressor	393,70
25120B	MARINCO®	.	.	White Single Trumpet Mini Air Horn 10104 w/24V compressor	535,70
				Accessory/Spare	
66917E	MARINCO®	173	10102	12 Volt Air Compressor	170,40
66918G	MARINCO®	173	10224	24 Volt Air Compressor	170,40
				HORN	
21511W	MARINCO®	174	11045	Under Deck Horn	49,30
22404A	MARINCO®	174	10011	12 Volt Compact Dual Trumpet Electric Horn	273,00
22558E	MARINCO®	174	10010	Ct Compact Single Trumpet	159,50
21648A	MARINCO®	.	10029XLP	12 Volt Dual Trumpet Electric Horn	330,90
				SOLAR VENT	
24742H	MARINCO®	.	N20803S	Day/Night Solar Vent 3"	341,50
				WIPER	
				Accessory/Spare	
23957A	MARINCO®	175	76090	Single Speed Controller, washer system included	241,60
23958C	MARINCO®	175	76080	Dual Speed Controller, washer system included	278,80
66935G	MARINCO®	175	76030	Single Motor Intelligent Switch	486,80
				KIT	
23615V	MARINCO®	175	30004	500 Wiper kit - 80 degree	281,30
25534F	MARINCO®	.	32001	Wiper Motor Kit - 80 degrees 3-1/2" Standard Deck Mount OEM	289,30
				WIPER	
				MOTOR	
66938N	MARINCO®	176	82082	Shaft lengths 2", angle of 80°, motor 12V	465,00
66940Z	MARINCO®	176	82012	Shaft lengths 2", angle of 110°, motor 12V	465,00
66941B	MARINCO®	176	82312	Shaft lengths 2", angle of 110°, motor 24V	466,30
66952G	MARINCO®	176	71081	Shaft lengths 1", angle of 80°, motor 12V	367,60
66953J	MARINCO®	176	71082	Shaft lengths 2", angle of 80°, motor 12V	395,20
66954L	MARINCO®	176	71011	Shaft lengths 1", angle of 110°, motor 12V	419,20
66955N	MARINCO®	176	71012	Shaft lengths 2", angle of 110°, motor 12V	395,20
				WIPER	
				ARM	
66957T	MARINCO®	177	33086	Single Arm, Adjusts 20" to 25"	148,60
66958V	MARINCO®	177	33092	Pantographic Arm, Adjusts 17" to 22"	182,50
66959X	MARINCO®	177	33094	Pantographic Arm, Adjusts 22" to 26"	203,20
66960F	MARINCO®	177	33086W	Single Wet Arm, Adjusts 20" to 25"	160,00
66961H	MARINCO®	177	33092W	Pantographic Wet Arm, Adjusts 17" to 22"	228,80
66967W	MARINCO®	177	33010A	Single Arm, Adjusts 14" to 20"	70,30
66968Y	MARINCO®	177	33070A	Single Black Arm, Adjusts 18" to 24"	88,00
66969A	MARINCO®	177	33037A	Pantographic Black Arm, Adjusts 17" to 22"	118,00
				BLADE	
22883S	MARINCO®	177	34020S	20" Stainless steel Blade	42,80
22884U	MARINCO®	177	34024S	24" Stainless steel Blade	44,80
23075N	MARINCO®	177	34016S	16" Stainless steel Blade	37,40
23076R	MARINCO®	177	34018S	18" Stainless steel Blade	39,00
23077T	MARINCO®	177	34022S	22" Stainless steel Blade	44,80
				SHORE POWER PRODUCTS	
				CORDSET	
20920J	UFLEX®	178	SPC42/20	Shore Power Cord 4 x 2,5 mm² - 20 m spool	2.627,40
20921L	UFLEX®	178	SPC425/60	Shore Power Cord 4 x 25 mm² - 60 m spool	7.882,00
67310U	UFLEX®	178	SPC32/30	Shore Power Cord 3 x 2,5 mm² - 30 m spool	212,20
67311W	UFLEX®	178	SPC34/30	Shore Power Cord 3 x 4 mm² - 30 m spool	335,00
67755K	UFLEX®	178	SPC310/20	Shore Power Cord 3 x 10 mm² - 20 m spool	606,60
67837M	UFLEX®	178	SPC36/30	Shore Power Cord 3 x 6 mm² - 30 m spool	480,10
68911C	UFLEX®	178	SPC316/20	Shore Power Cord 3 x 16 mm² - 20 m spool	796,40
68946Y	UFLEX®	178	SPC310/30	Shore Power Cord 3 x 10 mm² - 30 m spool	909,90


UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025
Unit Price (Euro) (VAT excl.)

<i>p/n</i>	<i>Brand</i>	<i>pg cat 26</i>	<i>Model</i>	<i>Description</i>	
69598G	UFLEX®	178	SPC416/60	Shore Power Cord 4 x 16 mm ² - 60 m spool	4.778,30
69599J	UFLEX®	178	SPC416/20	Shore Power Cord 4 x 16 mm ² - 20 m spool	1.592,80
69600P	UFLEX®	178	SPC316/60	Shore Power Cord 3 x 16 mm ² - 60 m spool	2.389,20
69815M	UFLEX®	178	SPC310/60	Shore Power Cord 3 x 10 mm ² - 60 m spool	1.819,80
69816P	UFLEX®	178	SPC410/60	Shore Power Cord 4 x 10 mm ² - 60 m spool	3.708,60
69817S	UFLEX®	178	SPC410/20	Shore Power Cord 4 x 10 mm ² - 20 m spool	1.236,20
69845X	UFLEX®	178	SPC32/20	Shore Power Cord 3 x 2,5 mm ² - 20 m spool	141,50
69846Z	UFLEX®	178	SPC32/60	Shore Power Cord 3 x 2,5 mm ² - 60 m spool	424,30
69847B	UFLEX®	178	SPC34/20	Shore Power Cord 3 x 4 mm ² - 20 m spool	223,30
69848D	UFLEX®	178	SPC34/60	Shore Power Cord 3 x 4 mm ² - 60 m spool	669,90
69849F	UFLEX®	178	SPC36/20	Shore Power Cord 3 x 6 mm ² - 20 m spool	320,10
69850P	UFLEX®	178	SPC36/60	Shore Power Cord 3 x 6 mm ² - 60 m spool	960,20
24958H	UFLEX®	.	SPC316/80	Shore Power Cord 3 x 16 mm ² - 80 m spool	3.185,60
SLEEVING FOR CABLES					
20540Y	UFLEX®	178	GT02150	Braided Sleeving diameter 15mm (0.59") - Roll, 100 m length	154,90
20542C	UFLEX®	178	GT02200	Braided Sleeving diameter 20mm (0.78") - Roll, 100 m length	169,10
20543E	UFLEX®	178	GT02250	Braided Sleeving diameter 25mm (0.98") - Roll, 100 m length	211,50
20544G	UFLEX®	178	GT02300	Braided Sleeving diameter 30mm (1.18") - Roll, 100 m length	256,70
23622S	UFLEX®	178	GT01100/1m	Braided Sleeving diameter 10mm (0.39") - 1m length	1,30
23623U	UFLEX®	178	GT01150/1m	Braided Sleeving diameter 15mm (0.59") - 1m length	1,70
23624W	UFLEX®	178	GT01200/1m	Braided Sleeving diameter 20mm (0.78") - 1m length	1,90
23625Y	UFLEX®	178	GT01250/1m	Braided Sleeving diameter 25mm (0.98") - 1m length	2,30
23626A	UFLEX®	178	GT01300/1m	Braided Sleeving diameter 30mm (1.18") - 1m length	2,80
24853T	UFLEX®	178	GT01100/10m	Braided Sleeving diameter 10mm (0.39") - 10m length	12,60
24854V	UFLEX®	178	GT01150/10m	Braided Sleeving diameter 15mm (0.59") - 10m length	16,90
24855X	UFLEX®	178	GT01200/10m	Braided Sleeving diameter 20mm (0.78") - 10m length	18,40
24856Z	UFLEX®	178	GT01250/10m	Braided Sleeving diameter 25mm (0.98") - 10m length	23,00
24857B	UFLEX®	178	GT01300/10m	Braided Sleeving diameter 30mm (1.18") - 10m length	27,90
24858D	UFLEX®	178	GT01100/20m	Braided Sleeving diameter 10mm (0.39") - 20m length	25,20
24859F	UFLEX®	178	GT01150/20m	Braided Sleeving diameter 15mm (0.59") - 20m length	33,70
24861S	UFLEX®	178	GT01250/20m	Braided Sleeving diameter 25mm (0.98") - 20m length	45,90
24862U	UFLEX®	178	GT01300/20m	Braided Sleeving diameter 30mm (1.18") - 20m length	55,70
24863W	UFLEX®	178	GT01200/20m	Braided Sleeving diameter 20mm (0.78") - 20m length	36,70
68180N	UFLEX®	178	GT02100	Braided Sleeving diameter 10mm (0.39") - Roll, 100 m length	116,00


UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025

Unit Price (Euro) (VAT excl.)

p/n	Brand	pg cat 26	Model	Description	
BEP® Battery management, power distribution panels, connectors & insulators					
BATTERY MANAGEMENT					
PANEL					
26032K	BEP®	180	80-716-0014-00	Remote Battery Management Cluster for Single Engine	1.210,50
67404D	BEP®	180	80-716-0015-00	Remote Battery Management Cluster for Twin Engine	2.173,80
26033M	BEP®	180	80-716-0016-00	Remote Battery Management Cluster for Triple Engine	3.018,50
POWER DISTRIBUTION & MANAGEMENT					
DISTRIBUTION PANEL					
22236F	BEP®	181	903-DCSM	18 Loads Circuit Breaker Panel 12V w/digital meter	1.886,70
25139Z	BEP®	181	901V-DCSM	8 Loads vertical Circuit Breaker Panel 12V w/DCSM monitor	1.436,80
63125C	BEP®	181	900-DC	4 Loads Circuit Breaker Panel 12V no meter	339,40
63126E	BEP®	181	901V	8 Loads vertical Circuit Breaker Panel 12V no meter	447,90
63127G	BEP®	181	901H	8 Loads horizontal Circuit Breaker Panel 12V no meter	509,10
63129L	BEP®	181	904NM	16 Loads Circuit Breaker Panel 12V no meter	879,20
63144G	BEP®	181	NC36L-DCSM	32 Loads Circuit Breaker Panel 12V w/digital meter	1.680,80
63145J	BEP®	181	NC32Y-DCSM	32 Loads Circuit Breaker Panel 12V w/digital meter	2.970,20
64364C	BEP®	.	901DV	8 Loads vertical Circuit Breaker Panel 12V w/digital Meter	622,20
64365E	BEP®	181	902-DCSM	12 Loads Circuit Breaker Panel 12V w/digital Volts/Amps	1.439,60
65538R	BEP®	181	902NMH	12 Loads Circuit Breaker Panel 12V no meter	694,30
22863K	BEP®	.	.	Custom panel	92,00
24801X	BEP®	.	900V-DCSM	4 Loads Circuit Breaker Panel 12V w/digital Volts/Amps	1.265,70
26070U	BEP®	181	902NMV	Circuit Breaker Panel DC 12V 12x Single Pole 3x5A 4x10A 4x15A 1x25A Vertical	694,30
POWER DISTRIBUTION & MANAGEMENT					
Accessory/Spare					
23692P	BEP®	.	SET-BLANK	Label Sheet Rectangle All Blank-Black	21,60
63254P	BEP®	182	SET-1N	Label Sheet Accessories	21,60
63255S	BEP®	182	SET-2N	Label Sheet Bait Tank Pump	21,60
63256U	BEP®	182	SET-3N	Label Sheet Deck Light	21,60
63257W	BEP®	182	SET-4N	Label Sheet Bilge Alarm	21,60
63258Y	BEP®	182	SET-5N	Label Sheet AC Mains	21,60
63259A	BEP®	182	SET-6N	Label Sheet Accessories	21,60
68191U	BEP®	.	SET-9N	Label Set For Circuit Breaker Panels - Set 9	21,60
DISTRIBUTION PANEL					
20862X	BEP®	182	900-ACM6V-AM	6 Loads+1 Input AC Circuit Breaker Panel 230V w/analog meter	837,80
20863Z	BEP®	182	900-AC2H-ACSM	8 Loads+2 Inputs AC Circuit Breaker Panel 230V w/digital meter	2.303,50
63132Z	BEP®	.	900-AC2H-AM	8 Loads+2 Inputs AC Circuit Breaker Panel 230V w/analog meter	1.394,00
64517B	BEP®	182	900-ACM2W	2 Loads+1 Input AC Main Circuit Breaker Panel 230V	541,90
68859D	BEP®	182	900-ACCCH	2 Input Selector AC Main Circuit Breaker Panel 230V	517,10
63131X	BEP®	182	900-ACM6W	6 Loads+1 Input AC Main Circuit Breaker Panel 230V	810,20
POWER DISTRIBUTION & MANAGEMENT					
CIRCUIT BREAKER					
23602K	BEP®	183	185 120P-01-1	120A heavy duty, switch reset, panel mount	88,70
23603M	BEP®	183	185 135P-01-1	135A heavy duty, switch reset, panel mount	93,10
23604P	BEP®	183	185 150P-01-1	150A heavy duty, switch reset, panel mount	103,40
63146L	BEP®	183	CBS-15A-SP	15 Amp single Pole	35,30
63147N	BEP®	183	CBS-20A-SP	20 Amp single Pole	35,30
63148R	BEP®	183	CBS-25A-SP	25 Amp single Pole	35,30
63149T	BEP®	183	CBS-30A-SP	30 Amp single Pole	35,30
63150B	BEP®	183	CBS-40A-SP	40 Amp single Pole	35,30
63151D	BEP®	183	CBS-15A-DP	15 Amp double Pole	83,50
63152F	BEP®	183	CBS-20A-DP	20 Amp double Pole	83,50
63153H	BEP®	183	CBS-25A-DP	20 Amp double Pole	97,00
63154K	BEP®	183	CBS-30A-DP	25 Amp double Pole	87,00
63155M	BEP®	183	CBS-40A-DP	40 Amp double Pole	97,00
63160E	BEP®	183	184100F-01-1	100A heavy duty, manual reset, surfacel mount	88,70
63162J	BEP®	183	184 100P-01-1	100A heavy duty, manual reset, panel mount	88,70
63163L	BEP®	183	184 150P-01-1	150A heavy duty, manual reset, panel mount	88,70
63166T	BEP®	183	185 100P-01-1	100A heavy duty, switch reset, panel mount	88,70
63260J	BEP®	183	CBS-2.5A-SP	2,5 Amp single Pole	35,30
63261L	BEP®	183	CBS-5A-SP	5 Amp single Pole	35,30
63263R	BEP®	183	CBS-50A-SP-IGP	50 Amp single Pole	35,30
63264T	BEP®	183	CBS-05A-DP	5 Amp double Pole	69,50
63265V	BEP®	183	CBS-10A-DP	10 Amp double Pole	83,50
63266X	BEP®	183	CBS-30A-TP	30 Amp triple Pole	119,00
63927S	BEP®	183	185 050P-01-1	50A heavy duty, switch reset, panel mount	88,70
63928U	BEP®	183	185 080P-01-1	80A heavy duty, switch reset, panel mount	88,70
65382K	BEP®	183	184 050P-01-1	50A heavy duty, manual reset, panel mount	88,70
65385S	BEP®	183	185 070P-01-1	70A heavy duty, switch reset, panel mount	88,70
63262N	BEP®	183	CBS-10A-SP	10 Amp single Pole	35,30
64385L	BEP®	183	CBS-2.5A-DP	2,5 Amp double Pole	54,40
63267Z	BEP®	183	CBS-50A-TP	50 Amp triple Pole	78,50
SWITCH					
23601H	BEP®	183	184 080P-01-1	80A heavy duty, manual reset, panel mount	74,90


UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025

Unit Price (Euro) (VAT excl.)

p/n	Brand	pg cat 26	Model	Description	
POWER DISTRIBUTION & MANAGEMENT					
Accessory/Spare					
63252K	BEP®	184	LBL-WP	Label Waterproof 900 Panel Set	3,00
DISTRIBUTION PANEL					
63133B	BEP®	184	900-2WP	2 Switches Splash Proof Panel	141,90
63134D	BEP®	184	900-2WPMOM	2 Switches Splash Proof Panel	218,90
63135F	BEP®	184	900-2WPOFO	2 Switches Splash Proof Panel	216,90
63139P	BEP®	184	900-4WP	4 SW Splash Proof Panel, inline fuses, power socket, charcoal	78,70
63140Y	BEP®	184	900-6WP	6 SW Splash Proof Panel, inline fuses, power socket, charcoal	98,90
64401F	BEP®	184	900-3WPS	3 Switches Splash Proof Panel	84,20
64402H	BEP®	184	900-5WPS	5 SW Splash Proof Panel, inline fuses, power socket, white	98,90
64405P	BEP®	184	900-3WPSW	3 Switches Splash Proof Panel	71,10
Accessory/Spare					
63136H	BEP®	184	LBL-MIC1	Label Waterproof 900 Panel Set	13,30
63137K	BEP®	184	LBL-MIC2	Label Waterproof 900 Panel Set	11,30
63138M	BEP®	184	LBL-MICSYM	Label Waterproof 900 Panel Set	18,50
FUSE					
66520A	Blue Sea®	184	5270-BSS	5 Amp ATM Fuse	3,10
66521C	Blue Sea®	184	5271-BSS	10 Amp ATM Fuse	3,10
66522E	Blue Sea®	184	5272-BSS	15 Amp ATM Fuse	4,50
66523G	Blue Sea®	184	5273-BSS	20 Amp ATM Fuse	4,50
66524J	Blue Sea®	184	5274-BSS	30 Amp ATM Fuse	4,50
POWER DISTRIBUTION & MANAGEMENT					
Accessory/Spare					
63253M	BEP®	185	SET-1SP	Label Sheet CSP6 Series Switch Panel	21,60
DISTRIBUTION PANEL					
63141A	BEP®	185	CSP6-PTC	6 Switches Contour Splash Proof Panel PTC fusing	237,20
64375H	BEP®	185	CSP6	6 Switches Contour Splash Proof Panel	132,70
64376K	BEP®	185	CSP6-F	6 Switches Contour Splash Proof Panel w/fuse holders	160,80
FUSE HOLDER					
63537C	BEP®	185	WAFH-14	Fuse Holder	8,60
SWITCH					
Accessory/Spare					
64404M	BEP®	185	SW-M331	Splash proof Cover	2,80
POWER DISTRIBUTION & MANAGEMENT					
DISTRIBUTION PANEL					
64366G	BEP®	186	CG2-2W	2 Switches spray proof Panel - black	86,10
64367J	BEP®	186	CG2-2WF	2 Switches spray proof Panel with 1 fuse	115,20
64368L	BEP®	186	CG2-4W	4 Switches spray proof Panel - black	113,60
64369N	BEP®	186	CG2-4WF	4 Switches spray proof Panel with 2 fuses	141,10
64370X	BEP®	186	CG2-6W	6 Switches spray proof Panel - black	136,50
64371Z	BEP®	186	CG2-6WF	6 Switches spray proof Panel with 3 fuses	144,70
64542A	BEP®	186	CG2-4W-W	4 Switches spray proof Panel - white	134,50
64543C	BEP®	186	CG2-6W-W	6 Switches spray proof Panel - white	136,80
64591P	BEP®	186	CG2-2W-W	2 Switches spray proof Panel - white	169,70
Accessory/Spare					
64403K	BEP®	186	CG2-JB	Joiner for multiple panel installations	33,30
POWER DISTRIBUTION & MANAGEMENT					
Accessory/Spare					
64374F	BEP®	187	SET-G2-2	Optional Label Set for G2 Series Panels	17,00
SWITCH					
20866F	BEP®	187	SW-6064B3P	ON/ON - ON/OFF Replacement Switch	5,00
63666P	BEP®	187	1100-BK	10A Switch - single	34,80
63668U	BEP®	187	1101-BK	10A Switch - dual	39,70
64372B	BEP®	187	SW-CG1	Spare switch for G2 Panels - On/Off	4,20
64750H	BEP®	187	SW-CG2	Spare switch for G2 Panels - Momentary On/Off	18,40
64751K	BEP®	187	SW-CG3	Spare switch for G2 Panels - On/Off/on	4,30
64752M	BEP®	187	SW-CG4	Spare switch for G2 Panels - Momentary On/Off/Momentary On	31,80
POWER DISTRIBUTION & MANAGEMENT					
Accessory/Spare					
64383G	BEP®	188	SET-1000	Standard Label Set for 1000 Series Panels	4,20
64384J	BEP®	188	SET-1002	Optional Label Set for 1000 Series Panels	9,40
DISTRIBUTION PANEL					
64379S	BEP®	188	1000-6W-12V	6 way switch & fuse panel 12V DC	166,70
SWITCH					
65380F	BEP®	188	SW-RVS2	ON-OFF Led Switch	9,90
POWER DISTRIBUTION & MANAGEMENT					
Accessory/Spare					
21652R	BEP®	189	80-511-0031-00	Connection Cable for Push Button Switches 80-511 Series	32,40
DISTRIBUTION PANEL					
Accessory/Spare					
20876J	BEP®	189	80-511-0009-00	Buzzer with red LED Ring	55,70
20924T	BEP®	189	80-511-0010-00	Buzzer with red LED Ring	55,70
24927W	BEP®	189	80-511-0010-00	Switch Push-Button (On)/Off 12V Green	55,70


UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025
Unit Price (Euro) (VAT excl.)

<i>p/n</i>	<i>Brand</i>	<i>pg cat 26</i>	<i>Model</i>	<i>Description</i>	
				SWITCH	
20872A	BEP®	189	80-511-0001-00	ON/OFF Switch with red LED Ring	53,40
20873C	BEP®	189	80-511-0003-00	ON/OFF Switch with blue LED Ring	53,40
20874E	BEP®	189	80-511-0002-00	Momentary (ON)/OFF with red LED Ring	53,40
20875G	BEP®	189	80-511-0004-00	Momentary (ON)/OFF with blue LED Ring	53,40
20877L	BEP®	189	80-511-0005-00	ON/OFF Switch with red LED Ring	53,40
20878N	BEP®	189	80-511-0007-00	ON/OFF Switch with blue LED Ring	53,40
20922N	BEP®	189	80-511-0006-00	Momentary (ON)/OFF with red LED Ring	53,40
20923R	BEP®	189	80-511-0008-00	Momentary (ON)/OFF with blue LED Ring	53,40
				BATTERY MANAGEMENT	
				Accessory/Spare	
63930E	BEP®	190	701-KEY	Replacing Knob for 701 Switch	12,70
				SWITCH	
63142C	BEP®	190	701	Contour Battery Master Switch 275A continuous	48,40
65494X	BEP®	190	701-PM	Panel Mount Contour Battery Master Switch 275A continuous	48,40
				BATTERY MANAGEMENT	
				PANEL	
22141U	BEP®	.	715-H	Dual Battery charging clusters / single engine (horiz.)	156,70
				SWITCH	
63174S	BEP®	191	720	Heavy Duty Battery Switch 600A continuous	157,40
63672J	BEP®	191	700	Easyfit Battery Switch 275A continuous	74,30
				BATTERY MANAGEMENT	
				SWITCH	
63143E	BEP®	192	721	Battery Switch B1 B2 Selector 350A continuous	171,30
64387R	BEP®	192	701-S	Mini Battery Selector Switch 200A continuous	87,70
66163C	BEP®	192	701S-PM	Panel Mount Mini Battery Selector Switch 200A continuous	87,20
				BATTERY MANAGEMENT	
				SWITCH	
66026S	BEP®	193	701-MD	Motor driven remote operated Battery Switch 275A continuous	254,50
66027U	BEP®	193	720-MDO	Motor driven remote operated Battery Switch 500A continuous	420,90
				BATTERY MANAGEMENT	
				Accessory/Spare	
67866V	BEP®	194	701-KEY-EP	Replacing Knob for 701 Switch	13,70
				SWITCH	
21651N	BEP®	194	80-724-0006-00	Remote ON/OFF Key Switch for 701-MD and 720-MDO Switches	182,60
				MONITORING & INTERFACE	
				Accessory/Spare	
66951E	CZone®	194	80-911-0045-00	Wireless remote control and receiver	228,10
				POWER DISTRIBUTION & MANAGEMENT	
				Accessory/Spare	
63681K	BEP®	.	713	Label Set Contour Battery Switch 700 Series	35,60
64389V	BEP®	194	SET-715	Label Set for Battery Switches	21,30
				BUS BAR & STUD	
66843B	BEP®	194	80-708-0013-00	Terminal link kit for 720-MDO	121,50
67996J	BEP®	194	80-708-0017-00	Terminal link kit for 701-MD	113,00
				CIRCUIT BREAKER	
67405F	BEP®	194	80-700-0051-00	Remote Battery Management System	656,60
68857Z	BEP®	194	80-700-0050-00	Remote Battery Management System	654,00
68858B	BEP®	194	80-700-0052-00	Remote Battery Management System	658,90
				BATTERY MANAGEMENT	
				SWITCH	
21374N	BEP®	195	720-MDVS0	High current Remote Operated VSR - 12/24V DC	403,20
66416F	BEP®	195	701-MDVS	High current Remote Operated VSR - 12V DC	322,00
66418K	BEP®	195	701-MDVS-24V	High current Remote Operated VSR - 24V DC	194,60
68152H	BEP®	195	80-701-0018-00	275 Amp VSR - Emergency Parallel only	252,80
68346X	BEP®	195	720-MDO-EP	500 Amp VSR - Emergency Parallel only	417,70
				BATTERY MANAGEMENT	
				CHARGE RELAY	
68101P	BEP®	196	DVSR	Voltage sensitive Relays Dual Sensor 140 Amp 24V	118,80
				POWER CONVERSION	
				TRANSFORMER & ISOLATOR	
20588D	PROMARINER®	196	Prosafe FS30	Galvanic Isolator 30A	618,70
20589F	PROMARINER®	196	Prosafe FS60	Galvanic Isolator 50A single cable, 60A dual cable	845,40
				BATTERY MANAGEMENT	
				CHARGE RELAY	
21368U	BEP®	197	719-140A-DVSR	Dual Battery charging clusters	779,80
				PANEL	
65352A	BEP®	197	715-S	Dual Battery charging clusters / twin engine	197,70
68102S	BEP®	197	716-SQ-140A-DVSR	Dual Battery charging clusters	321,10
68103U	BEP®	197	717-140A-DVSR	Dual Battery charging clusters	596,60
68856X	BEP®	197	715-V	Dual Battery charging clusters / single engine (vert.)	151,20
				BATTERY MANAGEMENT	
				BATTERY HUB	
24716G	BEP®	198	80-716-0030-00	Smart Battery hub twin engine	2.572,70


UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025

Unit Price (Euro) (VAT excl.)

p/n	Brand	pg cat 26	Model	Description	
24717J	BEP®	198	80-716-0031-00	Smart Battery hub triple engine PANEL	3.013,00
67705U	BEP®	.	80-716-0018-00	Twin Outboard Engine, Three Battery Banks with Motorized VSR SWITCH	1.497,50
24718L	BEP®	198	80-716-0032-00	Smart Battery hub temperature sensor (15 m) Accessory/Spare	141,10
POWER DISTRIBUTION & MANAGEMENT					
BUS BAR & STUD					
23124Z	BEP®	200	IS-8MM -1	Tinned brass insulated Studs 8 mm x 1	12,50
23517V	BEP®	200	IS-6MM -1	Tinned brass insulated Studs 6 mm x 1	5,20
23518X	BEP®	200	IS-6MM -1R	Tinned brass insulated Studs 6 mm x 1	5,20
23519Z	BEP®	200	IS-8MM -1R	Tinned brass insulated Studs 8 mm x 1	12,50
23520H	BEP®	200	IS-10MM -8MM	Tinned brass insulated Studs 10x1/8x1	21,30
23904C	BEP®	200	IS-10MM -1R	Tinned brass insulated Studs 10 mm x 1	12,70
63687Y	BEP®	200	702	Distribution Bus 200A	44,30
63688A	BEP®	200	703-500A	Distribution Bus 500A	126,40
63689C	BEP®	200	IS-6MM -2	Tinned brass insulated Studs 6 mm x 2	7,40
63690L	BEP®	200	BB-6W-2S	Bus Bar 6 way	17,40
63691N	BEP®	200	BB-12W-2S	Bus Bar 12 way 1 Stud	20,30
63692R	BEP®	200	BB-24W-2S	Bus Bar 24 way 2 input Stud	32,60
64392H	BEP®	200	IS-10MM -1	Tinned brass insulated Studs 10 mm x 1	12,70
64393K	BEP®	200	702SB	Secondary Bus	47,90
65766E	BEP®	200	IS-10MM -2	Tinned brass insulated Studs 10 mm x 2	18,20
68058S	BEP®	200	703-300A	Distribution Bus 300A	111,10
POWER DISTRIBUTION & MANAGEMENT					
FUSE					
20764X	MASTERVOLT®	201	IP300P/DSP	300A Fuse, ignition protected	35,10
63806D	MASTERVOLT®	201	IP150P/DSP	150A Fuse, ignition protected	35,10
63807F	BEP®	201	IP200P/DSP	200A Fuse, ignition protected	23,80
63808H	BEP®	201	IP250P/DSP	250A Fuse, ignition protected	23,80
63810U	BEP®	201	IP425P/DSP	425A Fuse, ignition protected	23,80
64395P	BEP®	201	IP100P/DSP	100A Fuse, ignition protected	23,80
64407U	BEP®	201	IP500P/DSP	500A Fuse, ignition protected	23,80
66132R	BEP®	201	BFHD-30A	30A Blade Fuse, heavy duty	4,30
66133T	BEP®	201	BFHD-40A	40A Blade Fuse, heavy duty	5,20
66134V	BEP®	201	BFHD-50A	50A Blade Fuse, heavy duty	5,20
66135X	BEP®	201	BFHD-60A	60A Blade Fuse, heavy duty	5,20
66136Z	BEP®	201	BFHD-70A	70A Blade Fuse, heavy duty	5,20
66137B	BEP®	201	BFHD-80A	80A Blade Fuse, heavy duty	7,60
25828Z	BEP®	201	IP80P/DSP	Fuse ANL 80A	23,80
FUSE HOLDER					
63235K	BEP®	201	704-ANL	ANL Fuse Holder heavy duty	96,50
67406H	BEP®	201	702-MFH	Maxi Fuse Holder	31,80
POWER DISTRIBUTION & MANAGEMENT					
BUS BAR & STUD					
23006T	BEP®	202	BB-LINK	Fuse Holder Link	2,50
24928Y	BEP®	202	80-712-0039-00	ATC 6 way, negative bus bar	28,50
FUSE					
24695B	BEP®	202	J40A	Fuse ATO/ATC 40A Orange 32VDC	0,80
66018T	BEP®	202	J03A	3 Amp ATC Fuse	1,10
66019V	BEP®	202	J05A	5 Amp ATC Fuse	1,10
66020D	BEP®	202	J7.5A	7,5 Amp ATC Fuse	2,00
66021F	BEP®	202	J10A	10 Amp ATC Fuse	1,10
66022H	BEP®	202	J15A	15 Amp ATC Fuse	0,80
66023K	BEP®	202	J20A	20 Amp ATC Fuse	1,10
66024M	BEP®	202	J25A	25 Amp ATC Fuse	1,10
FUSE HOLDER					
65569C	BEP®	202	ATC-6W	6 way ATC Fuse Holder, screw terminals, with cover	41,10
66017R	BEP®	202	ATC-6WQC	6 way ATC Fuse Holder, quick connect, with cover	52,90
BATTERY MANAGEMENT					
Accessory/Spare					
21978Y	BEP®	203	770-KEY-EP	Yellow knob fro battery switch SWITCH	19,60
69149A	BEP®	203	770-EZ	On/Off Master Switch EZ-Mount 400A continuous	99,80
69150J	BEP®	203	771-S-EZ	Selector Battery Switch EZ-Mount 400A continuous	107,40
69889U	BEP®	203	772-DBC-EZ	Dual Bank Contol Battery Switch EZ-Mount 400A continuous	129,40
69952Y	BEP®	203	770-DP	Double Pole On/Off Master Switch 400A continuous	132,10
69953A	BEP®	203	770-DP-EZ	Double Pole On/Off Master Switch EZ-Mount 400A continuous	135,80
69954C	BEP®	203	771-S	Selector Battery Switch 400A continuous	113,60
69955E	BEP®	203	771-SFD	Selector Battery SW with Alternator SW Disconnect 400A contin.	99,60
69953AB	BEP®	.	770-DP-EZ-B	Double Pole On/Off Master Switch EZ-Mount 400A continuous (bulk)	130,70
POWER DISTRIBUTION & MANAGEMENT					
BUS BAR & STUD					
68864W	BEP®	204	777-Z18W-200	200A Z-Bar - 18 Terminals and 4 Connecting studs	66,50


UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025

Unit Price (Euro) (VAT excl.)

p/n	Brand	pg cat 26	Model	Description	
68865Y	BEP®	204	777-Z10W-200	200A Z-Bar - 15 Terminals and 4 Connecting studs	42,90
				POWER DISTRIBUTION & MANAGEMENT	
				BUS BAR & STUD	
68860M	BEP®	205	777-BB8S-650	650A Busbar - 8 Connecting studs	218,80
68861P	BEP®	205	777-BB5S-650	650A Busbar - 5 Connecting studs	157,90
68862S	BEP®	205	777-BB3S-650	650A Busbar - 3 Connecting studs	117,40
68863U	BEP®	205	777-BB4S-500	500A Busbar - 4 Connecting studs	106,90
				POWER DISTRIBUTION & MANAGEMENT	
				BUS BAR & STUD	
69318X	BEP®	206	LB-1	Link Bar 31-34,7 mm	7,60
69319Z	BEP®	.	LB-2	Link Bar 35-42,5 mm	8,80
69320H	BEP®	206	LBJ-2	2-way Joiner 46-50 mm	10,60
69321K	BEP®	206	LBZ-1	Link Z-Bar to Z-Bar	3,50
69322M	BEP®	206	LBZ-2	Link Z-Bar to Busbar or Fuseholder	6,10
69324S	BEP®	206	LBJ-3	3-way Joiner	16,60
69325U	BEP®	206	LBJ-4	4-way Joiner	21,40
69326W	BEP®	206	LBJ-5	5-way Joiner	27,40
69327W	BEP®	206	LBJ-6	6-way Joiner	32,70
				POWER DISTRIBUTION & MANAGEMENT	
				BUS BAR & STUD	
24929A	BEP®	208	IST-10MM-1S	Dual Insulated Connecting Stud, 4 terminals	19,40
24930J	BEP®	208	IST-10MM-2S	Dual Insulated Connecting Stud, 4 terminals	31,90
68866A	BEP®	208	IST-8MM-1S	Single Insulated Connecting Stud, 4 Terminals	19,10
68867C	BEP®	208	IST-8MM-1SPT	Single Insulated Connecting Stud, 4 Terminals	32,20
68868E	BEP®	208	IST-8MM-2S	Dual Insulated Connecting Stud, 4 terminals	30,70
				POWER DISTRIBUTION & MANAGEMENT	
				FUSE HOLDER	
68869G	BEP®	209	778ANL	300A ANL Fuseholder	37,50
68870R	BEP®	209	778ANLTP	750A ANL Fuseholder	90,40
68871T	BEP®	209	778ANL2S	750A ANL Fuseholder + 2 additional connecting studs	75,80
				POWER DISTRIBUTION & MANAGEMENT	
				FUSE	
22186T	BEP®	210	FT-600-B	600 Amp FT Fuse	251,40
23230Y	BEP®	210	FT-225-B	225 Amp FT Fuse	121,20
23231A	BEP®	210	FT-250-B	250 Amp FT Fuse	121,20
23232C	BEP®	210	FT-300-B	300 Amp FT Fuse	121,20
23233E	BEP®	210	FT-350-B	350 Amp FT Fuse	121,20
23234G	BEP®	210	FT-400-B	400 Amp FT Fuse	121,20
23235J	BEP®	210	FT-450-B	450 Amp FT Fuse	196,00
23236L	BEP®	210	FT-500-B	500 Amp FT Fuse	214,10
				FUSE HOLDER	
68872V	BEP®	210	778T2S-400	225-400A Fuseholder	75,80
68873X	BEP®	210	778T2S-600	400-600A Fuseholder	88,90
				MONITORING & INTERFACE	
				MONITOR	
67407K	BEP®	211	80-600-0021-00	DC System Monitor (DCSM)	876,50
67408M	BEP®	211	80-600-0023-00	AC System Monitor (ACSM)	884,70
25436F	BEP®	.	80-600-0022-00	DC Color Systems Monitor (DCSM) Excluding Shunt	654,10
				MONITORING & INTERFACE	
				GAUGE	
63682M	BEP®	212	N816DCV	Voltmeter 8-16V Contour Series	83,50
63683P	BEP®	212	N1632DCV	Voltmeter 16-32V Contour Series	80,00
64183Y	BEP®	212	N0150A	Ammeter DC 0-150A 50MV contour Series	71,10
64399A	BEP®	212	N050A	Ammeter DC 0-50A 50MV contour Series	36,50
64400D	BEP®	212	N0100A	Ammeter DC 0-100A 50MV contour Series	46,40
				SHUNT	
64515X	BEP®	212	50A-50MV	Ammeter Shunt 50A 50MV Scale	83,50
64516Z	BEP®	212	150A-50MV	Ammeter Shunt 150A 50MV Scale	73,00
				SHUNT & AC COIL	
64398W	BEP®	.	CT-10-3	Current Transformer AC Digital Meter	32,90
67314C	BEP®	212	AC-VSEN-4	Voltage Transformer supplied with ACSM	156,70
				MONITORING & INTERFACE	
				Accessory/Spare	
66323Y	BEP®	213	TS1-PK	TS1 Programming Kit	263,50
63172M	BEP®	.	.	Tank Sender Interf. Module (10-180Ohm Or 240-330Ohm To 0-5V Output)	95,10
				SENSOR	
66322W	BEP®	213	TS1	TS1 Ultrasonic Tank Sender	239,00
				MONITORING & INTERFACE	
				GAS DETECTOR	
20871Y	BEP®	214	600-GDRV	LPG, Petrol and CNG fume Detector with front mounted Sensor	345,10
63597X	BEP®	214	600-GDL	LPG, Petrol and CNG fume Detector	511,50
64487V	BEP®	214	BL-SL-L	Optional Sensor for 600-GD and 600-GDL Detectos	182,40



UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025

Unit Price (Euro) (VAT excl.)

pg
cat
26

p/n

Brand

Model

Description

SAFE-T-ALERT™ - FIREBOY® Smoke & CO alarms

**SENSOR
CO**

20931P	SAFE-T-ALERT™	216	62-541-MAR-NC-W	CO Alarm with relay that breaks when in alarm 12VDC - white*	127,00
20932S	SAFE-T-ALERT™	216	62-541-MAR-NO-W	CO Alarm with relay that makes when in alarm 12VDC - white*	127,00
20933U	SAFE-T-ALERT™	216	62-542-MAR-W	CO Alarm 12VDC - white*	116,00
20934W	SAFE-T-ALERT™	216	62-542-MAR-NC-W	CO Alarm with relay that breaks when in alarm 12VDC - white*	127,00
20935Y	SAFE-T-ALERT™	216	62-542-MAR-NO-W	CO Alarm with relay that makes when in alarm 12VDC - white*	127,00
21418G	SAFE-T-ALERT™	216	62-542-MAR-NC-W	CO Alarm with relay that breaks when in alarm 12VDC - black*	152,00
21619T	SAFE-T-ALERT™	216	62-542-MAR-W	CO Alarm 12VDC - black*	120,00
22567F	SAFE-T-ALERT™	.	FX-4	CO Alarm 12VDC - white*	98,00
23516T	SAFE-T-ALERT™	216	SA-340-BL	CO Alarm with relay that makes when in alarm 12VDC - black*	109,00
23524S	SAFE-T-ALERT™	.	SA-HHCO	Portable CO Monitor	376,00
23862N	SAFE-T-ALERT™	.	62-542-R-MAR-WT-NC	CO Alarm with relay that breaks when in alarm 12VDC - white*	127,00

GAS

23816F	SAFE-T-ALERT™	.	MGD-1	gas vaporMGD-1 sensor w/15m cable	217,00
---------------	---------------	---	--------------	-----------------------------------	---------------

**SENSOR
SMOKE**

22568H	SAFE-T-ALERT™	.	SA-866 -W	Smoke Alarm - USA Version (UL listed UL217 RV) - white	43,00
22570U	SAFE-T-ALERT™	.	SA-866-EN-B	Smoke Alarm - EU Version (meets EN 14604:2009) - black	43,00
25765B	FIREBOY®	218	FG250RV	Smoke Alarm - USA Version - white	63,00
25766D	FIREBOY®	218	FBSD1	Smoke Alarm - EU Version - white	58,00

**SENSOR
CO**

25935A	FIREBOY®	219	CMD6-MDR	CO Alarm 12/24V DC	430,00
---------------	----------	-----	-----------------	--------------------	---------------


UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025

Unit Price (Euro) (VAT excl.)

p/n	Brand	pg cat 26	Model	Description
VICTRON ENERGY® Marine energy management				
23976E	VICTRON ENERGY®	220	Panel	BATTERY CHARGER
69856C	VICTRON ENERGY®	220	.	Accessory/Spare
69857E	VICTRON ENERGY®	220	Ext 2m	Battery Indicator Panel 23,00
69858G	VICTRON ENERGY®	220	Lighter	M6 Eyelet Connector with Fuse 8,00
69859J	VICTRON ENERGY®	220	Clamps	Extension Cable 2m 10,00
				Cigarette Lighter with Fuse 14,00
				Clamps with Fuse 13,00
69868K	VICTRON ENERGY®	.	6V/12V-1,1 A	BLUE POWER SERIES
69869M	VICTRON ENERGY®	.	12V/4A-12V/1A	Portable Battery Charger IP65 6V/12V-1,1 A 43,00
				Portable Battery Charger IP65 12V/4A-12V/1A 55,00
21654V	VICTRON ENERGY®	220	12/4 IP65S	BLUE SMART SERIES
21655X	VICTRON ENERGY®	220	12/5 IP65S	Blue Smart Battery Charger 180-265V AC / 45-65 Hz IP65S 81,00
21656Z	VICTRON ENERGY®	220	12/7 IP65	Blue Smart Battery Charger 180-265V AC / 45-65 Hz IP65S 90,00
21657B	VICTRON ENERGY®	220	12/10 IP65	Portable Battery Charger Blue Smart GX 12/7 IP65 113,00
21658D	VICTRON ENERGY®	220	12/15 IP65	Portable Battery Charger Blue Smart GX 12/10 IP65 133,00
21659F	VICTRON ENERGY®	220	24/5 IP65	Portable Battery Charger Blue Smart GX 12/15 IP65 154,00
21660P	VICTRON ENERGY®	220	24/8 IP65	Portable Battery Charger Blue Smart GX 24/5 IP65 119,00
23053C	VICTRON ENERGY®	220	12/25 IP65	Portable Battery Charger Blue Smart GX 24/8 IP65 154,00
23054E	VICTRON ENERGY®	220	24/13 IP65	Portable Battery Charger Blue Smart GX 12/25 IP65 215,00
24989V	VICTRON ENERGY®	220	6/12V-1.1 IP65	Portable Battery Charger Blue Smart GX 24/13 IP65 215,00
				Blue Smart Battery Charger 180-265V AC / 45-65 Hz IP65 57,00
21553N	VICTRON ENERGY®	221	12/30 IP22	BATTERY CHARGER
21661S	VICTRON ENERGY®	221	12/15 IP22	BLUE SMART SERIES
21662U	VICTRON ENERGY®	221	12/15 IP22	Blue Smart 12/30 - Battery Charger - Output: 3, IP22 208,00
21663W	VICTRON ENERGY®	221	12/20 IP22	Blue Smart 12/30 - Battery Charger - Output: 1, IP22 135,00
21664Y	VICTRON ENERGY®	221	12/20 IP22	Blue Smart 12/30 - Battery Charger - Output: 3, IP22 148,00
21665A	VICTRON ENERGY®	221	12/30 IP22	Blue Smart 12/30 - Battery Charger - Output: 1, IP22 154,00
22135Z	VICTRON ENERGY®	221	24/8 IP22	Blue Smart 12/30 - Battery Charger - Output: 1, IP22 173,00
22219F	VICTRON ENERGY®	221	24/16 IP22	Blue Smart 12/30 - Battery Charger - Output: 1, IP22 185,00
22258S	VICTRON ENERGY®	221	24/16 IP22	Blue Smart 24/8 - Battery Charger - Output: 1, IP22 135,00
23129K	VICTRON ENERGY®	221	24/12 IP22	Blue Power 24/16 - Battery Charger - Output: 1, IP22 190,00
				Blue Power 24/16 - Battery Charger - Output: 3, IP22 215,00
				Blue Smart 24/12 - Battery Charger - Output: 1, IP22 159,00
25293K	VICTRON ENERGY®	.	.	BATTERY CHARGER
				Accessory/Spare
				Wall Mount for Blue Smart IP65 Charger 12/25, 24/13 10,00
21378X	VICTRON ENERGY®	222	12/13 IP67	BLUE SMART SERIES
21544M	VICTRON ENERGY®	222	12/7 IP67	Blue Smart 12/13 - Battery Charger - IP67 133,00
21667E	VICTRON ENERGY®	222	12/17 IP67	Blue Smart 12/7 - Battery Charger - IP67 100,00
21668G	VICTRON ENERGY®	222	12/25 IP67	Blue Smart 12/17 - Battery Charger - IP67 147,00
21669J	VICTRON ENERGY®	222	12/25 IP67	Blue Smart 12/25 - Battery Charger - IP67 181,00
21670T	VICTRON ENERGY®	222	24/5 IP67	Blue Smart 12/25 - Battery Charger - IP67 (1+SI) 211,00
21671V	VICTRON ENERGY®	222	24/8 IP67	Blue Smart 24/5 - Battery Charger - IP67 112,00
21672X	VICTRON ENERGY®	222	24/12 IP67	Blue Smart 24/8 - Battery Charger - IP67 147,00
21673Z	VICTRON ENERGY®	222	24/12 IP67	Blue Smart 24/12 - Battery Charger - IP67 181,00
21939M	VICTRON ENERGY®	.	12/30 IP22 120V	Blue Smart 24/12 - Battery Charger - IP67 (1+SI) 211,00
				Blue Smart 12/30(3) - Battery Charger - IP22 120V 219,00
64901C	VICTRON ENERGY®	222	12/50	PHOENIX SERIES
64902E	VICTRON ENERGY®	222	24/16	Phoenix Battery Charger 12/50 663,00
64903G	VICTRON ENERGY®	222	24/25	Phoenix Battery Charger 24/16 402,00
				Phoenix Battery Charger 24/25 663,00
22946P	VICTRON ENERGY®	223	12/50 (1+1)	BATTERY CHARGER
24943U	VICTRON ENERGY®	223	24/16 (1+1)	PHOENIX SMART SERIES
24944W	VICTRON ENERGY®	223	24/25 (1+1)	Phoenix Smart IP43 Battery Charger 12/50(1+1) 456,00
24945Y	VICTRON ENERGY®	223	24/25 (3)	Phoenix Smart IP43 Battery Charger 24/16(1+1) 120 - 240 VAC 358,00
24990D	VICTRON ENERGY®	223	12/30 (1+1)	Phoenix Smart IP43 Battery Charger 24/25(1+1) 120 - 240 VAC 456,00
24991F	VICTRON ENERGY®	223	12/30 (3)	Phoenix Smart IP43 Battery Charger 24/25(3) 120 - 240 VAC 483,00
24992H	VICTRON ENERGY®	223	12/50 (3)	Phoenix Smart IP43 Battery Charger 12/30(1+1) 120 - 240 VAC 358,00
23066M	VICTRON ENERGY®	.	24/16 (3)	Phoenix Smart IP43 Battery Charger 12/30(3) 120 - 240 VAC 385,00
23429KY	VICTRON ENERGY®	.	Kit 24/25 (3) c/cavo	Phoenix Smart IP43 Battery Charger 12/50(3) 120 - 240 VAC 483,00
				Phoenix Smart IP43 Battery Charger 24/16(3) 407,00
23069U	VICTRON ENERGY®	223	.	Phoenix Smart Battery Charger IP43 24/25 with 2m cable kit 500,20
				Accessory/Spare
				Mains Cord CEE 7/7 for Smart IP43 / Skylla-S Charger 2m 9,00
64886K	VICTRON ENERGY®	224	12/20	BATTERY CHARGER
64887M	VICTRON ENERGY®	224	12/30	CENTAUR SERIES
64888P	VICTRON ENERGY®	224	12/40	Centaur Battery Charger 12/20 369,00
64889S	VICTRON ENERGY®	224	12/50	Centaur Battery Charger 12/30 410,00
64890A	VICTRON ENERGY®	224	12/60	Centaur Battery Charger 12/40 503,00
64891C	VICTRON ENERGY®	224	12/80	Centaur Battery Charger 12/50 523,00
				Centaur Battery Charger 12/60 544,00
				Centaur Battery Charger 12/80 902,00


UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025

Unit Price (Euro) (VAT excl.)

p/n	Brand	pg cat 26	Model	Description	
64892E	VICTRON ENERGY®	224	12/100	Centaur Battery Charger 12/100	1.102,00
64894J	VICTRON ENERGY®	224	24/16	Centaur Battery Charger 24/16	453,00
64895L	VICTRON ENERGY®	224	24/30	Centaur Battery Charger 24/30	634,00
64896N	VICTRON ENERGY®	224	24/40	Centaur Battery Charger 24/40	828,00
64897R	VICTRON ENERGY®	224	24/60	Centaur Battery Charger 24/60	947,00
BATTERY CHARGER					
SKYLLA-IP65 SERIES					
23776W	VICTRON ENERGY®	225	12/70 IP65 (1+1)	Skylla IP65 12/70 Battery Charger (two outputs)	769,00
23777Y	VICTRON ENERGY®	225	12/70 IP65 (3)	Skylla IP65 12/70 Battery Charger (three outputs)	847,00
23778A	VICTRON ENERGY®	225	24/35 IP65 (1+1)	Skylla IP65 24/35 Battery Charger (two outputs)	769,00
23779C	VICTRON ENERGY®	225	24/35 IP65 (3)	Skylla IP65 24/35 Battery Charger (three outputs)	847,00
BATTERY CHARGER					
SKYLLA-i SERIES					
Accessory/Spare					
23114W	VICTRON ENERGY®	.	.	SKYLLA-I ON-OFF cable	24,00
SKYLLA-TG SERIES					
64904J	VICTRON ENERGY®	226	TG 24/30	Skylla-TG 24/30 Battery Charger	688,00
64905L	VICTRON ENERGY®	226	TG 24/50	Skylla-TG 24/50 Battery Charger	745,00
64906N	VICTRON ENERGY®	226	TG 24/80	Skylla-TG 24/80 Battery Charger	1.221,00
64907R	VICTRON ENERGY®	226	TG 24/100	Skylla-TG 24/100 Battery Charger	1.474,00
64908T	VICTRON ENERGY®	226	TG 24/100	Skylla-TG 24/100 3-phase Battery Charger	2.163,00
66036V	VICTRON ENERGY®	226	TG 24/30 GMDSS	Skylla-TG 24/30 GMDSS Battery Charger	1.052,00
67918M	VICTRON ENERGY®	226	TG 24/50 GMDSS	Skylla-TG 24/50 GMDSS Battery Charger	1.323,00
68895H	VICTRON ENERGY®	226	TG 24/50	Skylla-TG 24/50 3-phase Battery Charger	1.353,00
25779N	VICTRON ENERGY®	.	TG 24/30 GL	Skylla-TG 24/30 GL	841,00
64909V	VICTRON ENERGY®	.	TG 48/25	Skylla-TG 48/25 Battery Charger	895,00
64910D	VICTRON ENERGY®	.	TG 48/50	Skylla-TG 48/50 Battery Charger	1.589,00
REMOTE PANEL/MONITORING					
65007G	VICTRON ENERGY®	226	Skylla CC	Skylla Control Panel	166,00
VE.NET SERIES					
67598W	VICTRON ENERGY®	226	.	VE.NET GMDSS panel	198,00
BATTERY CHARGER					
SKYLLA-i SERIES					
68896K	VICTRON ENERGY®	227	i 24/80 (1+1)	Skylla-TG 48/50 Battery Charger	1.169,00
68897M	VICTRON ENERGY®	227	i 24/80 (3)	Skylla-TG 48/50 Battery Charger	1.363,00
68898P	VICTRON ENERGY®	227	i 24/100 (1+1)	Skylla-TG 48/50 Battery Charger	1.412,00
68899S	VICTRON ENERGY®	227	i 24/100(3)	Skylla-TG 48/50 Battery Charger	1.655,00
Accessory/Spare					
23207D	VICTRON ENERGY®	.	.	Adapter Cord 16A/250V-Schuko plug/CEE Coupling	25,00
INVERTER					
PHOENIX VE.DIR.SERIES					
20404P	VICTRON ENERGY®	228	12/250 VE.Direct Schuko	Phoenix 12/250 Inverter VE. Direct Schuko outlet	93,00
20405S	VICTRON ENERGY®	228	12/375 VE.Direct Schuko	Phoenix 12/375 Inverter VE. Direct Schuko outlet	120,00
20406U	VICTRON ENERGY®	228	24/250 VE.Direct Schuko	Phoenix 24/250 Inverter VE. Direct Schuko outlet	103,00
20407W	VICTRON ENERGY®	228	24/375 VE.Direct Schuko	Phoenix 24/375 Inverter Schuko VE. Direct outlet	133,00
20809T	VICTRON ENERGY®	228	12/500 VE.Direct Schuko	Phoenix 12/500 Inverter VE. Direct Schuko outlet	150,00
20810B	VICTRON ENERGY®	228	24/500 VE.Direct Schuko	Phoenix 24/500 Inverter Schuko VE. Direct outlet	166,00
21549Y	VICTRON ENERGY®	228	12/800 VE.Direct Schuko	Phoenix 12/800 Inverter VE. Direct Schuko outlet	243,00
21550G	VICTRON ENERGY®	228	24/800 VE.Direct Schuko	Phoenix 24/800 Inverter Schuko VE. Direct outlet	270,00
21802H	VICTRON ENERGY®	228	24/1200 VE.Direct Schuko	Phoenix 24/1200 Inverter Schuko VE. Direct outlet	340,00
21938K	VICTRON ENERGY®	.	12/800 VE.Direct NEMA 120V	Phoenix 12/800 Inverter VE. Direct NEMA outlet 120V	243,00
22852E	VICTRON ENERGY®	228	12/1200 VE.Direct Schuko	Phoenix 12/1200 Inverter VE. Direct Schuko outlet	286,00
25701Y	VICTRON ENERGY®	.	12/375 VE.Direct NEMA 120V	Phoenix 12/375 Inverter VE.Direct 120V NEMA 5-15R	113,00
22765K	VICTRON ENERGY®	.	12/1200 VE.Direct NEMA 120V	Phoenix 12/1200 Inverter VE. Direct 120V NEMA 5-15R	285,00
INVERTER					
PHOENIX SMART SERIES					
22825B	VICTRON ENERGY®	229	12/1600 Smart	Phoenix Smart Inverter 12/1600	574,00
22826D	VICTRON ENERGY®	229	12/2000 Smart	Phoenix Smart Inverter 12/2000	650,00
22827F	VICTRON ENERGY®	229	24/1600 Smart	Phoenix Smart Inverter 24/1600	574,00
22828H	VICTRON ENERGY®	229	24/2000 Smart	Phoenix Smart Inverter 24/2000	684,00
23059R	VICTRON ENERGY®	229	12/3000 Smart	Phoenix Smart Inverter 12/3000	875,00
23060Z	VICTRON ENERGY®	229	24/3000 Smart	Phoenix Smart Inverter 24/3000	921,00
26192J	VICTRON ENERGY®	.	24/5000 Smart	Phoenix Smart Inverter 24/5000	1.611,00
INVERTER					
PHOENIX SERIES					
23714X	VICTRON ENERGY®	230	C24/2000	Phoenix C 24/2000 Inverter, VE.Bus	711,00
25253X	VICTRON ENERGY®	.	24/500 VE.Direct IEC	Phoenix Inverter 24/500 230V VE.Direct IEC	166,00
64918W	VICTRON ENERGY®	230	C12/1200	Phoenix C 12/1200 Inverter, VE.Bus	418,00
64919Y	VICTRON ENERGY®	230	C12/1600	Phoenix C 12/1600 Inverter, VE.Bus	588,00
64923N	VICTRON ENERGY®	230	24/3000	Phoenix 24/3000 Inverter, VE.Bus	1.020,00
66037X	VICTRON ENERGY®	230	12/3000	Phoenix 12/3000 Inverter, VE.Bus	1.020,00
66244C	VICTRON ENERGY®	230	24/5000	Phoenix 24/5000 Inverter, VE.Bus	1.778,00
66407E	VICTRON ENERGY®	230	C12/2000	Phoenix C 12/2000 Inverter, VE.Bus	675,00
26183H	VICTRON ENERGY®	.	C24/1600	Phoenix C 24/1600 Inverter, VE.Bus	588,00


UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025

Unit Price (Euro) (VAT excl.)

p/n	Brand	pg cat 26	Model	Description	
66568F	VICTRON ENERGY®	.	24/3000 120V	Phoenix 24/3000 120 V Inverter, VE.Bus	1.170,00
65006E	VICTRON ENERGY®	230	.	REMOTE PANEL/MONITORING Phoenix Charger Control Panel	80,00
				INVERTER/BATTERY CHARGER QUATTRO SERIES	
66097S	VICTRON ENERGY®	231	24/5000/120-100-100	Quattro 24/5000/120-100-100 Inverter /Charger, VE.Bus	2.540,00
67338T	VICTRON ENERGY®	231	24/8000/200-100-100	Quattro 24/8000/200-100-100 Inverter /Charger, VE.Bus	3.206,00
67437V	VICTRON ENERGY®	231	12/5000/220-100-100	Quattro 12/5000/220-100-100 Inverter /Charger, VE.Bus	3.009,00
68973B	VICTRON ENERGY®	.	48/10000/140-100-100 230V VE.B	Quattro 48/10000/140-100/100 230V VE.Bus Inverter /Charger, VE.Bus	2.643,00
69355D	VICTRON ENERGY®	231	12/3000/120-50-30	Quattro 12/3000/120-50-30 Inverter /Charger, VE.Bus	1.932,00
69356F	VICTRON ENERGY®	231	24/3000/70-50-30	Quattro 24/3000/70-50-30 Inverter /Charger, VE.Bus	1.853,00
25083Y	VICTRON ENERGY®	231	II 48/5000/70-50/50 230V	Quattro-II 48/5000/70-50/50 230V	1.319,00
25082W	VICTRON ENERGY®	231	II 24/5000/120-50/50	Quattro-II 24/5000/120-50/50 230V	2.248,00
				INVERTER/BATTERY CHARGER MULTIPLUS SERIES	
20813H	VICTRON ENERGY®	232	12/500/20-16	Phoenix MultiPlus 12/500/20-16 Inverter/Charger, VE.Bus	330,00
21554R	VICTRON ENERGY®	232	24/500/10-16	Phoenix MultiPlus 24/500/10-16 Inverter/Charger, VE.Bus	330,00
21623H	VICTRON ENERGY®	232	12/800/35-16	Phoenix MultiPlus 12/800/35-16 Inverter/Charger, VE.Bus	425,00
21624K	VICTRON ENERGY®	232	24/800/16-16	Phoenix MultiPlus 24/800/16-16 Inverter/Charger, VE.Bus	425,00
21711E	VICTRON ENERGY®	232	12/1200/50-16	Phoenix MultiPlus 12/1200/50-16 Inverter/Charger, VE.Bus	520,00
21712G	VICTRON ENERGY®	232	24/1200/25-16	Phoenix MultiPlus 24/1200/25-16 Inverter/Charger, VE.Bus	520,00
21869T	VICTRON ENERGY®	232	12/2000/80-32	Phoenix MultiPlus 12/2000/80-32 Inverter/Charger, VE.Bus	1.038,00
21870B	VICTRON ENERGY®	232	24/2000/50-32	Phoenix MultiPlus 24/2000/50-32 Inverter/Charger, VE.Bus	874,00
23061B	VICTRON ENERGY®	232	12/1600/70-16	Phoenix MultiPlus 12/1600/70-16 Inverter /Charger, VE.Bus	742,00
23062D	VICTRON ENERGY®	232	24/1600/40-16	Phoenix MultiPlus 24/1600/40-16Inverter /Charger, VE.Bus	742,00
23814B	VICTRON ENERGY®	.	12/2000/80-50 120V	MultiPlus Compact 12/2000/80-50 120V VE.Bus	920,00
69175B	VICTRON ENERGY®	.	48/5000/70-100	Phoenix MultiPlus 48/5000/70-100 Inverter/Charger, VE.Bus	1.239,00
69178H	VICTRON ENERGY®	.	24/3000/70-50	Phoenix MultiPlus 24/3000/70-50 Inverter /Charger, VE.Bus	1.363,00
69189N	VICTRON ENERGY®	.	C24/2000/50-30	Phoenix MultiPlus C24/2000/50-30 Inverter /Charger, VE.Bus	1.022,00
69360W	VICTRON ENERGY®	.	C12/1600/70-16	Phoenix MultiPlus C12/1600/70-16 Inverter /Charger, VE.Bus	840,00
69361Y	VICTRON ENERGY®	.	C12/2000/80-30	Phoenix MultiPlus C12/2000/80-30 Inverter /Charger, VE.Bus	1.079,00
69362A	VICTRON ENERGY®	.	12/3000/120-16	Phoenix MultiPlus 12/3000/120-16 Inverter /Charger, VE.Bus	1.404,00
69363C	VICTRON ENERGY®	.	12/3000/120-50	Phoenix MultiPlus 12/3000/120-50 Inverter /Charger, VE.Bus	1.515,00
69365G	VICTRON ENERGY®	.	C24/1600/40-16	Phoenix MultiPlus C24/1600/40-16Inverter /Charger	798,00
69366J	VICTRON ENERGY®	.	24/3000/70-16	Phoenix MultiPlus 24/3000/70-16 Inverter /Charger, VE.Bus	1.263,00
69367L	VICTRON ENERGY®	.	24/5000/120-100	Phoenix MultiPlus 24/5000/120-100 Inverter /Charger, VE.Bus	2.227,00
69876J	VICTRON ENERGY®	.	C24/1200/25-16	Phoenix MultiPlus C24/1200/25-16 Inverter /Charger, VE.Bus	712,00
26019U	VICTRON ENERGY®	.	24/5000/120-95 120V	Phoenix MultiPlus-II 24/5000/120-95 120V Inverter/Charger	1.730,00
				INVERTER/BATTERY CHARGER MULTIPLUS SERIES	
26253C	VICTRON ENERGY®	233	12/5000/220-50	Phoenix MultiPlus 12/5000/220-50 230V Inverter/Charger	2.075,00
				MULTIPLUS-II SERIES	
21871D	VICTRON ENERGY®	233	12/3000/120-32	Phoenix MultiPlus-II 12/3000/120-32 Inverter/Charger	1.303,00
21872F	VICTRON ENERGY®	233	24/5000/120-50	Phoenix MultiPlus-II 24/5000/120-50 Inverter/Charger	2.075,00
21874K	VICTRON ENERGY®	233	48/8000/110-100	Phoenix MultiPlus-II 48/8000/110-100 Inverter/Charger	1.633,00
21875M	VICTRON ENERGY®	.	48/10000/140-100	Phoenix MultiPlus-II 48/10000/140-100 Inverter/Charger	1.950,00
23276Z	VICTRON ENERGY®	233	24/3000/70-32	Phoenix MultiPlus-II 24/3000/70-32 Inverter/Charger	990,00
22831W	VICTRON ENERGY®	233	48/3000/35-32	Multiplus II 48/3000/35-32 Inverter/Charger	624,00
22832Y	VICTRON ENERGY®	233	48/5000/70-50	Multiplus II 48/5000/70-50 Inverter/Charger	889,00
				DC/DC CONVERTER ORION NON ISOLATED SERIES	
20395S	VICTRON ENERGY®	.	.	50A Buck-Boost DC/DC converter	718,00
22972R	VICTRON ENERGY®	.	.	100A Buck-Boost DC/DC converter	1.256,00
23080F	VICTRON ENERGY®	234	IP67 12/24-50	Orion IP67 12/24-50 Converter	292,00
23081H	VICTRON ENERGY®	234	IP67 24/12-100	Orion IP67 24/12-100 Converter	243,00
64956E	VICTRON ENERGY®	234	12/24-10	Orion 12/24-10 Converter	66,00
68027E	VICTRON ENERGY®	234	24/12-25	Orion 24/12-25 Converter	69,00
68107C	VICTRON ENERGY®	234	24/12-940	Orion 24/12-40 Converter	94,00
68126G	VICTRON ENERGY®	234	12/24-8	Orion 12/24-8 Converter	57,00
68222C	VICTRON ENERGY®	234	24/12-70	Orion 24/12-70 Converter	120,00
68882Y	VICTRON ENERGY®	234	12/24-20	Orion 12/24-20 Converter	128,00
69893J	VICTRON ENERGY®	234	24/12-5 IP67	Orion IP67 24/12-5 Converter	23,00
69894L	VICTRON ENERGY®	234	24/12-10 IP67	Orion IP67 24/12-10 Converter	37,00
69895N	VICTRON ENERGY®	234	24/12-20 IP67	Orion IP67 24/12-20 Converter	48,00
				DC/DC CONVERTER ORION ISOLATED SERIES	
20073T	VICTRON ENERGY®	235	Tr 24/24-5	Orion-Tr 24/24-5 Converter	68,00
20396U	VICTRON ENERGY®	235	Tr 12/12-9	Orion-Tr 12/12-9 Converter	68,00
20398Y	VICTRON ENERGY®	235	Tr 12/24-5	Orion-Tr 12/24-5 Converter	68,00
20399A	VICTRON ENERGY®	235	Tr 24/12-9	Orion-Tr 24/12-9 Converter	68,00
20976N	VICTRON ENERGY®	235	Tr 24/24-12	Orion-Tr 24/24-12 Converter	122,00
21588J	VICTRON ENERGY®	235	Tr 12/12-18	Orion-Tr 12/12-18 Converter	122,00
21681Y	VICTRON ENERGY®	235	Tr 12/24-10	Orion-Tr 12/24-10 Converter	122,00
21682A	VICTRON ENERGY®	235	Tr 24/12-20	Orion-Tr 24/12-20 Converter	122,00


UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025

Unit Price (Euro) (VAT excl.)

p/n	Brand	pg cat 26	Model	Description	
22823X	VICTRON ENERGY®	235	Tr 24/12-30 IS	Orion-Tr 24/12-30 Converter	215,00
22903V	VICTRON ENERGY®	235	Tr 12/24-15	Orion-Tr 2/24-15 Converter	215,00
23082K	VICTRON ENERGY®	235	Tr 12/12-30	Orion-Tr 12/12-30 Converter	215,00
64968M	VICTRON ENERGY®	235	Tr 24/24-17	Orion-Tr 24/24-17 Converter	215,00
ORION NON ISOLATED SERIES					
20179K	VICTRON ENERGY®	235	Tr 24/12-10	Orion-Tr 24/12-10 Converter	35,00
20391H	VICTRON ENERGY®	235	Tr 24/12-5	Orion-Tr 24/12-5 Converter	16,00
20392K	VICTRON ENERGY®	235	Tr 24/12-15	Orion-Tr 24/12-15 Converter	40,00
20393M	VICTRON ENERGY®	235	Tr 24/12-20	Orion-Tr 24/12-20 Converter	45,00
DC/DC CONVERTER					
ORION ISOLATED SERIES					
20493S	VICTRON ENERGY®	.	Tr 48/12-9	Orion-Tr 48/12-9 Converter	68,00
23149S	VICTRON ENERGY®	236	Tr Smart 12/12-30	Orion-Tr 12/12-30 Converter	261,00
23151C	VICTRON ENERGY®	236	Tr Smart 12/24-15	Orion-Tr 12/24-15 Converter	261,00
23155L	VICTRON ENERGY®	236	Tr Smart 24/24-17	Orion-Tr 24/24-17 Converter	261,00
23162H	VICTRON ENERGY®	236	Tr Smart 24/12-30	Orion-Tr 24/12-30 Converter	261,00
23260H	VICTRON ENERGY®	236	Tr Smart 12/12-18	Orion-Tr 12/12-18 Converter	171,00
23261K	VICTRON ENERGY®	236	Tr Smart 12/24-10	Orion-Tr 12/24-10 Converter	171,00
23262M	VICTRON ENERGY®	236	Tr Smart 24/12-20	Orion-Tr 12/12-20 Converter	171,00
23263P	VICTRON ENERGY®	236	Tr Smart 24/24-12	Orion-Tr 24/24-12 Converter	171,00
Accessory/Spare					
23769Z	VICTRON ENERGY®	.	.	Orion-Tr Isolated DC-DC Charger remote cable	20,00
ORION NON ISOLATED SERIES					
23150A	VICTRON ENERGY®	236	Tr Smart 12/12-30	Orion-Tr 12/12-30 Converter	230,00
23152E	VICTRON ENERGY®	236	Tr Smart 12/24-15	Orion-Tr 12/24-15 Converter	230,00
23156N	VICTRON ENERGY®	236	Tr Smart 24/24-17	Orion-Tr 24/24-17 Converter	230,00
23525U	VICTRON ENERGY®	236	Tr Smart 24/12-30	Orion-Tr 24/12-30 Converter	230,00
ISOLATION TRANSFORMER					
23078V	VICTRON ENERGY®	237	VDI-64	64A Galvanic Isolators	326,00
64969P	VICTRON ENERGY®	237	2000W 115/230 V	2000W 115/230 VAC Isolation Transformer	424,00
64970Y	VICTRON ENERGY®	237	3600W 115/230 V	3600W 115/230 VAC Isolation Transformer	638,00
64972C	VICTRON ENERGY®	237	7000W 230 V	7000W 230 VAC Isolation Transformer	871,00
68349D	VICTRON ENERGY®	237	32A	120/240V 32A Autotransformers	481,00
68883A	VICTRON ENERGY®	237	100A	120/240V 100A Autotransformers	543,00
68884C	VICTRON ENERGY®	237	VDI-16	16A Galvanic Isolators	117,00
69851S	VICTRON ENERGY®	237	VDI-32	32A Galvanic Isolators	266,00
69852U	VICTRON ENERGY®	237	3600W Auto 115/230V	3600W 230 VAC Isolation Transf., auto input voltage detection	674,00
BATTERY ISOLATION/PROTECTION					
DIODE					
20945B	VICTRON ENERGY®	.	Argo BCD-402	BCD 402 2 batteries 40A (combiner diode)	39,00
22042S	VICTRON ENERGY®	.	Argo 80-2SC	80-2SC 2 batteries 80A	42,00
64984K	VICTRON ENERGY®	238	100-3AC	Argo 100-3AC 3 Isolator - Battery 100A	72,00
64985M	VICTRON ENERGY®	238	120-2AC	Argo 120-2AC 2 Isolator - Battery 120A	81,00
64986P	VICTRON ENERGY®	238	140-3AC	Argo 140-3AC 3 Isolator - Battery 140A	102,00
64987S	VICTRON ENERGY®	238	160-2AC	Argo 160-2AC 2 Isolator - Battery 160A	96,00
64988U	VICTRON ENERGY®	238	180-3AC	Argo 180-3AC 3 Isolator - Battery 180A	117,00
65198T	VICTRON ENERGY®	.	Argo BCD-802	BCD 802 2 batteries 80A (combiner diode)	48,00
67435R	VICTRON ENERGY®	238	80-2AC	Argo 80-2AC 2 Isolator - Battery 80A	53,00
FET					
64989W	VICTRON ENERGY®	238	100/2-FET	Argo-1002 FET 2 Isolator - Battery 100A	107,00
64990E	VICTRON ENERGY®	238	100/3-FET	Argo-1003 FET 3 Isolator - Battery 100A	123,00
64991G	VICTRON ENERGY®	238	200/2-FET	Argo-2002 FET 2 Isolator - Battery 200A	128,00
64992J	VICTRON ENERGY®	238	200/3-FET	Argo-2003 FET 3 Isolator - Battery 200A	150,00
BATTERY MONITOR					
21396Z	VICTRON ENERGY®	238	BMV 712 Smart	2 Battery Monitor 9-90 VDC - Cables, shunt and bluetooth included	169,00
21989D	VICTRON ENERGY®	238	Smart Shunt	500A-50mV Smart Shunt IP65	107,00
22017T	VICTRON ENERGY®	238	Smart Shunt	2000A-50mV Smart Shunt, IP65	241,00
23352N	VICTRON ENERGY®	238	Smart Shunt	500A-50mV Smart Shunt	107,00
23678W	VICTRON ENERGY®	238	Smart Shunt	1000A-50mV Smart Shunt	177,00
24988T	VICTRON ENERGY®	238	Smart Shunt	2000A-50mV Smart Shunt	241,00
25489D	VICTRON ENERGY®	238	Smart Shunt	1000A-50mV Smart Shunt, IP65	177,00
69112A	VICTRON ENERGY®	238	BMV 700	1 Battery Monitor 9-90 VDC - Connection cables and shunt included	118,00
69151L	VICTRON ENERGY®	238	BMV 702	2 Battery Monitor 9-90 VDC - Connection cables and shunt included	147,00
69159D	VICTRON ENERGY®	238	BMV 702 Black	2 Battery Monitor 9-90 VDC - Connection cables and shunt included - black	147,00
25709R	VICTRON ENERGY®	.	BMV-710H Smart	Battery Monitor BMV-710H Smart	566,00
26040J	VICTRON ENERGY®	238	Smart Shunt	300A Smart Shunt IP65	76,00
25996X	VICTRON ENERGY®	238	Smart Shunt	300A Smart Shunt	76,00
25298W	VICTRON ENERGY®	238	BMV 712-Smart Black	2 Battery Monitor 9-90 VDC - Cables, shunt and bluetooth included - black	169,00
Accessory/Spare					
69160M	VICTRON ENERGY®	238	Temp Sensor	BMV 702 Temperature Sensor	33,00
BUSBAR					
23788D	VICTRON ENERGY®	.	.	Busbar 600A 8P +cover	216,00
23789F	VICTRON ENERGY®	.	.	Busbar 600A 4P +cover	139,00
Accessory/Spare					


UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

 pg
cat
26

PRICE LIST - OCTOBER, 2025

Unit Price (Euro) (VAT excl.)

p/n	Brand	Model	Description	
25703C	VICTRON ENERGY®	.	Dual Terminal Stud M8-linked set (1 red/1 black)	23,00
			FUSEHOLDER & FUSE	
20834S	VICTRON ENERGY®	.	Modular fuse holder for MEGA-fuse	38,00
23388L	VICTRON ENERGY®	.	MEGA-fuse 250A/32V (package of 5pcs)	16,00
23611L	VICTRON ENERGY®	.	Busbar to connect 6 fuse holders 20834S	48,00
23790P	VICTRON ENERGY®	.	MEGA-fuse 400A/32V (package of 5pcs)	16,00
25168G	VICTRON ENERGY®	.	MEGA Fuse 225A/32V (package of 5pcs)	16,00
25169J	VICTRON ENERGY®	.	MEGA Fuse 500A/32V (package of 5pcs)	16,00
69006B	VICTRON ENERGY®	.	Fuse holder for MEGA-fuse	12,00
25813K	VICTRON ENERGY®	.	ANL-fuse 400A/80V (package of 5 pcs)	33,00
25812H	VICTRON ENERGY®	.	ANL-fuse 300A/80V (package of 5 pcs)	33,00
25988Y	VICTRON ENERGY®	.	MEGA Fuse 80A/80V (package of 5pcs)	38,00
25821J	VICTRON ENERGY®	.	Fuse holder 6-way for MEGA-fuse	30,00
26053U	VICTRON ENERGY®	.	MEGA-fuse 200A/80V (package of 5pcs)	38,00
26037W	VICTRON ENERGY®	.	MEGA-fuse 125A/80V (package of 5 pcs)	38,00
26052S	VICTRON ENERGY®	.	MEGA-fuse 400A/80V (package of 5pcs)	38,00
26075E	VICTRON ENERGY®	.	MEGA-Fuse 60A/80V (package of 5pcs)	38,00
26023J	VICTRON ENERGY®	.	MIDI-fuse 100A/32V (package of 5 pcs)	10,00
26195R	VICTRON ENERGY®	.	MEGA-fuse 40A/80V (package of 5 pcs)	38,00
			SHUNT	
69986S	VICTRON ENERGY®	.	Shunt 1000A/50mV-0,5 / 2xM10	79,00
			BATTERY ISOLATION/PROTECTION	
22835E	VICTRON ENERGY®	239	Battery Protection 65A, 6-35 VDC	58,00
22836G	VICTRON ENERGY®	239	Battery Protection 100A, 6-35 VDC	76,00
22837J	VICTRON ENERGY®	239	Battery Protection 220A, 6-35 VDC	113,00
22838L	VICTRON ENERGY®	.	Smart BatteryProtect 48V-100A	147,00
			CYRIX SERIES	
21316Y	VICTRON ENERGY®	.	Cyrix-Li-charge 12/24V-120A intelligent charge relay	81,00
22029A	VICTRON ENERGY®	.	Cyrix-Li-ct 12/24V-120A intelligent Li-ion battery combiner	81,00
22562V	VICTRON ENERGY®	.	Cyrix-Li-load 12/24V-120A intelligent load relay	70,00
22563X	VICTRON ENERGY®	.	Cyrix-Li-load 12/24V-230A intelligent load relay	173,00
23688Z	VICTRON ENERGY®	.	Cyrix-Li-charge 12/24V-230A	173,00
67064F	VICTRON ENERGY®	239	Cyrix-i 12/24V-400A	275,00
68956B	VICTRON ENERGY®	239	Cyrix-ct 12/24-120	52,00
69357H	VICTRON ENERGY®	239	Cyrix-ct 12/24-230	129,00
			Accessory/Spare	
21864G	VICTRON ENERGY®	.	Power Inlet stainless steel with cover 32A/250Vac (2p/3w)	131,00
22411X	VICTRON ENERGY®	.	Plug 32A/250Vac (2p/3w) for Power Inlet 32A	108,00
23205Z	VICTRON ENERGY®	.	Shore power Inlet 16A	101,00
23206B	VICTRON ENERGY®	.	Shore power cable 16A -15m	179,00
			CABLES	
20412N	VICTRON ENERGY®	240	Cable RJ45 UTP 0,3 m	9,00
20413R	VICTRON ENERGY®	240	Cable RJ45 UTP 3 m	13,00
20414T	VICTRON ENERGY®	240	VE. Direct cable - 0,9 m (CCGX to BMV70x)	15,00
21021C	VICTRON ENERGY®	240	VE.Direct Bluetooth Smart dongle	16,00
21329H	VICTRON ENERGY®	240	Interface MK3-USB (VE.Bus to USB)	73,00
22621J	VICTRON ENERGY®	.	VE.Direct Cable 0,9m (one side Right Angle conn)	15,00
23491D	VICTRON ENERGY®	.	VE.Direct non-inverting remote on-off cable	20,00
23728J	VICTRON ENERGY®	.	CAN USB interface	546,00
25560G	VICTRON ENERGY®	.	Cable RJ12 UTP 10 m	28,00
25561J	VICTRON ENERGY®	.	Cable RJ12 UTP 1,8 m	9,00
25562L	VICTRON ENERGY®	.	Cable RJ12 UTP 0,9 m	9,00
60555ZA	VICTRON ENERGY®	240	twin VE.CAN terminators	10,00
65010V	VICTRON ENERGY®	240	Cable RJ45 UTP 5 m	17,00
65011X	VICTRON ENERGY®	240	Cable RJ45 UTP 10 m	20,00
65012Z	VICTRON ENERGY®	240	Cable RJ45 UTP 15 m	28,00
65013B	VICTRON ENERGY®	240	Cable RJ45 UTP 20 m	33,00
65015F	VICTRON ENERGY®	240	Cable RJ45 UTP 30 m	39,00
65018M	VICTRON ENERGY®	240	Connection Kit RS232/MK.2b Victron Interface, VE.Bus	58,00
65019P	VICTRON ENERGY®	240	Converter USB/RS232	31,00
67082H	VICTRON ENERGY®	240	Interface MK2-USB (for Phoenix Charger only)	83,00
67776U	VICTRON ENERGY®	240	Cable RJ45 UTP 0,9 m	11,00
69266E	VICTRON ENERGY®	240	VE. Direct cable - 1,8 m (CCGX to BMV70x)	15,00
69278M	VICTRON ENERGY®	240	VE. Direct cable - 0,3 m (CCGX to BMV70x)	15,00
69479Y	VICTRON ENERGY®	240	VE. Direct cable - 5 m (CCGX to BMV70x)	18,00
69543E	VICTRON ENERGY®	240	VE. Direct cable - 10 m (CCGX to BMV70x)	21,00
69718P	VICTRON ENERGY®	240	Cable RJ45 UTP 1,8 m	9,00
69934W	VICTRON ENERGY®	.	VE.Direct to USB interface	30,00
23855S	VICTRON ENERGY®	.	VE.Can to NMEA2000 Micro-C male	75,00
			PV MODULE	
			Accessory/Spare	
25509G	VICTRON ENERGY®	.	Solarcable length=5m 6sqmm with connector	20,00
			REMOTE PANEL/MONITORING	
21941Y	VICTRON ENERGY®	240	4G LTE Ve.direct connectiondevice	231,00


UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025
Unit Price (Euro) (VAT excl.)

<i>p/n</i>	<i>Brand</i>	<i>pg cat 26</i>	<i>Model</i>	<i>Description</i>	
23003L	VICTRON ENERGY®	240	.	Phoenix Inverter VE.Direct Remote Control Panel	22,00
23783T	VICTRON ENERGY®	.	GX LTE 4G-E	4G modem for GX series	213,00
65008J	VICTRON ENERGY®	240	.	On-Off Switch Battery Charger	122,00
65009L	VICTRON ENERGY®	240	Battery Alarm GX	Battery Alarm Panel	62,00
66202K	VICTRON ENERGY®	240	.	Phoenix Inverter Control Panel	93,00
66717W	VICTRON ENERGY®	240	DMC 200/200A	Digital Multi Control 200/200A	142,00
67920Y	VICTRON ENERGY®	240	DMC 200/200A GX	Digital Multi Control 200/200A GX	125,00
68885E	VICTRON ENERGY®	240	Skylla-i GX	Skylla-i Control GX Panel	139,00
69545E	VICTRON ENERGY®	240	VE. Direct Bluetooth Dongle	Dongle Bluetooth for remote monitoring data	42,00
GX SERIES					
21977W	VICTRON ENERGY®	240	GX Touch 70	7" Display for Cerbo GX	346,00
23264S	VICTRON ENERGY®	.	Cerbo GX	Monitoring Center	265,00
23265U	VICTRON ENERGY®	240	GX Touch 50	5" Display for Cerbo GX	235,00
68999W	VICTRON ENERGY®	.	Color Control GX	Color Control GX	219,00
69536H	VICTRON ENERGY®	.	WiFi Module Simple	WiFi Module simple for Color Control Panel GX	24,00
69537K	VICTRON ENERGY®	240	Wifi Long Range Module	WiFi Long Rnge Module for Color Control Panel GX	83,00
25740J	VICTRON ENERGY®	240	Cerbo GX MK2	Monitoring Center	265,00
TRANSFER SWITCH					
66138D	VICTRON ENERGY®	240	.	Filax Transfer Switch CE 50 Hz (up tp 3500W) shore/inverter	291,00
BATTERY					
AGM					
21402R	VICTRON ENERGY®	241	AGM 12/100	12V/100Ah AGM Super Cycle Battery	297,00
21403T	VICTRON ENERGY®	241	AGM 12/170	12V/170Ah AGM Super Cycle Battery	475,00
21404V	VICTRON ENERGY®	241	AGM 12/230	12V/230Ah AGM Super Cycle Battery	629,00
21584A	VICTRON ENERGY®	241	AGM 12/125	12V/125Ah AGM Super Cycle Battery	377,00
21583YA	VICTRON ENERGY®	.	AGM 12/60	12V/60Ah AGM Super Cycle Battery (m6)	169,00
CHARGE CONTROLLER					
BLUESOLAR SERIES					
68399V	VICTRON ENERGY®	.	75/15	BlueSolar MPPT Charge Controller 75/15 12/24V	54,00
25780X	VICTRON ENERGY®	.	150/100	BlueSolar MPPT Charge Controller 150/100-Tr VE.Can	531,00
Accessory/Spare					
69450X	VICTRON ENERGY®	.	.	Remote panel for BlueSolar PWM-Pro Charge Controller	44,00
REMOTE PANEL/MONITORING					
GX SERIES					
21324X	VICTRON ENERGY®	.	Meter ET112	Single phase energy sender - max 100A	48,00
25403P	VICTRON ENERGY®	241	.	Ekrano GX	602,00
CAN-BUS SERIES					
22415F	VICTRON ENERGY®	241	GX TANK 140	Tank level sensors collector (up tp 4)	105,00
BATTERY					
AGM					
21161V	VICTRON ENERGY®	.	AGM 12/200	12V/200Ah AGM Telecomm Battery	527,00
22049G	VICTRON ENERGY®	.	AGM 12/165	12V/165Ah AGM Deep Cycle Battery	462,00
65022C	VICTRON ENERGY®	242	AGM 12/60	12V/60-55Ah AGM Deep Cycle Battery	162,00
65024G	VICTRON ENERGY®	242	AGM 12/90	12V/90-80Ah AGM Deep Cycle Battery	239,00
65025J	VICTRON ENERGY®	242	AGM 12/130	12V/130-120Ah AGM Deep Cycle Battery	353,00
65026L	VICTRON ENERGY®	242	AGM 12/165	12V/165-150Ah AGM Deep Cycle Battery	448,00
65027N	VICTRON ENERGY®	242	AGM 12/220	12V/220-200Ah AGM Deep Cycle Battery	548,00
65645S	VICTRON ENERGY®	242	AGM 12/110	12V/110-100Ah AGM Deep Cycle Battery	300,00
24905K	VICTRON ENERGY®	242	AGM 12/240	12V/240Ah AGM Deep Cycle Battery (M8)	558,00
GEL					
22887A	VICTRON ENERGY®	242	GEL 12/265 (M8)	12V/265-230Ah GEL Deep Cycle Battery	745,00
65028R	VICTRON ENERGY®	242	GEL 12/60	12V/60-55Ah GEL Deep Cycle Battery	187,00
65029T	VICTRON ENERGY®	.	GEL 12/66	12V/66-60Ah GEL Deep Cycle Battery	228,00
65030B	VICTRON ENERGY®	242	GEL 12/90	12V/90-80Ah GEL Deep Cycle Battery	246,00
65031D	VICTRON ENERGY®	242	GEL 12/130	12V/130-120Ah GEL Deep Cycle Battery	358,00
65032F	VICTRON ENERGY®	242	GEL 12/165	12V/165-150Ah GEL Deep Cycle Battery	461,00
65033H	VICTRON ENERGY®	242	GEL 12/220	12V/220-200Ah GEL Deep Cycle Battery	564,00
65646U	VICTRON ENERGY®	242	GEL 12/110	12V/110-100Ah GEL Deep Cycle Battery	305,00
BATTERY					
LITHIUM ION					
21906W	VICTRON ENERGY®	.	12,8/100	12,8V 100Ah Lithium Battery - SuperPack	604,00
22840X	VICTRON ENERGY®	243	12,8/60	12,8V 60Ah Lithium Battery - SuperPack	411,00
22842B	VICTRON ENERGY®	243	12,8/200	12,8V 200Ah Lithium Battery - SuperPack	1.200,00
23097Z	VICTRON ENERGY®	243	12,8/20	12,8V 20Ah Lithium Battery - SuperPack	182,00
23098B	VICTRON ENERGY®	243	25,6/50	25,6V 50Ah Lithium Battery - SuperPack	866,00
BATTERY					
LITHIUM ION					
25964H	VICTRON ENERGY®	244	LFP-NG 12,8/100	Lithium-Ion Battery 12,8V/100Ah NG	693,00
25965K	VICTRON ENERGY®	244	LFP-NG 12,8/150	Lithium-Ion Battery 12,8V/150Ah NG	1.022,00
25970C	VICTRON ENERGY®	244	LFP-NG 12,8/200	Lithium-Ion Battery 12,8V/200Ah NG	1.068,00
25967P	VICTRON ENERGY®	244	LFP-NG 25,6/100	Lithium-Ion Battery 25,6V/100Ah NG	1.273,00
25966M	VICTRON ENERGY®	244	LFP-NG 12,8/300	Lithium-Ion Battery 12,8V/300Ah NG	1.673,00
25969U	VICTRON ENERGY®	244	LFP-NG 51,2/100	Lithium-Ion Battery 51,2V/100Ah NG	2.247,00
25958N	VICTRON ENERGY®	244	LFP-NG 25,6/200	Lithium- Ion Battery 25,6V/200Ah NG	2.043,00



UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025

Unit Price (Euro) (VAT excl.)

pg
cat
26

p/n	Brand	Model	Description	
25968S	VICTRON ENERGY®	244	LFP-NG 25,6/300	Lithium-Ion Battery 25,6V/300Ah NG BATTERY MANAGEMENT Accessory/Spare 3 pole male to female cable 1,00 m (3.3') - 2 cables/box 3 pole male to female cable 2,00 m (6.6') - 2 cables/box 3 pole male to female cable 3,00 m (9.8') - 2 cables/box 3 pole male to female cable 5,00 m (16.4') - 2 cables/box
68886G	VICTRON ENERGY®	244	.	2.836,00
68887J	VICTRON ENERGY®	244	.	35,00
68888L	VICTRON ENERGY®	244	.	37,00
68889N	VICTRON ENERGY®	244	.	40,00
26156E	VICTRON ENERGY®	245	SmallBMS NG	45,00
26201G	VICTRON ENERGY®	245	VE.Bus BMS NG	BATTERY MANAGEMENT SmallBMS NG VE.Bus BMS NG
22366V	VICTRON ENERGY®	.	.	90,00
23412E	VICTRON ENERGY®	.	.	166,00
23741A	VICTRON ENERGY®	.	.	DC DISTRIBUTION LYNX SERIES Lynx Distributor (M8) Lynx Power In (M8)
25583V	VICTRON ENERGY®	.	.	215,00
25789S	VICTRON ENERGY®	.	.	150,00
26051P	VICTRON ENERGY®	245	BMS 1000 NG	379,00
25972G	VICTRON ENERGY®	245	.	215,00
69369R	VICTRON ENERGY®	246	Battery Balancer	150,00
25209U	VICTRON ENERGY®	246	Solid Switch 104	1.143,00
26204N	VICTRON ENERGY®	247	12/12-50	857,00
26205R	VICTRON ENERGY®	247	.	BATTERY ISOLATION/PROTECTION Battery Balancer for 12V DC Series Connected Batteries BATTERY MANAGEMENT Accessory/Spare Relay for regulat. SolidSwitch 104
21674B	VICTRON ENERGY®	248	75/10	42,00
21675D	VICTRON ENERGY®	248	75/15	DC/DC CONVERTER ORION NON ISOLATED SERIES Orion XS 12/12-50 Converter
21678K	VICTRON ENERGY®	248	100/30	332,00
21679M	VICTRON ENERGY®	248	100/50	380,00
21680W	VICTRON ENERGY®	248	150/35	CHARGE CONTROLLER SMARTSOLAR SERIES SmartSolar MPPT Charge Controller 75/10 SmartSolar MPPT Charge Controller 75/15 SmartSolar MPPT Charge Controller 100/30 SmartSolar MPPT Charge Controller 100/50 SmartSolar MPPT Charge Controller 150/35 SmartSolar MPPT Charge Controller 150/45
21867N	VICTRON ENERGY®	248	150/45	66,00
22315B	VICTRON ENERGY®	.	150/70-MC4 VE.Can	72,00
22316D	VICTRON ENERGY®	.	250/60-TR	137,00
22401U	VICTRON ENERGY®	248	100/15	197,00
23016W	VICTRON ENERGY®	248	100/20	197,00
23512J	VICTRON ENERGY®	.	150/100-MC4 VE.Can	233,00
22976Z	VICTRON ENERGY®	249	12/24 - 10 LCD	443,00
22254H	VICTRON ENERGY®	249	150/60-TR	443,00
23255R	VICTRON ENERGY®	249	150/85-TR VE.Can	84,00
22314Z	VICTRON ENERGY®	249	150/70-Tr	96,00
23138L	VICTRON ENERGY®	249	150/100-Tr VE.Can	562,00
23258X	VICTRON ENERGY®	249	250/100-TR VE.Can	CHARGE CONTROLLER BLUESOLAR SERIES BlueSolar PWM-LCD&USB 12/24V-10A charge regulator
23257V	VICTRON ENERGY®	.	250/85-TR VE.Can	SMARTSOLAR SERIES SmartSolar MPPT Charge Controller 150/60-TR SmartSolar MPPT Charge Controller 150/70-TR VE.Can SmartSolar MPPT 150/70-Tr SmartSolar MPPT 150/100-Tr VE.Can SmartSolar MPPT Charge Controller 250/100-TR VE.Can SmartSolar MPPT Charge Controller 250/85-TR VE.Can
23018A	VICTRON ENERGY®	249	SBS-10M	REMOTE PANEL/MONITORING Smart Battery Sense long range (up to 10m)



UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025

Unit Price (Euro) (VAT excl.)

pg
cat
26

p/n

Brand

Model

Description

WAKESPEED® Charge regulators

25300D	WAKESPEED®	252	WSPHCAN.3.THERM
25301F	WAKESPEED®	252	WS3MTHERM
25302H	WAKESPEED®	252	WSVECROSSDT
25306S	WAKESPEED®	252	WSNHCAN.3THERM
25351X	WAKESPEED®	252	WS500SHUNT/50
25299Y	WAKESPEED®	252	RWS500w
26203L	WAKESPEED®	252	WS500PRO

Accessory/Spare

WS500/PH-CAN wiring harness	96,00
Battery Temperatur Sensor, cable lenght 6m	48,00
Wakespeed CAN Bus to VE Crossover Cable	54,00
WS500/NEG-CAN wiring harness	96,00
500A/50mV Shunt	84,00

CHARGE CONTROLLER

WS500 Advanced Alternator Regulator	721,00
WS500 PRO Bluetooth® Alternator Regulator	721,00



UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025
Unit Price (Euro) (VAT excl.)

pg
cat
26

p/n	Brand	Model	Description
-----	-------	-------	-------------

FAAM® Batteries

23105V	FAAM®	254	60A22	BATTERY	
23106X	FAAM®	254	70A32	CYCLES SERIES	
23107Z	FAAM®	254	80A42	12V 60 AH/20H CYCLES Battery	196,00
23367C	FAAM®	254	00A52	12V 70 AH/20H CYCLES Battery	207,00
				12V 80 AH/20H CYCLES Battery	222,00
				12V 100 AH/20H CYCLES Battery	274,00
				SMART SERIES	
23110M	FAAM®	254	66061	12V 160 AH/20H SMART Battery	279,90
23111P	FAAM®	254	72061	12V 220 AH/20H SMART Battery	349,00
				START SERIES	
23102N	FAAM®	254	62R22	12V 62 AH/20H START Battery	101,00
23103R	FAAM®	254	80R42	12V 80 AH/20H START Battery	146,00
23104T	FAAM®	254	00R52	12V 100 AH/20H START Battery	162,00


UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025

Unit Price (Euro) (VAT excl.)

p/n	Brand	pg cat 26	Model	Description
UFLEX® Renewable energy				
64098H	SUNWARE®	256	30106022	Accessory/Spare
64099K	SUNWARE®	256	30106014	2 middle clips kit 11,00
64100R	SUNWARE®	256	30101015	4 side clips kit 21,00
64101T	SUNWARE®	256	30102015	Waterproof connector (m) 2x1,5 24,00
64102V	SUNWARE®	256	30103015	Waterproof connector (f) 2x1,5 28,00
64103X	SUNWARE®	256	30104012	Waterproof plug for connectors and flange 11,00
64104Z	SUNWARE®	256	30104015	4 pole Bulkhead Connector 20,00
				Bulkhead kit 15,00
PV MODULE				
20 SERIES				
21010X	SUNWARE®	256	SW-20163	25 Wp rated Power - 12V DC - cm 48,1 x 42,6 x 0,6 471,00
21296V	SUNWARE®	256	SW-20165	50 Wp rated Power - 24V DC - cm 48,1 x 7,72 x 0,6 743,00
21364K	SUNWARE®	256	SW-20185	100 Wp rated Power - 24V DC - cm 68,9 x 101,2 x 0,6 1.000,00
21735V	SUNWARE®	256	SW-20164	38 Wp rated Power - 12V DC - cm 48,1 x 59,9 x 0,6 560,00
22112L	SUNWARE®	256	SW-20143	14 Wp rated Power - 12V DC - cm 24,3 x 46,8 x 0,6 330,00
22113N	SUNWARE®	256	SW-20144	20 Wp rated Power - 12V DC - cm 27,3 x 63,4 x 0,6 378,00
22114R	SUNWARE®	256	SW-20145	25 Wp rated Power - 12V DC - cm 27,3 x 80,7 x 0,6 444,00
22115T	SUNWARE®	256	SW-20146	38 Wp rated Power - 12V DC - cm 27,3 x 115,4 x 0,6 502,00
22116V	SUNWARE®	256	SW-20166	80 Wp rated Power - 24V DC - cm 48,1 x 111,9 x 0,6 878,00
40 SERIES				
600100A	SUNWARE®	256	SW-40143	14 Wp rated Power - 12V DC - cm 24,3 x 46,8 x 0,6 330,00
600101C	SUNWARE®	256	SW-40144	20 Wp rated Power - 12V DC - cm 27,3 x 63,4 x 0,6 378,00
600102E	SUNWARE®	256	SW-40145	25 Wp rated Power - 12V DC - cm 27,3 x 80,7 x 0,6 444,00
600103G	SUNWARE®	256	SW-40146	38 Wp rated Power - 12V DC - cm 27,3 x 115,4 x 0,6 502,00
600104J	SUNWARE®	256	SW-40163	25 Wp rated Power - 12V DC - cm 48,1 x 42,6 x 0,6 471,00
600105L	SUNWARE®	256	SW-40164	38 Wp rated Power - 12V DC - cm 48,1 x 59,9 x 0,6 560,00
600106N	SUNWARE®	256	SW-40165	50 Wp rated Power - 24V DC - cm 48,1 x 7,72 x 0,6 743,00
600107R	SUNWARE®	256	SW-40166	75 Wp rated Power - 24V DC - cm 48,1 x 111,9 x 0,6 878,00
600109V	SUNWARE®	256	SW-40185	100 Wp rated Power - 24V DC - cm 68,9 x 101,2 x 0,6 1.000,00
PV MODULE				
23005R	WAAREE®	257	WLW-50W	Solar panel 50W 173,00
PV MODULE				
23051Y	WAAREE®	.	WM-110	Solar panel 110W 354,00
23364W	XUNZEL®	258	HD 50W	Solar panel 50W 188,00
25289V	XUNZEL®	258	HD 120W	Solar panel 120W 355,00
PV MODULE				
21387Y	UFLEX®	259	UFX005MM	Mono-crystalline Solar Panel 5W 10,10
21742SA	UFLEX®	259	UFX160PM	Poly-crystalline Solar Panel 160W 135,90
21865J	UFLEX®	259	UFX140MM	Mono-crystalline Solar Panel 140W 104,60
23532RA	UFLEX®	259	UFX285PM	285W Poly-Crystalline Solar Panel - 60 cells 203,30
69572MA	UFLEX®	259	UFX010PM	Poly-crystalline Solar Panel 10W 16,00
69573PA	UFLEX®	259	UFX020PM	Poly-crystalline Solar Panel 20W 29,30
69574SA	UFLEX®	259	UFX040PM	Poly-crystalline Solar Panel 40W 43,50
69576WA	UFLEX®	259	UFX060PM	Poly-crystalline Solar Panel 60W 59,10
69577YA	UFLEX®	259	UFX080PM	Poly-crystalline Solar Panel 80W 78,80
69578AA	UFLEX®	259	UFX100PM	Poly-crystalline Solar Panel 100W 88,30
69578AB	UFLEX®	259	UFX100MM	Mono-crystalline Solar Panel 100W 81,50
69572MB	UFLEX®	259	UFX010MM	Mono-crystalline Solar Panel 10W 15,70
69573PB	UFLEX®	259	UFX020MM	Mono-crystalline Solar Panel 20W 27,60
25160P	UFLEX®	259	UFX025MM	Mono-crystalline Solar Panel 25W 34,40
69578AC	UFLEX®	259	UFX010MM	Mono-crystalline Solar Panel 100W 79,80
22908FX	UFLEX®	.	UFX180MM 2,5mmq	Mono-crystalline Solar Panel 180W w/cable 2,5mmq section 128,40
PV MODULE				
24950R	EURENER®	260	MEPV400UP	Mono-crystalline Solar Panel 400W ULTRA PREMIUM 346,60
24951T	EURENER®	.	MEPV375HC	Mono-crystalline Solar Panel 375W (120 HalfCut) 290,30
25266G	EURENER®	.	MEPV410HC-108	Mono-crystalline Solar Panel 410W (108 HalfCut) 288,90
25267J	EURENER®	.	MEPV500HC	Mono-crystalline Solar Panel 500W HalfCut 340,80
25842T	EURENER®	260	MEPV440UP	Mono-crystalline Solar Panel 440W 188,10
25268L	EURENER®	260	MEPV330VV	Mono-crystalline Solar Panel 330W - glass glass 236,40
21839H	EURENER®	.	MEPV375HC	Mono-crystalline Solar Panel 375W (144 HalfCut) 251,30
CHARGE CONTROLLER				
ProStar™ PWM Solar Charge Controller				
61737A	MORNINGSTAR®	261	PS-30M	ProStar 12V/24V DC - 30A with LVD and Monitor 260,80
62643W	MORNINGSTAR®	261	PS-15M	ProStar 12V/24V DC - 15A with LVD and Monitor 215,20
SunSaver™ PWM Solar Charge Controllers				
20970A	MORNINGSTAR®	261	SS-20L-24V	SunSaver 24V DC - 20A with LVD 149,60
61192X	MORNINGSTAR®	261	SS-10L-12V	SunSaver 12V DC - 10A with LVD 102,10
61213E	MORNINGSTAR®	261	SS-6L-12V	SunSaver 12V DC DC - 6A with LVD 83,90
61415B	MORNINGSTAR®	261	SS-10-12V	SunSaver 12V DC - 10A 82,10
61734U	MORNINGSTAR®	261	SS-20L-12V	SunSaver 12V DC - 20A with LVD 140,40
61938L	MORNINGSTAR®	261	SS-10L-24V	SunSaver 24V DC - 10A with LVD 113,10
CHARGE CONTROLLER				


UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025
Unit Price (Euro) (VAT excl.)

p/n	Brand	pg cat 26	Model	Description	
66129C	MORNINGSTAR®	262	SSD-25RM	SunSaver Duo™ PWM Solar Charge Controller SunSaver 24V DC - 10A with LVD CHARGE CONTROLLER	222,50
22264L	MORNINGSTAR®	263	EB-MPPT-20M	EcoBoost™ MPPT Solar Charge Controllers EcoBoost MPPT 20A (12/24V) with meter	258,90
22265N	MORNINGSTAR®	263	EB-MPPT-30M	EcoBoost MPPT 30A (12/24V) with meter	350,10
22266R	MORNINGSTAR®	263	EB-MPPT-40M	EcoBoost MPPT 40A (12/24V) with meter	443,10
22296A	MORNINGSTAR®	263	EB-MPPT-20	EcoBoost MPPT 20A (12/24V)	182,40
22297C	MORNINGSTAR®	263	EB-MPPT-30	EcoBoost MPPT 30A (12/24V)	253,50
22298E	MORNINGSTAR®	263	EB-MPPT-40	EcoBoost MPPT 40A (12/24V) CHARGE CONTROLLER	331,90
21419J	MORNINGSTAR®	264	EC-10	EcoPulse™ PWM Solar Charge Controllers EcoPulse 10A (12/24V)	78,40
21420T	MORNINGSTAR®	264	EC-10M	EcoPulse 10A (12/24V) with Monitor	114,90
21421V	MORNINGSTAR®	264	EC-20	EcoPulse 20A (12/24V)	89,40
21422X	MORNINGSTAR®	264	EC-20M	EcoPulse 20A (12/24V) with Monitor	147,70
21423Z	MORNINGSTAR®	264	EC-30	EcoPulse 30A (12/24V)	118,60
21424B	MORNINGSTAR®	264	EC-30M	EcoPulse 30A (12/24V) with Monitor WIND GENERATOR	176,90
65726S	SUPERWIND®	265	SW350-12V	Superwind 350W - 12V wind generator	3.895,00
65727U	SUPERWIND®	265	SW350-24V	Superwind 350W - 24V wind generator	3.895,00
69771U	LEADING EDGE®	.	LE-v150 12V kit	12V DC Wind Generator Kit	2.812,00
69772W	LEADING EDGE®	.	LE-v150 24V kit	24V DC Wind Generator Kit Accessory/Spare	2.812,00
65730G	SUPERWIND®	265	SW	Stop Switch	131,00
65731J	SUPERWIND®	265	Mnt Kit	Installation Kit	636,00
65728W	SUPERWIND®	265	SCR 12V	CHARGE CONTROLLER 12V Charge controller	778,00
65729Y	SUPERWIND®	265	SCR 24V	24V Charge controller	778,00
68512M	HYE®	266	HY-WSC04-12AWM	CHARGE CONTROLLER 12V charge controller for HY-400L	316,00
68795D	HYE®	266	HY-WSC04-24AWM	24V charge controller for HY-400L	316,00
68798K	HYE®	266	HY-WSC06-48AWM	48V charge controller for HY-600L	367,00
68644F	HYE®	266	HY-WSC06-24AWM	24V charge controller for HY-600L WIND GENERATOR	367,00
68511K	HYE®	266	HY-400L	HYE 12V/24V DC 400W Wind Generator	859,00
68643D	HYE®	266	HY-600L	HYE 24V/48V DC 600W Wind Generator	1.364,00


UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025

Unit Price (Euro) (VAT excl.)

p/n	Brand	pg cat 26	Model	Description	
ENEON® Marine generators					
24705B	ENEON®	269	EM320 - 3,20 KW	3000 rpm - 230V/50Hz - single phase - silenced	9.880,00
24706D	ENEON®	269	EM600 - 6,0 KW	3000 rpm - 230V/50Hz - single phase - silenced	14.250,00
24707F	ENEON®	269	EM900 - 9,0 KW	3000 rpm - 230V/50Hz - single phase - silenced	16.630,00
25487Z	ENEON®	.	EM400 - 4,0 KW 60HZ	3600 rpm - 240V/60Hz - single phase - silenced	12.730,00
25488B	ENEON®	.	EM1100 - 11,0 KW 60HZ	3600 rpm - 240V/60Hz - single phase - silenced	20.620,00
DIESEL GENERATOR					
EM SERIES					
24708H	ENEON®	270	EML740 - 7,40 KW	1500 rpm - 230V/50Hz - single phase - silenced	20.590,00
24709K	ENEON®	270	EML970 - 9,70 KW	1500 rpm - 230V/50Hz - single phase - silenced	21.590,00
DIESEL GENERATOR					
EML SERIES					
25421S	ENEON®	271	EML1200 - 12,0 KW	1500 rpm - 230V/50Hz - single phase - silenced	22.790,00
25422U	ENEON®	271	EML1800 - 18,0 KW	1500 rpm - 230V/50Hz - single phase - silenced	25.990,00
26241V	ENEON®	271	EML1500 - 15 KW	1500 rpm - 230V/50Hz - single phase - silenced	23.590,00
DIESEL GENERATOR					
EML SERIES					
25423W	ENEON®	272	EML2500 - 25,0 KW	1500 rpm - 230V/50Hz - single phase - silenced	30.990,00
25425A	ENEON®	272	EML3500 - 35,0 KW	1500 rpm - 230V/50Hz - single phase - silenced	38.780,00
DIESEL GENERATOR					
ETL SERIES					
24713A	ENEON®	273	ETL2590 - 25,90 KVA	1500 rpm - 230V/50Hz - V+N - silenced	27.160,00
24714C	ENEON®	273	ETL3000 - 30,0 KVA	1500 rpm - 230V/50Hz - V+N - silenced	31.980,00
25426C	ENEON®	273	ETL1500 - 15,0 KVA	1500 rpm - 230V/50Hz - V+N - silenced	23.990,00
25428G	ENEON®	273	ETL4700 - 47,0 KVA	1500 rpm - 230V/50Hz - V+N - silenced	41.980,00
Accessory/Spare					
22629B	ENEON®	274	.	Sea/Water kit : EM600 - EM900	335,30
22657G	ENEON®	274	.	Siphon Breaker - All models	23,50
22662Z	ENEON®	.	.	Sea/Water kit : EM320	335,30
22663B	ENEON®	274	.	Sea/Water kit : EML740 - EML2500 and ETL2590	369,60
22664D	ENEON®	274	.	Sea/Water kit : ETL3200 - ETL3950	598,00
25675A	ENEON®	274	.	Sea/Water kit : EM320 - EM600 - EM900	145,00
25676C	ENEON®	274	.	Sea/Water kit : EML series (740/970/1200/1800) and ETL series (1500/2590)	156,00
25696J	ENEON®	.	.	RONDELLA DI MASSA 1145.100004	4,20
25698N	ENEON®	.	.	RONDELLA DI MASSA 1145.100005	5,30
25165A	ENEON®	.	2617	Band	9,40
25078F	ENEON®	.	2610	Band	10,60
25694E	ENEON®	.	.	SCARICO MARE 1265.100004	11,10
25079H	ENEON®	.	2607	Band	11,20
22733W	ENEON®	.	.	Thermostat AP.45 + Alarm - All models	12,00
25163W	ENEON®	.	2612	Band	13,50
25686F	ENEON®	.	2615	Band	14,40
22682F	ENEON®	.	.	12 mm Zinc Anod - from EML740 to ETL3950	16,00
22681D	ENEON®	.	.	10 mm Zinc Anod - EM Series	8,00
25695G	ENEON®	.	.	VALVOLA A SFERA 1570.120004	17,70
22737E	ENEON®	.	.	Relé Kit (+03SI 12V) - All models except EM300, EM320, EM600	18,00
22683H	ENEON®	.	.	10 mm Zinc Anod Support - EM Series	22,00
22684K	ENEON®	.	.	12 mm Zinc Anod Support - from EML740 to ETL3950	22,00
25697L	ENEON®	.	.	VALVOLA A SFERA 1570.120005	22,90
22732U	ENEON®	.	.	Fresh Water Sensor - All models except EM300, EM320, EM600	34,00
22736C	ENEON®	.	.	Relé 70A, 12V - EM600	34,00
22735A	ENEON®	.	.	Relé 30A, 250V - EM300 - EM320 - EM600	63,00
22654A	ENEON®	.	.	Diesel/Water Separator - All models	120,00
22671A	ENEON®	.	.	Oil extr. pump: EM Series	144,00
22738G	ENEON®	.	.	Battery Charger Regulator - EM300 - EM320	162,00
22672C	ENEON®	.	.	Oil extr. pump: EML740 - EML970	168,00
22673E	ENEON®	.	.	Oil extr. pump: EML1330	186,00
22726Z	ENEON®	.	.	solenoid: EM320	204,00
22674G	ENEON®	.	.	Oil extr. pump: from EML2000 to ETL3950	228,00
22655C	ENEON®	.	.	Diesel Pre-filter with Water Separator - All models	264,00
22656E	ENEON®	.	.	AC Electrical Diesel Booster Pump - All models	299,00
22728D	ENEON®	.	.	solenoid: EML740 - EML970	1.316,00
22729F	ENEON®	.	.	solenoid: EML1330 - EML2000 - EML2500 - ETL2590	1.591,00
22730P	ENEON®	.	.	solenoid: ETL3200 - ETL3950	1.794,00
EXHAUST HOSE					
22630K	ENEON®	274	.	1 m + 2 m exhaust hose kit 40 mm int. dia. : EM Series	435,00
22631M	ENEON®	274	.	Separator for exhauste hose 40 mm int Ø - EM Series	67,10
22665F	ENEON®	274	.	3 m exhaust hose kit 50 mm int. dia. : EML740 - EML970	506,00
22666H	ENEON®	274	.	3 m exhaust hose kit 60 mm int. dia.: EML1330 - EML2500 and ETL2590	586,00
22667K	ENEON®	274	.	3 m exhaust hose kit 90 mm int. dia. - ETL3200 - ETL3950	814,00
22669P	ENEON®	274	.	Separator for exhauste hose 60 mm int. dia. - EML1330 - EML2500 and ETL2590	461,00


UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025
Unit Price (Euro) (VAT excl.)

<i>p/n</i>	<i>Brand</i>	<i>pg cat 26</i>	<i>Model</i>	<i>Description</i>	
24601N	ENEON®	.	.	Separator for exhaust hose 90 mm int. dia. - ETL3200	1.017,00
25076B	ENEON®	.	.	Exhaust system - hose 40/50 mm int Ø - EM Series	75,10
25681V	ENEON®	.	.	PREMIUM exhaust kit - Ø int. 40 mm - series EM/EML740	1.507,00
25682X	ENEON®	.	.	PREMIUM exhaust kit - Ø int. 50 mm - EML970	1.623,00
25683Z	ENEON®	.	.	PREMIUM exhaust kit - Ø int. 60 mm - rest of EML series	1.795,00
25684B	ENEON®	.	.	PREMIUM exhaust kit - Ø int. 76 mm - EML 3900/ETL series	1.988,00
25685D	ENEON®	.	.	Separator for exhaust hose 40/50 mm int Ø - EML Series	70,60
25164Y	ENEON®	.	.	Exhaust system hose 76 mm int Ø - EML Series	76,20
25162U	ENEON®	.	.	Exhaust system - hose 60 mm int Ø - EML Series	79,10
MAINTENANCE KIT					
Accessory/Spare					
22703L	ENEON®	.	.	Ordinary maintenance kit: EM600	419,00
22704N	ENEON®	.	.	Ordinary maintenance kit: EML740 - EML970	551,00
22705R	ENEON®	.	.	Ordinary maintenance kit: EML 1330	634,00
22706T	ENEON®	.	.	Ordinary maintenance kit: EML2000 - EML2500	670,00
22707V	ENEON®	.	.	Ordinary maintenance kit: ETL2590	694,00
22708X	ENEON®	.	.	Ordinary maintenance kit: ETL3200 - ETL3950	766,00
22734Y	ENEON®	.	.	Capacitor Kit (Includes 5 capacitors) - EM300 - EM320 - EM600	102,00
23716B	ENEON®	.	.	Ordinary maintenance kit: EM320	455,00
26035S	ENEON®	.	.	Ordinary maintenance kit: EM900	455,00
PULLEY					
Accessory/Spare					
22685M	ENEON®	.	.	EM320	42,00
22688U	ENEON®	.	.	EML1330 - EML2000 - EML2500 - ETL2590	72,00
22686P	ENEON®	.	.	EM600 - EM900	79,00
22689W	ENEON®	.	.	ETL3200 - ETL3950	114,00
22687S	ENEON®	.	.	EML740 - EML970	119,00
SEAWATER PUMP					
Accessory/Spare					
22712M	ENEON®	.	.	EM600 - EM900	383,00
22714S	ENEON®	.	.	EML970	957,00
22713P	ENEON®	.	.	EML740	957,00
22716W	ENEON®	.	.	EML2000 - EML2500 - ETL2590	1.017,00
22715U	ENEON®	.	.	EML1330	1.017,00
22717Y	ENEON®	.	.	ETL3200	1.077,00
22718A	ENEON®	.	.	ETL3950	1.077,00
IMPELLER					
Accessory/Spare					
22676L	ENEON®	.	.	Pump impeller: EM600 - EM900	45,00
22679T	ENEON®	.	.	Pump impeller: from ETL3200 to ETL3950	52,00
22678R	ENEON®	.	.	Pump impeller: from EML2000 to ETL2590	50,00
22677N	ENEON®	.	.	Pump impeller: EML740 - EML970 - EML1330	71,00
FILTER					
Accessory/Spare					
22692J	ENEON®	.	.	Diesel filter: EML740 - EML970	18,00
22691G	ENEON®	.	.	Diesel filter: EM600 - EM900	18,00
22690E	ENEON®	.	.	Diesel filter: EM300 - EM320 - EM350	26,00
22693L	ENEON®	.	.	Diesel filter: EML1330 - EML2000 - EML2500 - ETL2590	28,00
22696T	ENEON®	.	.	Oil filter: EM600	34,00
22694N	ENEON®	.	.	Diesel filter: ETL3200 - ETL3950	48,00
22697V	ENEON®	.	.	Oil filter: EM900 - EML740 - EML970	48,00
22699Z	ENEON®	.	.	Oil filter: ETL3200 - ETL3950	48,00
22695R	ENEON®	.	.	Oil filter: EM300 - EM320	58,00
Accessory/Spare					
23723Y	ENEON®	275	SP/NAJ DN 40	Smooth cover rubber hose Ø 40, 20 m coil	597,50
23724A	ENEON®	275	SP/NAJ DN 50	Smooth cover rubber hose Ø 50, 20 m coil	654,30
23725C	ENEON®	275	SP/NAJ DN 60	Smooth cover rubber hose Ø 60, 20 m coil	707,50
23726E	ENEON®	275	SP/CAJ DN 90	Hardwall corrugated rubber hose Ø 90, 20 m coil	1.311,40
Accessory/Spare					
25127S	ENEON®	276	EOB®-3000	EOB®-3000 Control Panel, with cables for remote control	897,00
Accessory/Spare					
21389C	ENEON®	.	EOB®	EOB® Control Panel 12V	598,00
24811A	ENEON®	277	EOB®-1500 rem	Remote EOB®-1500 Control Panel kit with cable	1.029,00
25126P	ENEON®	277	EOB®-1500	EOB®-1500 Control Panel	897,00



UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025
Unit Price (Euro) (VAT excl.)

<i>p/n</i>	<i>Brand</i>	<i>pg cat</i> 26	<i>Model</i>	<i>Description</i>	
WESTERBEKE® Gasoline generators					
				GASOLINE GENERATOR MULTIPOINT EFI SERIES	
25464L	WESTERBEKE®	280	3.5 MCGA-512	3,5kW - 2500 rpm - 230V/50Hz - single phase - Multiport EFI	15.360,00
25465N	WESTERBEKE®	280	6.2 MCGA-514	6,2 kW - 1500 rpm - 230V/50Hz - single phase - Multiport EFI	19.950,00
25466R	WESTERBEKE®	280	7.6 MCGA-514	7,6 kW - 1500 rpm - 230V/50Hz - single phase - Multiport EFI	21.820,00



UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025

Unit Price (Euro) (VAT excl.)

pg
cat
26

p/n

Brand

Model

Description

BALMAR® DC Charging solutions

			98-SERIES		
20594Y	BALMAR®	.	98-12-310-IG-BL	Alternator 98, 310 A, 12V, SaddleMT 4", DualPul, Brushless	5.743,80
20595A	BALMAR®	.	98-24-220-IG-BL	Alternator 98, 220 A, 24V, SaddleMT 4", DualPul, Brushless	5.743,80
			60-SERIES		
20555M	BALMAR®	282	60-100-DV	Alternator, 60 Series, 100 A, 12V, SaddleMT 3.15", DualPul	685,60
20556P	BALMAR®	282	60-100-K6	Alternator, 60 Series, 100 A, 12V, SaddleMT 3.15", K6Pul	685,60
20557S	BALMAR®	282	60-100-SV	Alternator, 60 Series, 100 A, 12V, SaddleMT 3.15", SinglePul	685,60
20561G	BALMAR®	282	60-120-DV	Alternator, 60 Series, 120 A, 12V, SaddleMT 3.15", DualPul	763,90
20562J	BALMAR®	282	60-120-J10	Alternator, 60 Series, 120 A, 12V, SaddleMT 3.15", J10Pul	763,90
20563L	BALMAR®	282	60-120-K6	Alternator, 60 Series, 120 A, 12V, SaddleMT 3.15", K6Pul	763,90
20567V	BALMAR®	282	60-24-70-DV	Alternator, 60 Series, 70 A, 24V, SaddleMT 3.15", DualPul	846,90
20568X	BALMAR®	282	60-24-70-J10	Alternator, 60 Series, 70 A, 24V, SaddleMT 3.15", J10Pul	846,90
20569Z	BALMAR®	282	60-24-70-K6	Alternator, 60 Series, 70 A, 24V, SaddleMT 3.15", K6Pul	846,90
23885B	BALMAR®	.	60-YP-MC-100-SV	KIT, 60 Series 100a SaddleMT Alternator, MC Regulator, TSensors, SingPul	1.168,10
			621-SERIES		
20552F	BALMAR®	282	621-100-DV	Alternator, 621 Series, 100 A, 12V, Single FT 1-2", DualPul	685,60
20553H	BALMAR®	282	621-100-K6	Alternator, 621 Series, 100 A, 12V, Single FT 1-2", K6Pul	685,60
20554K	BALMAR®	282	621-100-SV	Alternator, 621 Series, 100 A, 12V, Single FT 1-2", SinglePul	685,60
20558U	BALMAR®	282	621-120-DV	Alternator, 621 Series, 120 A, 12V, Single FT 1-2", DualPul	763,90
20559W	BALMAR®	282	621-120-J10	Alternator, 621 Series, 120 A, 12V, Single FT 1-2", J10Pul	763,90
20560E	BALMAR®	282	621-120-K6	Alternator, 621 Series, 120 A, 12V, Single FT 1-2", K6Pul	763,90
20564N	BALMAR®	282	621-24-70-DV	Alternator, 621 Series, 70 A, 24V, Single FT 1-2", DualPul	846,90
20565R	BALMAR®	282	621-24-70-J10	Alternator, 621 Series, 70 A, 24V, Single FT 1-2", J10Pul	846,90
20566T	BALMAR®	282	621-24-70-K6	Alternator, 621 Series, 70 A, 24V, Single FT 1-2", K6Pul	846,90
			95-SERIES		
22019X	BALMAR®	.	9504-24-140-IG	Alternator, 95 Series, 140 A, 24V, dual ft 4", dual Pul	1.939,20
			KIT		
25210C	BALMAR®	283	XT-DF-24-90-K6-KIT	KIT, XT 90A, 24V DF Alternator ,MC Regulator, TSensors, K6Pul	1.597,80
25277M	BALMAR®	283	XT-DF-170-K6-KIT	KIT, XT 170A DF Alternator ,MC Regulator, TSensors, K6Pul	1.541,30
25282E	BALMAR®	283	XT-DF-250-K6-KIT	KIT, XT 250A DualFT Alternator, MC Regulator, TSensors, K6Pul	1.823,60
25283G	BALMAR®	283	XT-DF4-250-K6-KIT	KIT, XT 250A DualFT4in Alternator, MC Regulator, TSensors, K6Pul	1.823,60
25284J	BALMAR®	283	XT-SF-170-K6-KIT	KIT, XT 170A SF Alternator ,MC Regulator, TSensors, K6Pul	1.541,30
25285L	BALMAR®	283	XT-SF-24-90-K6-KIT	KIT, XT 90A, 24V SF Alternator ,MC Regulator, TSensors, K6Pul	1.597,80
25286N	BALMAR®	283	XT-SF-250-K6-KIT	KIT, XT 250A SingleFT Alternator, MC Regulator, TSensors, K6Pul	1.823,60
25578C	BALMAR®	.	MC-624-VL-01	KIT, 24V for Valeo, MC-624 Regulator, TSensors	861,70
			XT-SERIES		
20570H	BALMAR®	283	XT-SF-170-DV	Alternator, XT Series, 170 A, 12V, Single FT 1-2", DualPul	980,60
20571K	BALMAR®	283	XT-SF-170-J10	Alternator, XT Series, 170 A, 12V, Single FT 1-2", J10Pul	980,60
20572M	BALMAR®	283	XT-SF-170-K6	Alternator, XT Series, 170 A, 12V, Single FT 1-2", K6Pul	980,60
20573P	BALMAR®	283	XT-DF-170-DV	Alternator, XT Series, 170 A, 12V, Dual FT 3.15", DualPul	980,60
20575U	BALMAR®	283	XT-DF-170-J10	Alternator, XT Series, 170 A, 12V, Dual FT 3.15", J10Pul	980,60
20576W	BALMAR®	283	XT-DF-170-K6	Alternator, XT Series, 170 A, 12V, Dual FT 3.15", K6Pul	980,60
24844S	BALMAR®	283	XT-DF-250-J10	Alternator, XT Series, 250 A, 12V, Single FT 1-2", J10Pul	1.203,50
24932N	BALMAR®	283	XT-DF-250-DV	Alternator, XT Series, 250 A, 12V, Dual FT 3.15", DualPul	1.203,50
24933R	BALMAR®	283	XT-DF-250-K6	Alternator, XT Series, 250 A, 12V, Dual FT 3.15", K6Pul	1.203,50
24934T	BALMAR®	283	XT-SF-250-DV	Alternator, XT Series, 250 A, 12V, Single FT 1-2", DualPul	1.203,50
24935V	BALMAR®	283	XT-SF-250-J10	Alternator, XT Series, 250A, 12V, Single FT 1-2", J10Pul	1.203,50
24936X	BALMAR®	283	XT-SF-250-K6	Alternator, XT Series, 250 A, 12V, Single FT 1-2", K6Pul	1.203,50
25328C	BALMAR®	.	XT-CR-170-K6	Alternator, XT Series, 170A, 12V, DF, 3.15in, K6Pul	980,60
25356H	BALMAR®	283	XT-DF4-250-K6	Alternator, XT Series, 250A, 12V, DualFT, 4in, K6Pul	1.203,50
			97EHD-SERIES		
20593W	BALMAR®	284	97EHD-190-24-IG	Alternator, 97EHD Series, 190 A, 24V, SaddleMT 4", DualPul	5.330,50
			97XD-SERIES		
25495Y	BALMAR®	284	97XD-12-240-IG	Alternator, 97XD Series, 240A, 12V, SaddleMT, 4in, K6Pul, IsoGrd	2.159,30
25496A	BALMAR®	284	97XD-24-120-IG	Alternator, 97XD Series, 120A, 24V, SaddleMT, 4in, K6Pul, IsoGrd	1.867,60
25497C	BALMAR®	284	97XD-24-190	Alternator, 97XD Series, 190A, 24V, SaddleMT, 4in, K6Pul, CaseGrd	3.831,00
			96-SERIES		
21948N	BALMAR®	285	96-48-60-K6	Alternator, 96-Series, 60 A, 48V, dual FT 4", K6Pul	3.991,00
21949R	BALMAR®	285	96-48-60-K6-IG	Alternator, 96-Series, 60 A, 48V, dual FT 4", K6Pul	4.378,60
21950Z	BALMAR®	285	96-48-100-K8	Alternator, 96-Series, 100 A, 48V, dual FT 4", K8Pul	3.991,00
21951B	BALMAR®	285	96-48-100-K8-IG	Alternator, 96-Series, 100 A, 48V, dual FT 4", K8Pul	4.378,60
			REGULATOR		
21952D	BALMAR®	285	MC-620-H	Charge controller, 12V	666,60
			REGULATOR		
20480G	BALMAR®	286	MC-624-H	Regulator, MC624 Multi-stage, 24V, w/Harness	576,80
20596C	BALMAR®	286	ARS-5-H	Regulator, ARS Multi-stage, 12V, w/Harness	393,60
21931V	BALMAR®	286	MC-618-H	Regulator, Multi-stage, 12V, w/Harness	490,30
21957P	BALMAR®	286	MC-612-DUAL-H	Dual battery/alternator temp. sensor - 1,4m cable	591,20
			SENSOR		
24845U	BALMAR®	286	APM-12	Alternator rotection Module, 12VDC	120,40
24874B	BALMAR®	286	APM-24	Alternator rotection Module, 24VDC	133,70
25486X	BALMAR®	286	APM-48	Alternator rotection Module, 48VDC	199,30



UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025

Unit Price (Euro) (VAT excl.)

p/n	Brand	pg cat 26	Model	Description	
				Accessory/Spare	
20793E	BALMAR®	287	UBB	Universal Adjustment Arm	107,00
				PULLEY	
20483N	BALMAR®	.	5552	Pulley Ø 70 mm (2.7"), Poly-V 6 nervature (22mm)	131,40
20794G	BALMAR®	.	1316	Pulley Ø 60 mm (2.4"), Poly-V 6 nervature (17mm)	82,70
20795J	BALMAR®	.	1318	Pulley Ø 50 mm (1.9"), Poly-V 6 nervature (17mm)	82,70
22803R	BALMAR®	.	48-YSP-4JH-B	Pulley Kit, Yanmar 4JH4-HTE -TE -DTE	988,30
24002P	BALMAR®	.	48-VSP-D2-A	Pulley Kit, Volvo D2-55A, B, C, D, E, F	988,30
				REGULATOR	
20791A	BALMAR®	287	DDC-12/24	Digital Duo Charge Battery Combiner	346,10
20792C	BALMAR®	287	CFII-12/24	Twin Engine Charging Balancer	331,60
				SENSOR	
20481J	BALMAR®	287	MC-TS-A	Alternator Temperature Sensor, 1,4 m (54") length cable	57,50
20482L	BALMAR®	287	MC-TS-B	Battery Temperature Sensor, 6 m (20 ft) length cable	71,80
21958S	BALMAR®	287	MC-TS-B30	Battery temp. sensor - 9m cable	80,10
				GATEWAY	
25375M	BALMAR®	.	SG2-0300	Gateway, SG200, Bluetooth	89,10
				MONITOR	
21953F	BALMAR®	288	SG205	Kit battery monitor	295,70
21954H	BALMAR®	288	SG210	Kit battery monitor	444,30
21955K	BALMAR®	288	SG2-0403	Opt Smart Link cable - 5 m	88,30
21956M	BALMAR®	.	SG2-0404	Connecting cable Regulator MC-618	52,00
23070C	BALMAR®	288	SG200	SG200 Battery Monitor	370,00
24924P	BALMAR®	288	SG2-0400	Com Cable, SG200, 10m	98,00


UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025

Unit Price (Euro) (VAT excl.)

p/n	Brand	pg cat 26	Model	Description	
HALYARD® Marine air conditioning systems					
SILENCER					
LIFT/ MOULDED					
25405U	HALYARD®	293	H025130	Moulded Silencer Side In/Top Out 41mm, not Lloyds approved	622,00
25406W	HALYARD®	293	H025131	Moulded Silencer Side In/Top Out 51mm, not Lloyds approved	607,00
25407Y	HALYARD®	293	H025855	Moulded Silencer Side In/Top Out 60mm, not Lloyds approved	607,00
25408A	HALYARD®	293	H025133	Moulded Silencer Side In/Top Out 76mm, not Lloyds approved	612,00
25409C	HALYARD®	293	H025134	Moulded Silencer Top In/Top Out 51mm, not Lloyds approved	607,00
25410L	HALYARD®	293	H025860	Moulded Silencer Top In/Top Out 60mm, not Lloyds approved	607,00
25411N	HALYARD®	293	H025135	Moulded Silencer Top In/Top Out 76mm, not Lloyds approved	612,00
25805L	HALYARD®	293	H026566	Moulded Silencer Top In/Top Out 89mm, not Lloyds approved	651,00
25804J	HALYARD®	293	H026567	Moulded Silencer Side In/Top Out 89mm, not Lloyds approved	612,00
WATER SEPARATOR					
MOULDED SERIES					
66902R	HALYARD®	296	MS4025	For exhaust hose 40 mm int. dia. (1.62")	419,00
WATER SEPARATOR					
25990J	HALYARD®	.	HHS040	Separator HHS040 102mm	2.472,00
MOULDED SERIES					
65842U	HALYARD®	297	MS7505	Water Separator 75 mm (3")	1,00
66708V	HALYARD®	297	MS5020	Water Separator 45 mm (1 ¾")	408,00
66709X	HALYARD®	297	MS5030	Water Separator 60 mm (2½")	408,00
66711H	HALYARD®	297	MS5015	For exhaust hose 60 mm int. dia. (2 ½")	397,00
66812P	HALYARD®	297	MS5010	For exhaust hose 50 mm int. dia. (2")	408,00
66882M	HALYARD®	297	MS5025	Water Separator 50 mm (2")	356,00
66884S	HALYARD®	297	MS7510	90° Water Separator 75 mm (3")	484,00
WATER SEPARATOR					
GRP MIDSIZE					
22777T	HALYARD®	298	HFS060	6.0" Midsize general separator	2.016,00
22905Z	HALYARD®	298	HFS020	2.0" Midsize general separator	1.350,00
65568A	HALYARD®	298	HFS040	4.0" Midsize general separator	1.564,00
65843W	HALYARD®	298	HFS025	2.5" Midsize general separator	1.416,00
65844Y	HALYARD®	298	HFS030	3.0" Midsize general separator	1.536,00
65845A	HALYARD®	298	HFS035	3.5" Midsize general separator	1.543,00
69724J	HALYARD®	298	HFS050	5.0" Midsize general separator	1.821,00
25194H	HALYARD®	.	58-4555-01	130mm thicknes Midsize general separator	1.819,00
25195K	HALYARD®	.	58-4555-02	130mm thicknes Midsize general separator	1.982,00
WATER SEPARATOR					
GRP MID-ENGINE					
25412R	HALYARD®	299	HWS030	76mm Water Separator Round	1.531,00
65846C	HALYARD®	299	HWS035	3.5" Water Separator round	1.557,00
65847E	HALYARD®	299	HWS040	4.0" Water Separator round	1.574,00
65848G	HALYARD®	299	HWS050	5.0" Water Separator round	1.826,00
65849J	HALYARD®	299	HWS060	6.0" Water Separator round	1.880,00
SILENCER					
LIFT / GRP SIDE					
65850T	HALYARD®	300	HTT005	1.50" Top IN/Top OUT lift silencer	695,00
65852X	HALYARD®	300	HTT025	1.62" Top IN/Top OUT lift silencer	700,00
65853Z	HALYARD®	300	HTT030	1.62" Top IN/Top OUT lift silencer	725,00
65854B	HALYARD®	300	HTT040	1.77" Top IN/Top OUT lift silencer	698,00
65855D	HALYARD®	300	HTT045	1.77" Top IN/Top OUT lift silencer	727,00
65856F	HALYARD®	300	HTT055	2.00" Top IN/Top OUT lift silencer	697,00
65857H	HALYARD®	300	HTT065	2.00" Top IN/Top OUT lift silencer	803,00
65858K	HALYARD®	300	HTT070	2.00" Top IN/Top OUT lift silencer	955,00
65896U	HALYARD®	300	HTT085	2.38" Top IN/Top OUT lift silencer	808,00
65897W	HALYARD®	300	HTT090	2.50" Top IN/Top OUT lift silencer	817,00
65898Y	HALYARD®	300	HTT110	3.00" Top IN/Top OUT lift silencer	820,00
65899A	HALYARD®	300	HTT115	3.50" Top IN/Top OUT lift silencer	976,00
65900F	HALYARD®	300	HTT120	4.00" Top IN/Top OUT lift silencer	983,00
65901H	HALYARD®	300	HTT125	5.00" Top IN/Top OUT lift silencer	1.312,00
65902K	HALYARD®	300	HTT130	6.00" Top IN/Top OUT lift silencer	1.370,00
SILENCER					
LIFT / GRP SIDE					
65769L	HALYARD®	301	HST110	2.00" side/top lift silencer	733,00
65770V	HALYARD®	301	HST215	4.00" side/top lift silencer	925,00
65793H	HALYARD®	301	HST210	3.50" side/top lift silencer	1.048,00
65903M	HALYARD®	301	HST005	1.50" side/top lift silencer	684,00
65904P	HALYARD®	301	HST010	1.50" side/top lift silencer	712,00
65905S	HALYARD®	301	HST025	1.62" side/top lift silencer	640,00
65906U	HALYARD®	301	HST035	1.62" side/top lift silencer	796,00
65907W	HALYARD®	301	HST055	1.75" side/top lift silencer	737,00
65908Y	HALYARD®	301	HST105	2.00" side/top lift silencer	716,00
65909A	HALYARD®	301	HST115	2.00" side/top lift silencer	1.025,00
65910J	HALYARD®	301	HST145	2.38" side/top lift silencer	1.027,00


UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025

Unit Price (Euro) (VAT excl.)

p/n	Brand	pg cat 26	Model	Description	
65911L	HALYARD®	301	HST150	2.38" side/top lift silencer	806,00
65912N	HALYARD®	301	HST165	2.50" side/top lift silencer	809,00
65913R	HALYARD®	301	HST200	3.00" side/top lift silencer	760,00
65914T	HALYARD®	301	HST205	3.00" side/top lift silencer	869,00
65915V	HALYARD®	301	HST220	5.00" side/top lift silencer	1.315,00
65916X	HALYARD®	301	HST225	5.00" side/top lift silencer	1.109,00
65917Z	HALYARD®	301	HST230	6.00" side/top lift silencer	1.371,00
65918B	HALYARD®	301	HST235	6" in 8" out side/top lift silencer	1.407,00
65919D	HALYARD®	301	HST240	8.00" side/top lift silencer	1.787,00
SILENCER					
LIFT					
65929G	HALYARD®	302	HEE005	1.50" side/side lift silencer	598,00
65930R	HALYARD®	302	HEE010	1.62" side/side lift silencer	603,00
65931T	HALYARD®	302	HEE020	1.77" side/side lift silencer	623,00
65932V	HALYARD®	302	HEE035	2.00" side/side lift silencer	622,00
65933X	HALYARD®	302	HEE040	2.00" side/side lift silencer	758,00
65934Z	HALYARD®	302	HEE045	2.00" side/side lift silencer	612,00
65935B	HALYARD®	302	HEE060	2.38" side/side lift silencer	722,00
65936D	HALYARD®	302	HEE065	2.38" side/side lift silencer	769,00
65937F	HALYARD®	302	HEE070	2.50" side/side lift silencer	787,00
65938H	HALYARD®	302	HEE080	3.00" side/side lift silencer	794,00
65939K	HALYARD®	302	HEE090	3.50" side/side lift silencer	817,00
65940U	HALYARD®	302	HEE095	4.00" side/side lift silencer	1.108,00
65941W	HALYARD®	302	HEE100	4.50" side/side lift silencer	1.153,00
65942Y	HALYARD®	302	HEE105	5.00" side/side lift silencer	1.234,00
LIFT/ GRP ANGLE					
65920M	HALYARD®	302	HAT015	2.38" angled in lift silencer	853,00
65921P	HALYARD®	302	HAT020	3.00" angled in lift silencer	869,00
65922S	HALYARD®	302	HAT025	3.50 " angled in lift silencer	1.078,00
65923U	HALYARD®	302	HAT030	3.50 " angled in lift silencer	876,00
65924W	HALYARD®	302	HAT035	4.00" angled in lift silencer	1.209,00
65925Y	HALYARD®	302	HAT040	4.00" angled in lift silencer	1.082,00
65926A	HALYARD®	302	HAT043	4.50" angled in lift silencer	1.240,00
65927C	HALYARD®	302	HAT045	5.00" angled in lift silencer	1.256,00
65928E	HALYARD®	302	HAT050	6.00" angled in lift silencer	1.473,00
SILENCER					
GRP DUAL CHAMBER					
65964J	HALYARD®	303	HDC025	4.00" Dual Chamber lift silencer	2.061,00
65965L	HALYARD®	303	HDC035	5.00" Dual Chamber lift silencer	2.248,00
65966N	HALYARD®	303	HDC040	5" in 6" out Dual Chamber lift silencer	2.336,00
65967R	HALYARD®	303	HDC045	6.00" Dual Chamber lift silencer	2.352,00
65968T	HALYARD®	303	HDC050	6" in 8" out Dual Chamber lift silencer	2.397,00
65969V	HALYARD®	303	HDC055	8" Dual Chamber lift silencer	3.211,00
65970D	HALYARD®	303	HDC060	8" Dual Chamber lift silencer	3.744,00
65971F	HALYARD®	303	HDC065	10.00" In-line oval silencer	4.116,00
65972H	HALYARD®	303	HDC070	12.00" In-line oval silencer	4.236,00
GRP OVAL BODY					
65956K	HALYARD®	303	HILO005	5.00" In-line oval silencer	2.094,00
65957M	HALYARD®	303	HILO006	5" in 6" out In-line oval silencer	2.145,00
65958P	HALYARD®	303	HILO010	6.00" In-line oval silencer	2.155,00
65959S	HALYARD®	303	HILO012	6" in 8" out In-line oval silencer	2.817,00
65960A	HALYARD®	303	HILO015	8.00" In-line oval silencer	2.869,00
65961C	HALYARD®	303	HILO016	8" in 10" out In-line oval silencer	3.063,00
65962E	HALYARD®	303	HILO020	3.00" In-line oval silencer	4.055,00
GRP ROUND BODY					
65943A	HALYARD®	303	HILR003	2.38" In-line round silencer	894,00
65944C	HALYARD®	303	HILR005	3.00" In-line round silencer	1.020,00
65945E	HALYARD®	303	HILR010	3.50" In-line round silencer	1.076,00
65946G	HALYARD®	303	HILR015	4.00" In-line round silencer	1.392,00
65947J	HALYARD®	303	HILR020	4.50" In-line round silencer	1.457,00
65948L	HALYARD®	303	HILR025	5.00" In-line round silencer	1.495,00
65949N	HALYARD®	303	HILR030	5" in 6" out In-line round silencer	1.888,00
65950X	HALYARD®	303	HILR035	6.00" In-line round silencer	1.866,00
65951Z	HALYARD®	303	HILR040	6" in 8" out In-line round silencer	2.497,00
65952B	HALYARD®	303	HILR045	8.00" In-line round silencer	2.570,00
65954F	HALYARD®	303	HILR050	10" In-line round silencer	3.200,00
65955H	HALYARD®	303	HILR055	12" In-line round silencer	3.844,00
23693S	HALYARD®	.	H023685	HOSE 127mm IDx150mm	131,00
HOSE CLAMP					
STAINLESS STEEL					
21829E	HALYARD®	304	HCSS4751	Hose Clamp 47-51mm W4 S/S	14,00
23291V	HALYARD®	304	HCSS7985	Hose Clamp 79-85mm W4 S/S	22,00
24904H	HALYARD®	304	HCSS211227	Hose Clamp 211-227mm	23,00
24922K	HALYARD®	304	HCSS262278	Hose Clamp 262-278mm	25,00


UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025

Unit Price (Euro) (VAT excl.)

p/n	Brand	pg cat 26	Model	Description	
24937Z	HALYARD®	304	HCSS5559	Hose Clamp 55-59mm W4 S/S	15,00
24938B	HALYARD®	304	HCSS6873	Hose Clamp 68-73mm W4 S/S	21,00
24939D	HALYARD®	304	HCSS126134	Hose Clamp 126-134mm	21,00
24940M	HALYARD®	304	HCSS159167	Hose Clamp 159-167mm	31,00
24941P	HALYARD®	304	HCSS316332	Hose Clamp 316-332mm	32,00
25196M	HALYARD®	.	HCSS165173	Hose Clamp 165 - 173mm	22,00
68207G	HALYARD®	304	HCSS97104	Hose Clamp 97-104mm W4 S/S	23,00
25243U	HALYARD®	.	HCSS367383	Hose Clamp 367-383mm	33,00
EXHAUST FLEXIBLE BELLOW					
21713J	HALYARD®	.	CB2355	Double Silicon Bellow Ø int. 356 mm, 400mm long	1.371,00
25413T	HALYARD®	305	CB1051	Silicon Bellow Ø int. 51 mm	196,00
66618U	HALYARD®	.	CB2152	Double Silicon Bellow Ø int. 152 mm, 350mm long	611,00
67075L	HALYARD®	305	CB1127	Silicon Bellow Ø int. 76 mm	340,00
67076N	HALYARD®	305	CB1152	Silicon Bellow Ø int. 76 mm	378,00
67336N	HALYARD®	305	CB1102	Silicon Bellow Ø int. 102 mm	314,00
67515N	HALYARD®	305	CB1076	Silicon Bellow Ø int. 76 mm	234,00
67516R	HALYARD®	305	CB1090	Silicon Bellow Ø int. 90 mm	226,00
67517T	HALYARD®	305	CB1203	Silicon Bellow Ø int. 203 mm	447,00
67518V	HALYARD®	305	CB1254	Silicon Bellow Ø int. 254 mm	522,00
67520F	HALYARD®	305	CB2305	Double Silicon Bellow Ø int. 305 mm, 350mm long	1.092,00
25777J	HALYARD®	.	CB2127	Double Silicon Bellow Ø int. 127 mm, 360mm long	544,00
EXHAUST HOSE					
GRP					
25517F	HALYARD®	.	HT010	GRP Exhaust Hose int. Ø 38 mm (1,5") - 1,2m	114,00
66103H	HALYARD®	.	HT055	GRP Exhaust Hose int. Ø 76 mm (3") - 3m	336,00
68051B	HALYARD®	.	HT030 (1m)	GRP Exhaust Hose int. Ø 51 mm (2") - 1m	83,00
68052D	HALYARD®	.	HT065 (1m)	GRP Exhaust Hose int. Ø 102 mm (4") - 1m	139,00
25242S	HALYARD®	.	HT100	GRP Exhaust Hose int. Ø 346 mm (13,6") - 3m	1.147,00
SILICONE					
21809Y	HALYARD®	305	SS152	Silicone Exhaust Hose int. Ø 152 mm (6") - per metre	838,00
24889R	HALYARD®	305	SS203	Silicone Exhaust Hose int. Ø 203 mm (8") - per metre	1.157,00
24890Z	HALYARD®	305	SS254	Silicone Exhaust Hose int. Ø 254 mm (10") - per metre	1.293,00
24978P	HALYARD®	305	SS38	Silicone Exhaust Hose int. Ø 38 mm (1,5") - per metre	526,00
24979S	HALYARD®	305	SS41	Silicone Exhaust Hose int. Ø 41 mm (1,6") - per metre	531,00
24980A	HALYARD®	305	SS44	Silicone Exhaust Hose int. Ø 45 mm (1,8") - per metre	537,00
24981C	HALYARD®	305	SS51	Silicone Exhaust Hose int. Ø 51 mm (2") - per metre	549,00
24982E	HALYARD®	305	SS60	Silicone Exhaust Hose int. Ø 60 mm (2,3") - per metre	565,00
24984J	HALYARD®	305	SS76	Silicone Exhaust Hose int. Ø 76 mm (3") - per metre	594,00
24985L	HALYARD®	305	SS89	Silicone Exhaust Hose int. Ø 89 mm (3,5") - per metre	617,00
24986N	HALYARD®	305	SS102	Silicone Exhaust Hose int. Ø 102 mm (4") - per metre	727,00
66665D	HALYARD®	305	SS63	Silicone Exhaust Hose int. Ø 63,5 mm (2,5") - per metre	571,00
69418B	HALYARD®	305	SS127	Silicone Exhaust Hose int. Ø 127 mm (5") - per metre	783,00
STANDARD					
21959U	HALYARD®	305	2HS32	Nitrile exhaust hose - Lloyds approved - int. Ø 32 mm - per metre	57,00
66239K	HALYARD®	305	2HS51	Supreme Exhaust Hose int. Ø 51 mm - per metre	80,00
66240U	HALYARD®	305	2HS127	Supreme Exhaust Hose int. Ø 127 mm - per metre	151,00
66342C	HALYARD®	305	2HS38	Supreme Exhaust Hose int. Ø 38 mm - per metre	61,00
66343E	HALYARD®	305	2HS41	Supreme Exhaust Hose int. Ø 40 mm - per metre	64,00
66344G	HALYARD®	305	2HS44	Supreme Exhaust Hose int. Ø 44 mm - per metre	73,00
66345J	HALYARD®	305	2HS60	Supreme Exhaust Hose int. Ø 60 mm - per metre	92,00
66346L	HALYARD®	305	2HS63	Supreme Exhaust Hose int. Ø 63,5 mm - per metre	93,00
66347N	HALYARD®	305	2HS76	Supreme Exhaust Hose int. Ø 76 mm - per metre	108,00
66348R	HALYARD®	305	2HS89	Supreme Exhaust Hose int. Ø 89 mm - per metre	118,00
66349T	HALYARD®	305	2HS102	Supreme Exhaust Hose int. Ø 102 mm - per metre	132,00
66351D	HALYARD®	305	2HS152	Supreme Exhaust Hose int. Ø 152 mm - per metre	187,00
ULTRA FLEXIBLE					
21962G	HALYARD®	.	HFX203	Nitrile exhaust hose - Lloyds approved - int. Ø 203 mm - per metre	456,00
66352F	HALYARD®	.	HFX177	Supreme Exhaust Hose int. Ø 177 mm - per metre	426,00
25186J	HALYARD®	.	HFX254	Supreme Exhaust Hose int. Ø 254 mm - 600mm length	527,00
26167K	HALYARD®	.	HFX254	Supreme Exhaust Hose int. Ø 254 mm - per metre	527,00
66354K	HALYARD®	.	HFX254	Supreme Exhaust Hose int. Ø 254 mm - per metre	527,00
66355M	HALYARD®	.	HFX305	Supreme Exhaust Hose int. Ø 304 mm - per metre	669,00
26168M	HALYARD®	.	HFX305 3m	Supreme Exhaust Hose int. Ø 305 mm - 3m	2.005,00
Accessory/Spare					
22084J	HALYARD®	.	HJ060	89mm OD x 250mm Connector GRP	60,00
ADAPTOR					
GRP					
25275H	HALYARD®	.	HA095	127mm to 152mm GRP Adaptor	346,00
25737W	HALYARD®	.	HA055	76mm to 89mm Adaptor GRP	224,00
BEND					
FLEXIBLE 45° EPDM					
66367V	HALYARD®	.	CBR450065	45° EPDM Bend Ø int. 127 mm	434,00
66362J	HALYARD®	.	CBR450040	45° EPDM Bend Ø int. 51 mm	287,00
66364N	HALYARD®	.	CBR450050	45° EPDM Bend Ø int. 76 mm	328,00


UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025

Unit Price (Euro) (VAT excl.)

p/n	Brand	pg cat 26	Model	Description	
66365R	HALYARD®	.	CBR450055	45° EPDM Bend Ø int. 89 mm	332,00
66366T	HALYARD®	.	CBR450060	45° EPDM Bend Ø int. 102 mm	372,00
66368X	HALYARD®	.	CBR450070	45° EPDM Bend Ø int. 152 mm	506,00
66369Z	HALYARD®	.	CBR450075	45° EPDM Bend Ø int. 203 mm	656,00
66370H	HALYARD®	.	CBR450080	45° EPDM Bend Ø int. 254 mm	829,00
FLEXIBLE 90° EPDM					
65795M	HALYARD®	.	CBR900060	90° EPDM Bend Ø int. 102 mm	376,00
66117V	HALYARD®	.	CBR900065	90° EPDM Bend Ø int. 127 mm	439,00
66356P	HALYARD®	.	CBR900040	90° EPDM Bend Ø int. 51 mm	288,00
66357S	HALYARD®	.	CBR900045	90° EPDM Bend Ø int. 63 mm	292,00
66358U	HALYARD®	.	CBR900050	90° EPDM Bend Ø int. 76 mm	330,00
65794K	HALYARD®	.	CBR900055	90° EPDM Bend Ø int. 89 mm	335,00
66359W	HALYARD®	.	CBR900070	90° EPDM Bend Ø int. 152 mm	512,00
66360E	HALYARD®	.	CBR900075	90° EPDM Bend Ø int. 203 mm	667,00
66361G	HALYARD®	.	CBR900080	90° EPDM Bend Ø int. 254 mm	845,00
FLEXIBLE 90° SILICONE					
25292H	HALYARD®	.	CB90075	90° Silicone Bend Ø int. 203 mm	1.460,00
GRP 180°					
21172A	HALYARD®	306	H45050	45° GRP Bend Ø int. 76 mm	157,00
21173C	HALYARD®	306	H180050	180° GRP Bend Ø int. 76 mm	324,00
21352C	HALYARD®	306	H45080	45° GRP Bend Ø int. 203 mm	429,00
21696M	HALYARD®	306	H45060	45° GRP Bend Ø int. 102 mm	177,00
21697P	HALYARD®	306	H45070	45° GRP Bend Ø int. 127 mm	241,00
21698S	HALYARD®	306	H90060	90° GRP Bend Ø int. 102 mm	257,00
21699U	HALYARD®	306	H180060	180° GRP Bend Ø int. 102 mm	372,00
21700Z	HALYARD®	306	H180075	180° GRP Bend Ø int. 152 mm	547,00
22085L	HALYARD®	.	H180060	45° GRP Bend Ø int. 89 mm	372,00
65711C	HALYARD®	306	H45075	45° GRP Bend Ø int. 152 mm	269,00
66123P	HALYARD®	306	H90075	90° GRP Bend Ø int. 152 mm	374,00
66624N	HALYARD®	306	H90070	90° GRP Bend Ø int. 127 mm	333,00
67210P	HALYARD®	306	H90050	90° GRP Bend Ø int. 76 mm	227,00
68450S	HALYARD®	306	H90055	90° GRP Bend Ø int. 89 mm	245,00
NOISE INSULATION MATERIAL					
25414V	HALYARD®	310	S3019	Halcoustic 25mm (1") 2.4 sq metre Packs	240,00
25415X	HALYARD®	310	S5019	Halcoustic 25mm (1") 2.4 sq metre Packs - self adhesive	216,00
66383T	HALYARD®	310	S3002	12 mm (1/2") Maritex faced material - total 2,4sqm	299,00
66384V	HALYARD®	310	S3004	12 mm (1/2") Sealglass faced material - total 2,4sqm	275,00
66385X	HALYARD®	310	S3003	12 mm (1/2") Re-inforced silver polyester - total 2,4sqm	261,00
66386Z	HALYARD®	310	S5002	12 mm (1/2") Maritex faced material - total 2,4sqm - self adhesive	349,00
66387B	HALYARD®	310	S5004	12 mm (1/2") Sealglass faced material - total 2,4sqm - self adhesive	328,00
66388D	HALYARD®	310	S5003	12 mm (1/2") Re-inforced silver polyester - total 2,4sqm, self adhesive	315,00
NOISE INSULATION MATERIAL					
21964L	HALYARD®	311	S4026A	50m x 50mm (164"x2") Maritex tape	121,00
66007M	HALYARD®	311	S3017	32 mm (1 1/2") Maritex faced material - total 2,4sqm	402,00
66389F	HALYARD®	311	S3015	32 mm (1 1/2") Sealglass faced material - total 2,4sqm	377,00
66390P	HALYARD®	311	S3016	32 mm (1 1/2") Re-inforced silver polyester - total 2,4sqm	345,00
66391S	HALYARD®	311	S5017	32 mm (1 1/2") Maritex faced material - total 2,4sqm - self adhesive	452,00
66392U	HALYARD®	311	S5015	32 mm (1 1/2") Sealglass faced material - total 2,4sqm - self adhesive	426,00
66393W	HALYARD®	311	S5016	32 mm (1 1/2") Re-inforced silver polyester - total 2,4sqm, self adhesive	398,00
66394Y	HALYARD®	311	S3039	45 mm (1 3/4") Maritex faced material - total 1,2sqm	315,00
66395A	HALYARD®	311	S3037	45 mm (1 3/4") Sealglass faced material - total 1,2sqm	291,00
66396C	HALYARD®	311	S3038	45 mm (1 3/4") Re-inforced silver polyester - total 1,2sqm	253,00
66397E	HALYARD®	311	S5039	45 mm (1 3/4") Maritex faced material - total 1,2sqm - self adhesive	333,00
66398G	HALYARD®	311	S5037	45 mm (1 3/4") Sealglass faced material - total 1,2sqm - self adhesive	321,00
66399J	HALYARD®	311	S5038	45 mm (1 3/4") Re-inforced silver polyester - total 1,2sqm, self adhesive	287,00
66400P	HALYARD®	311	S4025A	20m x 50mm (65"x2") Sealglass tape	123,00
66402U	HALYARD®	311	S4036	50m x 50mm (164"x2") Re-inforced silver polyester tape	22,00
TEMPERATURE EXHAUST ALERT SYSTEM					
21853B	HALYARD®	.	H000445	Twin Engine Helm Display	121,00
23964X	HALYARD®	312	AS125	Single engine, single station with removable sensor and 16m cable	897,00
23966B	HALYARD®	312	AS145	Single engine, dual station with removable sensors and 16m cable	1.332,00
23968F	HALYARD®	312	AS225	Twin engine, single station with removable sensor and 16m cable	1.297,00
23970S	HALYARD®	312	AS245	Twin engine, dual station with removable sensors and 16m cable	1.732,00


UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025
Unit Price (Euro) (VAT excl.)

p/n	Brand	pg cat 26	Model	Description	
VELAIR® Marine air conditioning systems					
VSD COMPACT SERIES					
D/C					
26254E	VELAIR®	314	Compact i0912 VSD SMART	Range: 2500-9000 BTU/h - Thermostat with WiFi included - 12V	5.496,00
26255G	VELAIR®	314	Compact i0924 VSD SMART	Range: 2500-9000 BTU/h - Thermostat with WiFi included - 24V	5.496,00
26256J	VELAIR®	314	Compact i1524 VSD SMART	Range: 3500-15000 BTU/h - Thermostat with WiFi included - 24V	5.898,00
COMPACT SERIES					
20379UW	VELAIR®	316	Compact 7 WIFI	Capacity: 7000 BTU/h - Surface Control Panel included	2.358,00
Accessory/Spare					
22885WV	VELAIR®	.	.	WiFi control panel Kit	159,00
25420P	VELAIR®	.	.	Digital Thermostat for self-contained units room temperature	206,60
25434B	VELAIR®	.	.	Retrofit kit to connect 25420P panel on i16 115V	312,90
25435D	VELAIR®	.	.	Retrofit kit to connect 25420P panel on i21 230V	312,90
25433Z	VELAIR®	.	.	Retrofit kit to connect 25420P panel on i16 230V	312,90
25432X	VELAIR®	.	.	Retrofit kit to connect 25420P panel on COMPACT 18	312,90
25431V	VELAIR®	.	.	Retrofit kit to connect 25420P panel on i10 115V	312,90
25430T	VELAIR®	.	.	Retrofit kit to connect 25420P panel on i10 230V	312,90
25429J	VELAIR®	.	.	Panel Retrofit kit for COMPACT 7 & 13	328,50
VSD COMPACT SERIES					
A/C					
24765WW	VELAIR®	318	Compact i21 VSD new	Range: 7000-21000 BTU/h - Thermostat with WiFi included, 230V	4.721,00
24831GU	VELAIR®	318	Compact i10 VSD SMART	Range: 4000-10000 BTU/h - Thermostat with WiFi included - 115V	3.662,00
24831GW	VELAIR®	318	Compact i10 VSD SMART	Range: 4000-10000 BTU/h - Thermostat with WiFi included - 230V	3.662,00
24832JU	VELAIR®	318	Compact i16 VSD SMART	Range: 6500-16000 BTU/h - Thermostat with WiFi included - 115V	3.969,00
24832JW	VELAIR®	318	Compact i16 VSD SMART	Range: 6500-16000 BTU/h - Thermostat with WiFi included - 230V	3.969,00
69750KU	VELAIR®	.	Compact i16 VSD	Range: 6000-16000 BTU/h - Thermostat with WiFi included - 115V	3.369,00
69752PU	VELAIR®	.	Compact i10 VSD	Range: 4000-10000 BTU/h - Thermostat with WiFi included - 115V	3.103,00
69752PW	VELAIR®	.	Compact i10 VSD	Range: 4000-10000 BTU/h - Thermostat with WiFi included, 230V	3.036,00
22571WU	VELAIR®	.	Compact i21 VSD	Range: 7000-21000 BTU/h - Thermostat with WiFi included- 115V	4.721,00
Accessory/Spare					
25829B	VELAIR®	319	SMART M7	Touch control panel, Optional for VSD Smart i10/i16, and VSD i21 self-contained air conditioners	312,90
26102E	VELAIR®	319	.	Bracket Kit to remote electric panel- i10 and i16 SMART models	166,90
DIVIDER					
62227F	VELAIR®	.	HT655	Divider T, 150 mm (6") Inlet - 125/125 (5",5") Outlets (IN hose / OUT hose)	178,80
62420Z	VELAIR®	.	AT544	T Adapter mm 125IN - 100/100 OUT (IN unit/ OUT hose)	178,80
62421B	VELAIR®	.	AT554	T Adapter mm 125IN - 125/100 OUT (IN unit/ OUT hose)	178,80
62423F	VELAIR®	.	AT654	T Adapter mm 150IN - 125/100 OUT (IN unit/ OUT hose)	178,80
62426M	VELAIR®	.	AY554	Y Adapter mm 125IN - 125/100 OUT (IN unit/ OUT hose)	178,80
62427P	VELAIR®	.	AY555	Y Adapter mm 125IN - 125/125 OUT (IN unit/ OUT hose)	178,80
62428S	VELAIR®	.	AY654	Y Adapter mm 150IN - 125/100 OUT (IN unit/ OUT hose)	178,80
62875U	VELAIR®	.	AY644	Y Adapter mm 150IN - 100/100 OUT (IN unit/ OUT hose)	178,80
63107A	VELAIR®	.	HT644	Divider T, 150 mm (6") Inlet - 100/100 (4",4") Outlets	178,80
63546D	VELAIR®	.	AY655	Y Adapter mm 150IN - 125/125 OUT (IN unit/ OUT hose)	178,80
63904D	VELAIR®	.	HT554	Divider T, 125 mm (5") Inlet - 125/100 (5",4") Outlets	178,80
63905F	VELAIR®	.	HT555	Divider T, 125 mm (5") Inlet - 125/125 (5",5") Outlets	178,80
63906H	VELAIR®	.	HT654	Divider T, 150 mm (6") Inlet - 125/100 (5",4") Outlets (IN hose / OUT hose)	178,80
63907K	VELAIR®	.	HT665	Divider T, 150 mm (6") Inlet - 150/125 (6",5") Outlets (IN hose / OUT hose)	178,80
63908M	VELAIR®	.	HT666	Divider T, 150 mm (6") Inlet - 150/150 (6",6") Outlets (IN hose / OUT hose)	178,80
VSD CHILLER					
69338D	VELAIR®	320	Chiller i42 VSD	Capacity range: 18.000 - 42.000 BTU/h	8.669,00
69339F	VELAIR®	320	Chiller i62 VSD	Capacity range: 30.000 - 62.000 BTU/h	10.561,00
Accessory/Spare					
24600L	VELAIR®	321	VFC-DSP	Digital Thermostat for Fancoil room temperature	254,70
DIVIDER					
62221T	VELAIR®	.	HY554	Divider Y, 125 mm (5") Inlet - 125/100 (5",4") Outlets (IN hose / OUT hose)	178,80
62223X	VELAIR®	.	HY654	Divider Y, 150 mm (6") Inlet - 125/100 (5",4") Outlets (IN hose / OUT hose)	178,80
FANCOIL SERIES					
23398P	VELAIR®	321	V5	Cooling Capacity: 5000 BTU/h	1.002,00
23399S	VELAIR®	321	V12	Cooling Capacity: 12000 BTU/h	1.123,00
23729L	VELAIR®	321	V20	Cooling Capacity: 20000 BTU/h	1.883,00
CENTRIFUGAL PUMP					
SEAWATER					
25021Z	VELAIR®	.	PMD-371 3/4	Seawater centrifugal Pump 25 l/min (5.5 GPM), M 3/4" conn.	307,60
63570A	VELAIR®	322	PMD-371	Seawater centrifugal Pump 25 l/min (5.5 GPM), 17mm conn.	286,30
69696G	VELAIR®	322	PMD-421	Seawater centrifugal Pump 35 l/min (9.2 GPM) - 3/4" thread	411,10
69886M	VELAIR®	322	PMD-221	Seawater centrifugal Pump 15 l/min (4.0 GPM) - 3/4" thread	264,90
SELF PRIMING PUMP					
SEAWATER					
20345A	VELAIR®	322	PMD-1521GPG2	Self Priming Seawater Pump 60 l/min @ 2m, 35 l/min @ 8m	609,00
20349J	VELAIR®	322	PMD-641	Self Priming Seawater Pump 55 l/min @ 2m, 20 l/min @ 8m	499,40
63799K	VELAIR®	322	5513-1E12 230	Self Priming Seawater Pump 17 l/min (4.5 GPM), 230V (50/60 Hz)	371,50
26300J	VELAIR®	.	5518-1EM2-V636	Self Priming Seawater Pump 15 l/min (4.0 GPM), 12V	408,00
26301L	VELAIR®	.	5518-1EM2-V736	Self Priming Seawater Pump 20 l/min (6.7 GPM), 24V	408,00


UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025

Unit Price (Euro) (VAT excl.)

p/n	Brand	pg cat 26	Model	Description	
CENTRIFUGAL PUMP					
SEAWATER					
22746F	VELAIR®	323	PM500	Seawater centrifugal Pump 32 l/min (8.5 GPM) - 115V/60Hz	658,50
23042X	VELAIR®	323	PM1000	Seawater centrifugal Pump 65 l/min (17.0 GPM) - 115V/60Hz	708,50
SELF PRIMING PUMP					
SEAWATER					
26150S	VELAIR®	323	5513-1E12 115	Self Priming Seawater Pump 20.8 l/min (5.5 GPM), 115V/60Hz	411,10
Accessory/Spare					
20346C	VELAIR®	324	.	Manifold 3/4"Mx3/4"F with 3 outlets sphere valve	17,70
23988M	VELAIR®	324	Kit Temp Sensor	Retrofit temperature kit with sensor and 10 m cable	87,50
24646M	VELAIR®	324	.	Sea water intake 3/4"	16,70
24647P	VELAIR®	324	.	Scupper 1"	37,60
24684W	VELAIR®	324	BH KIT-3/4	3/4" Bulkhead Kit	215,70
69431T	VELAIR®	324	.	Sea water intake 1/2"	25,00
69469V	VELAIR®	324	.	Sea water intake 1"	37,90
69475P	VELAIR®	324	BH KIT-1/2	1/2" Bulkhead Kit	158,30
69488Z	VELAIR®	324	BH KIT-1	1" Bulkhead Kit	259,60
69646R	VELAIR®	324	.	Scupper 3/4"	26,40
HOSE					
69532Z	VELAIR®	324	Hose 16	16 mm int. Ø Transparent Reinforced Hose - per meter	4,10
69645N	VELAIR®	324	Hose 20	20 mm int. Ø Transparent Reinforced Hose - per meter	5,60
26200E	VELAIR®	324	Hose 25	25 mm int. Ø Transparent Reinforced Hose - per meter	8,20
26223T	VELAIR®	.	.	25 mm int. Ø Transparent Reinforced Hose - 60m roll	427,90
RELAY BOX					
23391ZV	VELAIR®	324	.	Relay box 1 pump /2 units 230 V	228,50
23392BV	VELAIR®	324	.	Relay box 1 pump /3-6 units 230 V	355,80
23415LV	VELAIR®	324	.	Relay box 1 pump /2 units 115V	257,00
23416NV	VELAIR®	324	.	Relay box 1 pump /3-6 units 115 V	442,80
Accessory/Spare					
20348G	VELAIR®	325	.	Cap for manifold 3/4"- male	3,50
20450X	VELAIR®	325	.	Pressure Gauge	22,70
20473K	VELAIR®	325	.	Hose adaptor 1" 25mm	6,30
21304R	VELAIR®	325	.	Cap for manifold 3/4"- female	4,20
21354G	VELAIR®	325	.	Valve 1/2"	16,70
21355J	VELAIR®	325	.	Hose adaptor 1/2" 20mm	3,80
24648S	VELAIR®	325	.	Valve 3/4"	22,00
24649U	VELAIR®	325	.	Filter 3/4"	129,20
24650C	VELAIR®	325	.	Tee 1"	13,20
24651E	VELAIR®	325	.	Tee 3/4"	8,70
24653J	VELAIR®	325	.	Hose adaptor 3/4" 25mm	5,50
24654L	VELAIR®	325	.	Hose adaptor 3/4" 20mm	4,90
24655N	VELAIR®	325	.	Hose adaptor 3/4" 16mm	4,60
24658V	VELAIR®	325	.	Hose adaptor 3/4" 16mm	5,20
24659X	VELAIR®	325	.	Hose adaptor 1/2" 20mm	4,00
24660F	VELAIR®	325	.	Hose adaptor 1/2" 16mm	4,00
24661H	VELAIR®	325	.	Dual niple 3/4"	4,20
24662K	VELAIR®	325	.	Dual niple 1/2"	3,00
24663M	VELAIR®	325	.	Reduced dual niple 1 1/4" to 1"	7,80
24664P	VELAIR®	325	.	Reduced dual niple 1" to 3/4"	4,70
24665S	VELAIR®	325	.	Reduced dual niple 1" to 1/2"	5,60
24667W	VELAIR®	325	.	Expansion chamber 5 liters	72,30
24668Y	VELAIR®	325	.	Manifold 1" 2 ways	23,90
24669A	VELAIR®	325	.	Manifold 1" 3 ways	65,30
24670J	VELAIR®	325	.	Cap 1"	5,60
24671L	VELAIR®	325	.	Cap 1"	5,70
24674T	VELAIR®	325	.	Deaerator	371,30
62202N	VELAIR®	.	HA4P	Adapter 100mm	29,80
62203R	VELAIR®	.	HA5	Adapter 125mm	16,50
69430R	VELAIR®	325	.	Hose adaptor 1/2" 16mm	3,90
69433X	VELAIR®	325	.	Filter 1/2"	129,20
69468T	VELAIR®	325	.	Hose adaptor 1" 20mm	7,40
69470D	VELAIR®	325	.	Filter 1"	143,50
69471F	VELAIR®	325	.	Valve 1"	31,00
69472H	VELAIR®	325	.	Dual niple 1"	5,90
69474M	VELAIR®	325	.	Hose adaptor 3/4" 20mm	5,50
69638S	VELAIR®	325	.	Hose adaptor 1" 25mm	6,90
69733K	VELAIR®	325	.	Reduced dual niple 1" to 1/2"	3,70
EXPANSION TANK					
24007A	VELAIR®	325	.	Expansion chamber 8 liters	212,80
HOSE					
24681PM	VELAIR®	325	.	insulated hose fresh water-glycole DN16 - per meter	30,70
24682SM	VELAIR®	325	.	insulated hose fresh water-glycole DN25 - per meter	36,40
24693XM	VELAIR®	325	.	insulated hose fresh water-glycole Dni 20 - per meter	32,70
24693X	VELAIR®	.	.	insulated hose fresh water-glycole Dni 20 - 20m	570,40


UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025
Unit Price (Euro) (VAT excl.)

<i>p/n</i>	<i>Brand</i>	<i>pg cat 26</i>	<i>Model</i>	<i>Description</i>	
24682S	VELAIR®	.	.	insulated hose fresh water-glycole Dni 25 - 20m	634,90
24681P	VELAIR®	.	.	insulated hose fresh water-glycole DN16 - 50m	1.334,10
				Accessory/Spare	
25566V	VELAIR®	326	.	Air restrictor 125/100	24,40
25567X	VELAIR®	326	.	Female air connection 125 (unit fan outlet)	36,50
25573S	VELAIR®	326	.	Air restrictor 100/80	19,90
25574U	VELAIR®	326	.	Air restrictor 125/80	24,40
25575W	VELAIR®	326	.	Air restrictor 150/125	24,40
25576Y	VELAIR®	326	.	Air restrictor 150/100	24,40
25577A	VELAIR®	326	.	Air restrictor 150/80	24,40
25580N	VELAIR®	326	.	Female air connection 100 (unit fan outlet)	33,10
25581R	VELAIR®	326	.	Female air connection 150 (unit fan outlet)	45,90
				DIVIDER	
25564R	VELAIR®	326	.	Y Divider mm 125IN - 125/125 OUT	111,30
25565T	VELAIR®	326	.	T Divider mm 125IN - 125/125 OUT	166,90
25569B	VELAIR®	326	.	Y Divider mm 100IN - 100/100 OUT	95,60
25570K	VELAIR®	326	.	Y Divider mm 150IN - 150/150 OUT	121,70
25571M	VELAIR®	326	.	T Divider mm 100IN - 100/100 OUT	149,50
25572P	VELAIR®	326	.	T Divider mm 150IN - 150/150 OUT	194,70
				Accessory/Spare	
61651P	VELAIR®	327	HR3	Hose Ring, round 80 mm (3")	43,80
62204T	VELAIR®	327	.	Hose Ring, round 100 mm (4")	27,90
62205V	VELAIR®	327	HR5	Hose Ring, round 125 mm (5")	29,80
62206X	VELAIR®	327	HRO4	Hose Ring, oval 100 mm (4")	27,20
62207Z	VELAIR®	327	HRO5	Hose Ring, oval 125 mm (5")	29,80
62208B	VELAIR®	327	HRO6	Hose Ring, oval 150 mm (6")	32,40
63912C	VELAIR®	327	HR6	Hose Ring, round 150 mm (6")	32,40
				PLENUM	
61331J	VELAIR®	327	TB-12X04	Transition Box 300x100 mm (12x4")	86,70
62216A	VELAIR®	327	TB-06x04	Transition Box 150x100 mm (6x4")	69,90
62217C	VELAIR®	327	TB-08x04	Transition Box 200x100 mm (8x4")	69,90
62218E	VELAIR®	327	TB-10x04	Transition Box 250x100 mm (10x4")	69,90
62531J	VELAIR®	327	TB-08x06	Transition Box 200x150 mm (8x6")	69,90
62555Z	VELAIR®	327	TB-08x08	Transition Box 200x200 mm (8x8")	63,50
62576H	VELAIR®	327	TB-10x06	Transition Box 250x150 mm (10x6")	86,70
63918R	VELAIR®	327	TB-16X04	Transition Box 400x100 mm (16x4")	86,70
64252R	VELAIR®	327	TB-04x04-04OB	Transition Box 100x100 mm (4x4"), 100 (4") ring back	63,40
64253T	VELAIR®	327	TB-06x04-04OB	Transition Box 150x100 mm (6x4"), 100 (4") ring back	69,90
64254V	VELAIR®	327	TB-08x04-04OB	Transition Box 200x100 mm (8x4"), 100 (4") ring back	69,90
64255X	VELAIR®	327	TB-08x04-05OB	Transition Box 200x100 mm (8x4"), 125 (5") ring back	69,90
64256Z	VELAIR®	327	TB-10x04-05OB	Transition Box 250x100 mm (10x4"), 125 (5") ring back	91,90
69534D	VELAIR®	327	TB-04x04	Transition Box 100x100 mm (4"x4")	24,80
				Accessory/Spare	
20471F	VELAIR®	328	KN-636	Reinforced aluminum tape - h 50mm	19,80
20648V	VELAIR®	328	.	Round Damper Vent Adaptor 5" to 4"	18,70
69616F	VELAIR®	328	RR3-4R	Round Damper Vent Adaptor 3" to 4"	20,70
				GRILL	
21213M	VELAIR®	328	.	75 mm (3") Lockable Round Damper Vent , Off, black	68,90
25467T	VELAIR®	328	.	100 mm (4") Round Damper Vent , Off, black	17,30
25468V	VELAIR®	328	.	100 mm (4") Round Damper Vent , Off, white	17,30
62209D	VELAIR®	.	RND DAMP4" B	100 mm (4") Round Damper Vent , Off, black	45,20
62210M	VELAIR®	.	RND DAMP4" W	100 mm (4") Round Damper Vent , Off, white	45,20
69428E	VELAIR®	328	9751-060-01 W	100 mm (4") Round Grille , white	7,70
69615D	VELAIR®	328	3GL-W3	76 mm (3") Round Damper Vent , Off, white - Global Style	77,80
25119T	VELAIR®	.	.	75 mm (3") adjustable Round Damper Vent, black	29,20
				HOSE	
600116SS	VELAIR®	328	T I.26-82	80 mm (3") int.Ø, insulated, flexible duct - 10m	122,90
67112PP	VELAIR®	328	T I.26-102	100 mm (4") int.Ø, insulated, flexible duct - 10m	108,50
67113SS	VELAIR®	328	T I.26-152	150 mm (6") int.Ø, insulated, flexible duct - 10m	141,10
69139XX	VELAIR®	328	T I.26-127	125 mm (5") int.Ø, insulated, flexible duct - 10m	126,10
67112P	VELAIR®	.	T I.26-102	100 mm (4") int.Ø, insulated, flexible duct - per meter	10,90
600116S	VELAIR®	.	T I.26-82	80 mm (3") int.Ø, insulated, flexible duct - per meter	12,30
69139X	VELAIR®	.	T I.26-127	125 mm (5") int.Ø, insulated, flexible duct - per meter	12,70
67113S	VELAIR®	.	T I.26-152	150 mm (6") int.Ø, insulated, flexible duct - per meter	14,20
26196T	VELAIR®	328	.	80 mm (3") int.Ø, ARTIC/ESP insulated, flexible duct - 10m	260,10
26197V	VELAIR®	328	.	100 mm (4") int.Ø, ARTIC/ESP insulated, flexible duct - 10m	270,70
26198X	VELAIR®	328	.	125 mm (5") int.Ø, ARTIC/ESP insulated, flexible duct - 10m	282,60
26199Z	VELAIR®	328	.	150 mm (6") int.Ø, ARTIC/ESP insulated, flexible duct - 10m	308,80
				PLENUM	
61336O	VELAIR®	328	TB-12x04-05OS	Transition Box 300x100 mm (12x4"), 100 (4") ring side	98,30
64257B	VELAIR®	328	TB-08x04-04OS	Transition Box 200x100 mm (8x4"), 100 (4") ring side	98,30
64258D	VELAIR®	328	TB-08x04-05OS	Transition Box 200x100 mm (8x4"), 125 (5") ring side	98,30
64259F	VELAIR®	328	TB-10x04-04OS	Transition Box 250x100 mm (10x4"), 100 (4") ring side	98,30
64260P	VELAIR®	328	TB-10x04-05OS	Transition Box 250x100 mm (10x4"), 100 (4") ring side	98,30


UFLEX

UFLEX® - A WORLD OF MARINE EQUIPMENT

PRICE LIST - OCTOBER, 2025
Unit Price (Euro) (VAT excl.)

<i>p/n</i>	<i>Brand</i>	<i>pg cat 26</i>	<i>Model</i>	<i>Description</i>	
64261S	VELAIR®	328	TB-04x04-04RE	Transition Box 100x100 mm (4x4"), 100 (4") ring end	98,30
64262U	VELAIR®	328	TB-06x04-04RE	Transition Box 150x100 mm (6x4"), 100 (4") ring end	98,30
64263W	VELAIR®	328	TB-08x04-04RE	Transition Box 200x100 mm (8x4"), 100 (4") ring end	98,30
64264Y	VELAIR®	328	TB-10x04-04RE	Transition Box 250x100 mm (10x4"), 100 (4") ring end	104,80
64265A	VELAIR®	328	TB-10x06-05RE	Transition Box 250x150 mm (10x6"), 125 (5") ring end	129,40
GRILL					
20651H	VELAIR®	329	AA 4705	Aluminum 4 way Supply Grille, 475x55 mm (18x2")	92,80
20652K	VELAIR®	329	AA 2905	Aluminum 4 way Supply Grille, 297x53 mm (12x2")	70,30
20864B	VELAIR®	329	AB2515	White Aluminum Return Air Grille 250x150 mm (10x6")	177,80
20865D	VELAIR®	329	AB4025	White Aluminum Return Air Grille 400x250 mm (16x10")	235,00
21319E	VELAIR®	329	NOVAA 2-2 3010	Aluminum 4 way Supply Grille, 300x100 mm (12x4")	41,80
22187V	VELAIR®	329	VHT30x10	Teak 4 way Supply Grille, 300x100 mm (12x4")	177,80
61380Z	VELAIR®	329	NOVA-R 3030	Aluminum Return Air Grille 300x300 mm (12x12")	75,10
61381A	VELAIR®	329	NOVA-R 4040	Aluminum Return Air Grille 400x400 mm (16x16")	104,30
61652S	VELAIR®	329	VHT25x10	Teak 4 way Supply Grille, 250x100 mm (10x4")	141,60
61653U	VELAIR®	329	VHT25x15	Teak 4 way Supply Grille, 250x150 mm (10x6")	146,00
62532L	VELAIR®	329	NOVAA 2-2 2015	Aluminum 4 way Supply Grille, 200x150 mm (8x6")	40,40
63074M	VELAIR®	329	NOVAA 2-2 2020	Aluminum 4 way Supply Grille, 200x200 mm (8x8")	42,70
64195F	VELAIR®	329	VHT10x10	Teak 4 way Supply Grille, 100x100 mm (4x4")	111,50
64361W	VELAIR®	329	VHT25x25	Teak 4 way Supply Grille, 250x250 mm (10x10")	189,90
64534B	VELAIR®	329	VHT15x10	Teak 4 way Supply Grille, 150x100 mm (6x4")	138,10
64535D	VELAIR®	329	VHT20x10	Teak 4 way Supply Grille, 200x100 mm (8x4")	132,60
64536F	VELAIR®	329	VHT20x15	Teak 4 way Supply Grille, 200x150 mm (8x6")	122,20
66706R	VELAIR®	329	NOVA-R 6015	Aluminum Return Air Grille 600x150 mm (24x6")	94,80
69021X	VELAIR®	329	NOVAA 2-2 2510	Aluminum 4 way Supply Grille, 250x100 mm (10x4")	41,80
69022Z	VELAIR®	329	NOVAA 2-2 1510	Aluminum 4 way Supply Grille, 150x100 mm (6x4")	34,80
69023B	VELAIR®	329	NOVAA 2-2 2010	Aluminum 4 way Supply Grille, 200x100 mm (8x4")	34,80
69421P	VELAIR®	329	NOVAA 2-2 2515	Aluminum 4 way Supply Grille, 250x150 mm (10x6")	50,10
69422S	VELAIR®	329	NOVA-R 3020	Aluminum Return Air Grille 300x200 mm (12x8")	59,80
69423U	VELAIR®	329	NOVA-R 4025	Aluminum Return Air Grille 400x250 mm (16x10")	83,50
69466N	VELAIR®	329	NOVAA 2-2 1010	Aluminum 4 way Supply Grille, 100x100 mm (4x4")	34,80
69490K	VELAIR®	329	NOVA-R 2515	Aluminum Return Air Grille 250x150 mm (10x6")	51,50
69494U	VELAIR®	329	TA2515	Teak Return Air Grille 250x150 mm (10x6")	171,80
69497A	VELAIR®	329	TA3020	Teak Return Air Grille 300x200 mm (12x8")	207,90
69498C	VELAIR®	329	TA4025	Teak Return Air Grille 400x250 mm (16x10")	247,10
69605A	VELAIR®	329	AB3020	White Aluminum Return Air Grille 300x200 mm (12x8")	220,00
GRILL					
20881B	VELAIR®	330	BS2010	Black Aluminum Supply Air Grille 200x100 (8x4")	96,50
22791L	VELAIR®	330	WS3010	White Aluminum Supply Air Grille 300x100 (12x4")	138,60
62539B	VELAIR®	330	WS2015	White Aluminum Supply Air Grille 200x100 (8x6")	135,60
69492P	VELAIR®	330	TC1010	Teak Supply Damper Vent 100x100 (4x4")	138,60
69493S	VELAIR®	330	TC2010	Teak Supply Damper Vent 200x100 (8x4")	174,80
69506Y	VELAIR®	330	TC2515	Teak Supply Damper Vent 250x150 (10x6")	214,00
69533B	VELAIR®	330	WC1010	White Aluminum Supply Damper Vents 100x100 (4x4")	129,60
69630Z	VELAIR®	330	BS2510	Black Aluminum Supply Air Grille 250x100 (10x4")	102,50
69631B	VELAIR®	330	BS4010	Black Aluminum Supply Air Grille 400x100 (16x4")	120,60
69910F	VELAIR®	330	TC2510	Teak Supply Damper Vent 250x100 (10x4")	189,90
69914P	VELAIR®	330	WS1010	White Aluminum Supply Air Grille 100x100 (4x4")	117,50
69915S	VELAIR®	330	WS2010	White Aluminum Supply Air Grille 200x100 (8x4")	123,60
69916U	VELAIR®	330	WS2510	White Aluminum Supply Air Grille 250x100 (10x4")	129,60
69917W	VELAIR®	330	WC2010	White Aluminum Supply Damper Vents 200x100 (8x4")	153,70
69918Y	VELAIR®	330	WC2510	White Aluminum Supply Damper Vents 250x100 (10x4")	144,70

SALE CONDITIONS:

1. Purchase orders: The Seller only accepts written orders sent by letter, fax or e-mail. The orders have to clearly indicate item code, description and quantity requested.
prices, unless different notice by the Buyer, at the earliest convenience on Ex works basis or together with a new order.

2. Shipments: Goods are delivered Ex works Seller's warehouses. Goods always travel at the Buyer's risk.

3. Returns and claims: Return of goods must be authorised by the Seller and shipped, freight costs at Buyer's charge, to Seller's warehouses within 30 days from purchase date. Returned items must be accompanied by a delivery note clearly indicating number and date of Seller's delivery note /commercial invoice as well as the reason for the returning.

In case of Buyer's request for substitution due to order mistakes, the Seller reserves the right to debit 20% of the goods value (with a minimum amount of € 10,00) for handling operations. The Buyer will be also charged accordingly at cost, should the product require further interventions.

The Seller does not accept claims for replacements after 8 days from delivery of goods.

4. Term of Payment: Payment terms will be established by the Seller on receipt of orders.

5. Place of jurisdiction: The Court of Genoa will have exclusive jurisdiction for any possible dispute.
purchase order

General Sales conditions: this price list is valid from OCTOBER 2025 and will be applied to all the purchase orders received after that date.

UFLEX S.r.l.

Via Milite Ignoto 8A

16012 Busalla (GE) - Italia

T +39 010 96201 F +39 010 9620333

uf.marine.sales@ultraflexgroup.it

www.uflex.it/en